

Zeitschrift:	Helvetica Physica Acta
Band:	46 (1973)
Heft:	4
Rubrik:	Zusammenfassungen der letzten eingegangenen Arbeiten = Résumés des derniers articles reçus

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 06.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

HELVETICA PHYSICA ACTA

Zusammenfassungen der letzten eingegangenen Arbeiten
Résumés des derniers articles reçus

Proton-Proton Streuung im Energiegebiet von 500 bis 2000 keV: Experimentelle Technik

von H. MÜHRY, H. WASSMER und E. BAUMGARTNER
Physikalisches Institut der Universität Basel

(30. IV. 73)

Abstract. A scattering chamber has been built in order to measure precise differential proton-proton cross-sections at energies between 500 and 2000 keV at three fixed angles of 12° , 25° , and 45° in the laboratory system. Effects which determine the shape and character of observed spectra and which affect the absolute value of the measured cross-sections are investigated experimentally. Methods of correction and values of the observed and calculated effects are presented.

On the Characterization of Bound States and Scattering States in Quantum Mechanics

by W. O. AMREIN and V. GEORGESCU
Department of Theoretical Physics, University of Geneva, Geneva, Switzerland

(1. V. 73)

Abstract. Ruelle's definition of bound states and scattering states in quantum mechanics in terms of the position operator is related to the usually accepted definition of these states in terms of the spectral properties of the Hamiltonian H , viz. the states belonging to the point spectrum or the continuous spectrum of H . The equivalence of the two ways of defining these states is established, for a large class of n -body Hamiltonians ($n < \infty$) including practically all Schrödinger Hamiltonians of physical interest as well as Dirac Hamiltonians.

(n- γ) Directional Correlation in the Reaction $^{20}\text{Ne}(\text{d}, n\gamma)^{21}\text{Na}$ ($E^* = 330$ keV)

by R. HOFMANN, R. CORFU and J. ROSSEL
Institut de Physique, Université de Neuchâtel (Suisse)

(15. V. 73)

Abstract. Time-of-flight measurements of neutron-gamma directional correlation have been performed in two different geometric arrangements for the first excited 330 keV state of ^{21}Na . From the deduced multipole mixing parameter δ and the known life-time τ the characteristics of the low energy level can be determined and discussed. The assignment $5^+/2$ is established on the basis of the γ transition probability amounting to ~ 40 Weisskopf units. These results favour the nuclear model of collective rotational bands with Coriolis coupling for the low-lying levels of the 21 nucleon system.