

**Zeitschrift:** Helvetica Physica Acta  
**Band:** 59 (1986)  
**Heft:** 4

**Artikel:** Emittance quotations, a recommendation  
**Autor:** Clausnitzer, G.  
**DOI:** <https://doi.org/10.5169/seals-115738>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 21.02.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## EMITTANCE QUOTATIONS, A RECOMMENDATION

G. Clausnitzer

Strahlencentrum, University of Giessen, D-6300 Giessen, FRG

### Basics

Ions emerging from a source are usually considered to form a conservative system; hence the volume occupied by this beam in the sixdimensional phase space (given by the momentum  $\underline{p}$  and the position vector  $\underline{r}$  of each particle) is a constant of motion (Liouville's theorem). For practical purposes this quantity is reduced to 4 dimensions by omitting the z-components (beam direction) and furthermore to 2 dimensions by assuming an axial symmetry. This components  $p_r \cdot r$  are distributed such, that a fixed percentage of the beam is usually located within a elliptical area  $\epsilon$  called the emittance

$$\epsilon = \pi \cdot p_{r \max} \cdot r_{\max}$$

The radial momenta  $p_r$  (determined by the characteristics of the source) are measured by introducing the divergence of the beam  $p_{r \max} = \alpha_{\max} \cdot p_z$  and the emittance quotation is given by

$$\epsilon = \pi \cdot r_{\max} \cdot \alpha_{\max} \cdot p_z, \text{ nonrelativistically } p_z = m \cdot v_z = \sqrt{2q \cdot U \cdot m}$$

where  $p_z$  contains the properties of different ion-masses and -charges.

### The practical units

Modern books on ion optics agree to the "normalized emittance" quotation

$$\epsilon_n = \frac{1}{c} \cdot \epsilon, \text{ relativistically } \epsilon_n = \pi \cdot r_{\max} \cdot \alpha_{\max} \cdot \beta \cdot \gamma, \quad \beta = \frac{v}{c} \quad \gamma = \left(1 - \frac{v^2}{c^2}\right)^{-1/2}$$

with the implicite understanding that  $m = m_{\text{proton}} = 1$ .

Others use the above nonrelativic relation, also with the -rarely mentioned- understanding, that the proton mass is unity. Emittance quotations can be compared only if all relevant information is given.

### Recommendation

The Montana participants agreed to give the following two recommendations:

1. Quote  $\epsilon_n$  with the beam fraction and a statement of ion-charge and -mass.
2. Use -if possible- a current measuring device sketched in Fig.1.  $r_{\max}$  and  $\alpha_{\max}$  are determined from geometry. The measured current is certainly contained in  $\epsilon_n = \pi \cdot r_{\max} \cdot \alpha_{\max} \cdot \beta \cdot \gamma$ . The beam fraction can easily be determined, if a sliding cup is used.




Fig.1 Current measuring device for emittance quotations.

Notice

We are aware, that this measuring apparatus does not accept "odd" phase space configurations. But since it defines an emittance, which resembles common accelerator acceptances rather well, we leave it to the experimenter, to match his beam as good as possible.