

Zeitschrift: Helvetica Physica Acta
Band: 65 (1992)
Heft: 2-3

Artikel: Chaotic dynamics of fluxons in large-area Josephson junctions
Autor: Abdullaev, F.Kh. / Umarov, B.A.
DOI: <https://doi.org/10.5169/seals-116498>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 07.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

CHAOTIC DYNAMICS OF FLUXONS IN LARGE-AREA JOSEPHSON JUNCTIONS

F.Kh.Abdullaev, B.A.Umarov

Thermophysics Department of the Uzbek Academy of Sciences, Katartal str.28, Tashkent 700135, USSR

Last years the investigation of the fluxon dynamics in the Josephson junctions attracts much interest of scientists. It is connected with a possibility to control the fluxon parameters with the help of external effects or the changes of junction parameters [1-3]. In this paper we consider the fluxon motion in large-area inhomogeneous Josephson junction at the presence of external variable current.

Let us consider a motion of the radial-symmetric vortex in inhomogeneous junction under the action of high frequency external force. In this case the equation for the phase difference between two superconducting films in standard dimensionless variables [1] takes the form

$$\Phi_{tt} - \Phi_{rr} + \sin\phi = f \sin \Omega t + 1/r \Phi_r - \varepsilon \alpha(\phi, r). \quad (1)$$

where α describes of the inhomogeneity influence.

Following [4-5] let us consider the dynamics of kink-shaped bubble satisfying (1) in which the energy is concentrated in a single well. We assume that the radius of such a bubble is large enough to be considered as a perturbation. For $\varepsilon=0, f=0$, and $\rho \gg 1$, one obtains the fluxon solution in the form

$$\Phi_0(z) = 4 \tanh^{-1} \exp(+z), \quad z = \frac{r-\rho}{(1-v^2)^{1/2}}, \quad \rho = vt + \rho_0,$$

where v is fluxon velocity and ρ is the radius.

We apply perturbation theory to the fluxon dynamics by taking right hand side in (1) as a small perturbation. Then one obtains

$$\frac{dv}{dt} = \frac{1}{\rho} + \varepsilon a(\rho) + \pi f / [8 \cdot (1-\Omega^2)] \cdot \sin \omega t, \quad (2)$$

$$\frac{d\rho}{dt} = v(t), \quad (3)$$

where

$$a(\rho) = \frac{1}{4} \int \alpha(z, \rho) \operatorname{sech}^4 z dz.$$

Hereby we came to nonrelativistic limit $v^2 \ll 1$ and take into account the renormalization of the external field following [2]. Let us investigate the case when $\epsilon \gg f$, and $1/\rho \sim f$. In this case the system (2), (3) can be studied with the account of radiality and external current as a perturbation. Let us consider the truncated system (2), (3)

$$\frac{dv}{dt} = \epsilon a(\rho), \quad (2')$$

$$\frac{d\rho}{dt} = v. \quad (3')$$

Let us consider concrete models of the inhomogeneity

$$\alpha(r) = \delta(r - r_1) + \delta(r - r_2). \quad (4)$$

This is a model of the Josephson junction with micro short-circuit the regions of strong superconducting currents, the sizes of which are much less than Josephson depth of penetration λ_J . The separatrix solution of the system (2'-3') given in non explicit form, is found from the equation[6]

$$2 H_C(t - t_0) = \rho' - \frac{\alpha + y_0}{2(y_0^2 - 1)^{1/2}} \ln \left[\frac{y_0^{-1} + (y_0^2 - 1)^{1/2} \tanh \rho'}{y_0^{-1} - (y_0^2 - 1)^{1/2} \tanh \rho'} \right], \quad (5)$$

$$y_0 = \alpha - 2/\alpha, \quad \alpha = \cosh(r_2 - r_1), \quad \rho' = \rho - \frac{r_1 + r_2}{2},$$

$$H_C = \frac{\epsilon}{4} \frac{\alpha^2}{(\alpha^2 - 1)}.$$

Taking into account the separatrix solution one can find the criteria of the chaotic motion near the separatrix with the help of the Melnikov method[7]. Let us calculate the Melnikov integral $D(t_0)$. If $\omega_1 \gg 1$, we obtain

$$D(t_0) \approx \epsilon \cdot a \cdot \sin(k+L) \cdot \sin \omega_1 t_0 / [2\omega_1 \cdot (1-\Omega^2)] - \ln(r_1/r_2), \quad (6)$$

where $\omega_1 = \Omega / 2H_C$, $r_2 > r_1 \gg 1$, $L = r_2 - r_1$. For $1 \ll \rho_0$ we have

$$\ln(r_1/r_2) = 1/\rho_0.$$

It is known that if $D(t_0)$ changes a sign, then the separatrix is intersect and a motion becomes chaotic in this region. Having studied the result presented in formulae (6) we came to conclusion that in general case the fluxon dynamics in large-area Josephson junctions under the action of variable external field can have a stochastic character and the account of radial symmetry results in narrowing of the chaos region, i.e it acts as a dumping. This conclusion should be taken into account while designing the Josephson oscillators with variable frequency, in that case when we apply the alternating current to change the frequency.

References.

- 1.D.W.McLaughlin,A.C.Scott.In Solitons in action.Acad.Press ,N.Y.
1978.
- 2.F.Kh.Abdullaev,A.A.Abdumalikov,B.A.Umarov.Doklady Uzbek Akademy
of Sciences.N.3,p.25,1989.(In Russian)
- 3.P.L.Christiansen,P.S.Lomdahl,N.J.Zabusky.Appl.Phys.Lett.
v.39,N.2,p.170,1981.
- 4.E.M.Maslov.Preprint IZMIRAN SSSR,N.15(769),1989.
- 5.E.M.Maslov.Physica D15,p.433,1985.
- 6.F.Kh.Abdullaev,S.A.Darmanyan,B.A.Umarov.Phys.Rev. A,v.41,N.8,
p.4498,1990.
- 7.V.K.Melnikov.Trudy Moskovsk.Mat.Obshestva.v.12,p.3,1963.
(In Russian)