

<b>Zeitschrift:</b>	Mycologia Helvetica
<b>Herausgeber:</b>	Swiss Mycological Society
<b>Band:</b>	1 (1983-1986)
<b>Heft:</b>	7
<b>Artikel:</b>	Haupt- und Nebenfruchtformen europäischer Hypoxylon-Arten (Xylariaceae, Sphaeriales) und verwandter Pilze
<b>Autor:</b>	Petrini, Liliane E. / Müller, Emil
<b>Kapitel:</b>	Literatur
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-1036484">https://doi.org/10.5169/seals-1036484</a>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 10.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## LITERATUR

- Arx, J. A., von, 1982. The genus *Dicyma*, its synonyms and related fungi. *Mycology, Proceedings, C85*: 21 - 28.
- Bulliard, J. B. F., 1791. Champignons de la France.
- Campbell, W. A. & R. W. Davidson, 1940. *Ustulina vulgaris* - decay in sugar maple and other hardwoods. *Journal of Forestry* 38: 474 - 477.
- Carroll, F. E., E. Müller & B. C. Sutton, 1977. Preliminary studies on the incidence of needle endophytes in some European conifers. *Sydowia* 29: 87 - 103.
- Carroll, G. C., 1963. Pyrenomycetes (Studies in the flora of Thailand). *Dansk Botanisk Arkiv* 23: 101 - 114.
- Carroll, G. C., 1964. Pyrenomycetes, mainly Xylariaceae, from South Pacific islands. *Botanisk Tidsskrift* 59: 301 - 310.
- Carroll, G. C. & F. E. Carroll, 1978. Studies on the incidence of coniferous needle endophytes in the Pacific Northwest. *Can. J. Bot.* 56: 3034 - 3043.
- Cesati, V. & G. De Notaris, 1863. Schema di Classificazione degli sferiacei italici aschigeri. *Comm. Critt. It.* 1: 177 - 240.
- Chacko, R. J. & J. D. Rogers, 1981. Cultural characteristics of some species of *Xylaria*. *Mycologia* 73: 415 - 428.
- Chesters C. G. C. & G. N. Greenhalgh, 1964. *Geniculosporium serpens* gen. et sp. nov., the imperfect state of *Hypoxylon serpens*. *Trans. Br. mycol. Soc.* 47: 393 - 401.
- Child, M., 1932. The genus *Daldinia*. *Ann. Miss. Bot. Gard.* 19: 429 - 497.
- Cole, G. T. & R. A. Samson, 1979. Patterns of development of conidial fungi. Pitman, London, S. Francisco, Melbourne, 190 S.
- Eckblad, F. E. & A. Granmo, 1978. The genus *Nummularia* (Ascomycetes) in Norway. *Norw. J. Bot.* 25: 69 - 75.
- Ellis, J. B. & B. M. Everhart, 1892. The North American Pyrenomycetes. Newfield, New Jersey, 793 S.
- Enderle, M., 1982. Die Gattung *Hypoxylon* BULL. ex FR. im Ulmer Raum. *Z. Mykol.* 48: 141 - 164.
- French, D. W., C. S. Hodges & J. D. Froyd, 1969. Pathogenicity and taxonomy of *Hypoxylon mammatum*. *Can. J. Bot.* 47: 223 - 226.
- Fries, E., 1849. Summa Vegetabilium Scandinaviae, Uppsala, S. 375 - 428.
- Glawe, D. A. & J. D. Rogers, 1982. Observations on the anamorphs of six species of *Eutypa* and *Eutypella*. *Mycotaxon* 14: 334 - 346.
- Granmo, A., 1977. Slektet *Hypoxylon* (Pyrenomycetes, Xylariaceae) i Norge. Diss. Universitetet i Bergen, N, 1977. 191 S.
- Gray, S. F., 1821. Natural Arrangement of British Plants. *Fungi* 1: 507 - 676.
- Greenhalgh, G. N. & C. G. C. Chesters, 1968. Conidiophore morphology in

- some British members of the Xylariaceae. Trans. Br. mycol. Soc. 51: 57 - 82.
- Greenhalgh, G. N. & A. J. S. Whalley, 1970. Stromal Pigments of some species of *Hypoxylon*. Trans. Br. mycol. Soc. 55: 89 - 96.
- Greville, R. K., 1824. Scottish Cryptogamic Flora 2: 61 - 120. tab. 61 - 120.
- Greville, R. K., 1825. Scottish Cryptogamic Flora 3: 121 - 180. tab. 121 - 180.
- Greville, R. K., 1928, Scottish Cryptogamic Flora. 6: 301 - 361. tab. 301 - 361. Anhang 82 S.
- Jong, S. C., 1970. Cultural and developmental studies of conidial stages of *Hypoxylon* and allied genera. Ph.D.-Thesis, 70-16.815, Washington State University, 251 S.
- Jong, S. C. & C. R. Benjamin, 1971. North American species of *Nummularia*. Mycologia 63: 862 - 876.
- Jong, S. C. & J. D. Rogers, 1972. Illustrations and descriptions of conidial states of some *Hypoxylon*-species. Washington Agricultural Experiment Station, Technical Bulletin 71: 1 - 51.
- Kohn, L. M. & R. P. Korf, 1975. Variation in Ascomycete iodine reactions: KOH pretreatment explored. Mycotaxon 3: 165 - 172.
- Lowry, R. J. & A. S. Sussman, 1958. Wall structure of ascospores of *Neurospora tetrasperma*. Am. Jour. Bot. 45: 397 - 403.
- Manion, P. D., 1975. Two infection sites of *Hypoxylon mammatum* in trembling aspen (*Populus tremuloides*). Can. J. Bot. 53: 2621 - 2624.
- Martin, P., 1967. Studies in the Xylariaceae II. *Rosellinia* and the Primo-cinerea section of *Hypoxylon*. Jl. S. Afr. Bot. 33: 315 - 328.
- Martin, P., 1968a. Studies in the Xylariaceae III. South African and foreign species of *Hypoxylon* section Entoleuca. Jl. S. Afr. Bot. 34: 153 - 199.
- Martin, P., 1968b. Studies in the Xylariaceae IV. *Hypoxylon*, sections Papillata and Annulata. Jl. S. Afr. Bot. 34: 303 - 330.
- Martin, P., 1969a. Studies in the Xylariaceae V. Euhypoxylon. Jl. S. Afr. Bot. 35: 149 - 206.
- Martin, P., 1969b. Studies in the Xylariaceae VI. *Daldinia*, *Numulariola* and their allies. Jl. S. Afr. Bot. 35: 267 - 320.
- Messner, K. & B. C. Sutton, 1982. *Libertella blepharis*, pathogenic on apple trees of the variety McIntosh. Mycotaxon 14: 325 - 333.
- Miller, J. H., 1961. A Monograph of the World Species of *Hypoxylon*. University of Georgia Press, Athens, 158 S.
- Müller, A., 1945. Schweizer Standard Farbenkarte. 2. Auflage, 100 S.
- Nag Raj, T. R., 1981. Coelomycete systematics. In Biology of conidial fungi, Hrsg. G. T. Cole & B. Kendrick, Academic Press 1: 43 - 84.
- Nannfeldt, J. A., 1972. *Camarops* KARSTEN. (Sphaeriales - Boliniaceae).

- Svensk Botanisk Tidskrift 66: 335 - 376.
- Nannfeldt, J. A., 1976. Iodine Reactions in Ascus plugs and their taxonomic significance. Trans. Br. mycol. Soc. 67: 1 - 5.
- Nitschke, Th., 1867. Pyrenomycetes Germanici. Trewendt, Breslau, 320 S.
- Ouellette, G. B. & E. W. B. Ward, 1970. Low-temperature requirements for ascospore germination and growth of *Hypoxylon diathrauston*. Can. J. Bot. 48: 2223 - 2225.
- Parguey-Leduc, A., 1972. Recherches préliminaires sur l' ontogénie et la anatomie comparée des ascocarpes des Pyrénomycètes ascohyméniaux. Rev. Mycol. 36: 194 - 237.
- Petrini, L. & O. Petrini, 1985. Xylariaceous fungi as endophytes. Sydowia 38: im Druck.
- Petrini, O., 1982. Notes on some species of *Chloroscypha* endophytic in Cupressaceae of Europe and North America. Sydowia 35: 206 - 222.
- Petrini, O., 1984. Zur Verbreitung und Ökologie endophytischer Pilze. Habilitationsschrift, ETH - Zürich, 209 S.
- Petrini, O. & E. Müller, 1979. Pilzliche Endophyten, am Beispiel von *Juniperus communis* L. Sydowia 32: 224 - 251.
- Pinon, J., 1979. Origine et principaux caractères des souches française de *Hypoxylon mammatum* (WAHL.) MILLER. Europ. J. For. Path. 9: 129 - 142.
- Ponomareff, N. V., 1938. The conidial stage of *Hypoxylon pruinatum*. Phytopathology 28: 515 - 518.
- Pouzar, Z., 1972. *Hypoxylon fraxinophilum* spec. nov. and *H. moravicum* spec. nov., two interesting species found on *Fraxinus angustifolia*. Ceská Mykologie 26: 129 - 137.
- Pouzar, Z., 1976. *Nummularia dennisii*, a new species of Xylariaceae from Central Europe. Kew. Bull. 31: 653 - 655.
- Pouzar, Z., 1978. *Hypoxylon macrocarpum* POUZ. spec. nov., a new fragrant pyrenomycete. Ceská Mykologie 32: 19 - 21.
- Pouzar, Z., 1979. Notes on taxonomy and nomenclature of *Nummularia* (Pyrenomycetes). Ceská Mykologie 33: 207 - 219.
- Povah, A., 1924. *Hypoxylon* poplar canker. Phytopathologia 14: 140 - 145.
- Prljincevic, M. B., 1982. Economic significance of the infection of beech forests by *Hypoxylon deustum* (HOFFM.: FR.) GREV. at Sara Mountain. Eur. J. For. Path. 12: 7 - 10.
- Rogers, J. D., 1965. *Hypoxylon fuscum* I. Cytology of the Ascus. Mycologia 57: 789 - 803.
- Rogers, J. D., 1967. *Hypoxylon multifforme*: Cytology of the Ascus. Mycologia 59: 295 - 305.
- Rogers, J. D., 1969. *Hypoxylon rubiginosum*. Cytology of the Ascus and surface morphology of the Ascospore. Mycopathologia 38: 215 - 223.

- Rogers, J. D., 1975 a .The ascospore of *Hypoxylon glycyrrhiza*. Mycologia 67: 657 - 662.
- Rogers, J. D., 1975 b. *Nummularia broomeiana*: Conidial state and taxonomic aspects. Amer. J. Bot. 62: 761 - 764.
- Rogers, J. D., 1977. Surface features of the light-colored ascospores of some applanate *Hypoxylon* species. Can. J. Bot. 55: 2394 - 2398.
- Rogers, J. D., 1979. The Xylariaceae: Systematic, biological and evolutionary aspects. Mycologia 71: 1 - 42.
- Rogers, J. D., 1983. *Xylaria bulbosa*, *Xylaria curta* and *Xylaria longipes* in Continental United States. Mycologia 75: 457 - 467.
- Rogers, J. D. & J. G. Berbee, 1964. Developmental Morphology of *Hypoxylon pruinatum* in bark of quaking aspen. Phytopathology 54: 154 - 162.
- Rogers, J. D. & F. Candoussau, 1980. A. new variety of *Hypoxylon cohaerens* from France. Mycologia 72: 826 - 829.
- Rogers, J. D. & K. P. Dumont, 1979. Los Hongos de Colombia VI. Two new applanate species of *Hypoxylon*. Mycologia 71: 807 - 810.
- Rogers, J. D. & D. A. Glawe, 1983. *Diatrype whitmanensis* sp. nov. and the anamorphs of *Diatrype bullata* and *Eutypella sorbi*. Mycotaxon 18: 73 - 80.
- Saccardo, P. A., 1882. *Sylloge Fungorum I*. Padua, 768 S.
- Samuels, G. J., 1979. Notes on Isolation of solitary Ascospores - a field guide. In The whole Fungus II, Hrsg. B. Kendrick, National Museum of Natural Science, Ottawa, S. 636 - 645.
- Shigo, A. L., 1967. Successions of organisms in discoloration and decay of wood. International Review of Forestry Research 2: 237 - 299.
- Stafleu, F. A., 1981. Index Herbariorum. Utrecht, 7. Auflage, 452 S.
- Subramanian, C. V., 1972. *Padixonia*, a new genus of Hyphomycetes. Curr. Sci. 41: 282 - 283.
- Theissen, F. 1909. Xylariaceae austro-brasilienses II. Ann. Mycol. 7: 141 - 167.
- Tulasne, L. R. & C. Tulasne, 1863. *Selecta Fungorum Carpologia*. Paris, Bd. 2, 316 S.
- Whalley, A. J. S., R. L. Edwards & S. M. Francis, 1983. *Hypoxylon gwyneddii* sp. nov. from Wales. Trans. Br. mycol. Soc. 81: 389 - 392.
- Whalley, A. J. S. & G. N. Greenhalgh, 1971. Chemical races of *Hypoxylon rubiginosum*. Trans. Br. mycol. Soc. 57: 161 - 162.
- Whalley A. J. S. & M. A. Whalley, 1977. Stromal pigments and taxonomy of *Hypoxylon*. Mycopathologia 61: 99 - 103.
- Wilkins, W. H., 1936. Studies in the genus *Ustulina* with special reference to parasitism II. A disease of the common lime (*Tilia vulgaris* HAYNE) caused by *Ustulina*. Trans. Br. mycol. Soc. 20: 133 - 156.
- Wilkins, W. H., 1939. Studies in the genus *Ustulina* with special reference to parasitism V. A disease of Elm (*Ulmus campestris* SM.) caused by *Ustulina*. Trans. Br. mycol. Soc. 23: 171 - 185.