

**Zeitschrift:** Mycologia Helvetica  
**Herausgeber:** Swiss Mycological Society  
**Band:** 8 (1996)  
**Heft:** 2

**Artikel:** Bambusicolous fungi collected in Southwestern France : an annotated list  
**Autor:** Candoussau, F. / Magni, J.-F. / Petrini, L.E.  
**DOI:** <https://doi.org/10.5169/seals-1036431>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 16.04.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

# Bambusicolous fungi collected in Southwestern France: an annotated list

E. Candoussau<sup>1</sup>, J.-F. Magni<sup>2</sup>, L. E. Petrini<sup>3</sup>, M. E. Barr<sup>4</sup> and O. Petrini<sup>3</sup>

<sup>1</sup>53, rue Aristide Briand, F 64000 Pau, France

<sup>2</sup>13, rue de la Calvette, F-31750 Escalquens, France

<sup>3</sup>Tèra d' Sott 5, CH-6949 Comano, Switzerland

<sup>4</sup>9475 Inverness Road, Sidney, B.C. V8L 5G8 Canada

Summary – A list reporting fungal saprobes collected on species of bamboo growing in Southwestern France is presented. The new combination *Iodosphaeria tarda* (Fuckel) M. E. Barr is redescribed and illustrated.

Zusammenfassung – Es werden pilzliche Saproben aufgelistet, welche auf Blättern und Stengeln von in Südwestfrankreich wild wachsenden Bambus-Arten gesammelt wurden. *Iodosphaeria tarda* (Fuckel) M. E. Barr wird als neue Kombination eingeführt und illustriert.

## Introduction

Since the first publication reporting bamboo-inhabiting fungi from Southwestern France (Petrini et al., 1989) we have continued our study of the mycota growing on dead culms and leaf sheaths of bamboos and have extended it to myxomycetous genera.

Here we present an updated list to report species collected after 1989 as well as new records of taxa already listed by Petrini et al. (1989). The saprobic ascomycetes, deuteromycetes and myxomycetes reported for the first time in this list have been collected, with few exceptions, almost exclusively on *Phyllostachys* spp.

Unless otherwise stated, all collections are kept in the private collection of the senior author. The collector names are abbreviated as follows: FC, F. Candoussau; JPC, J.-P. Chaumeton; JFM: J.-F. Magni. Fungal names cited in the list with no annotations have been already described and reported by Petrini et al. (1989).

## ASCOMYCOTINA

### 1. PEZIZALES

*Scutellinia hirtella* (Rehm) Kuntze

### 2. OSTROPALES

*Stictis stellata* Wallr.

*Stictis radiata* Pers. subsp. *radiata*

Description and illustrations: Sherwood (1977).

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp. FC, JPC, JFM 12.06.1994 (FC4683).

### 3. LEOTIALES

*Arachnopeziza aurelia* (Pers.) Fuck.

*Bisporella scolochloae* (De Not.) B. Spooner

*Crocicreas bambusicola* Carpenter

*Dasyscyphus barbatus* (Kunze) Masee

*Encoelia mollisioides* B. Spooner

*Lasiostictella bambusae* M. Sherwood-Pike

New site. – 40 Biaudos, Parc du château, on *Pseudosasa japonica*, FC 20.02.1994 (FC4667-A) and FC 26.02.1995 (FC 4667-B). Second site; the previous one, Capbreton (see Petrini et al. 1989) is destroyed.

*Mollisia ligni* (Desm.) Karst. – complex

*Mollisia ventosa* (Karst.) Karst.

*Pezizella pulcherrima* Spooner et Dennis

*Stictis friabilis* (Phil. et Plowright) Sacc. et Trav.

Description and illustrations: Sherwood (1977).

Collection examined. – 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC 26.02.1995 (FC 4301-A).

*Strossmayeria basitricha* (Sacc.) Dennis

*Strossmayeria notabilis* Iturriaga

Description and illustrations: Iturriaga and Korf (1990: 408–414).

Recorded as *Durella brunnea* Hino et Katumoto by Petrini et al. (1989).

Collections examined. – 64 Osserain, near Sauveterre, on *Phyllostachys* sp., FC 03.07.1988 (4494) identified by R. P. Korf. Other collections: 64 Uhart-Mixe, Parc du château, 06.09.1992 and 13.03.1994 (FC 4303).

### 4. SPHAERIALES

*Amphisphaeria striatispora* Candoussau et Katumoto

*Anthostomella* cf. *minutoides* K. D. Hyde

Collection examined. – 40 Biaudos, Parc du Château, on *Phyllostachys* sp., FC 10.3.85 (FC 122), repeatedly collected in this site until 1994.

According to K. D. Hyde (pers. comm.), the spores in these collections are larger than in *A. minutoides* (7x 3 µm in our collections vs. 4.8–6.4 x 2.2 µm in *A. minutoides*).

*Apiospora curvispora* (Speg.) Rehm

Description and illustrations: Müller and von Arx (1962: 683).

Collection examined. – 40 Tartas Midouze river side, on *Phyllostachys* sp., G. Gilles 02.10.1993 (FC 5386–1), identified by G. J. Samuels.

It can be distinguished from other species by its large, 38–42 µm long ascospores.

*Apiospora montagnei* Sacc.

*Camarops lutea* (Alb. et Schw.: Fr.) Nannfeldt

Description and illustrations: Nannfeldt (1972: 354–357).

Collection examined. – 64 Osserain, on *Phyllostachys* sp., JPC 23.08.1992 (FC 5351); 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp. FC J–JPC–JFM 12.06.1994 (FC 5351-A).

So far not recorded on Monocotyledons (J. D. Rogers, in litt.).

*Camarops* cf. *pugillus* (Schwein.) Shear

Description and illustrations: Lundqvist (1987: 66–69).

Collection examined. – 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC–JFM 23.01.1994 (FC 5352).

This collection differs from *C. pugillus* by the yellow coloration of the host tissues.

*Chaetosphaeria vermicularioides* (Sacc. et Roum.) W. Gams et V. Hol.-Jech.

*Eutypella leprosa* (Fr.) Berlese

- Form A

Description and illustrations: Rappaz (1987: 457–463).

Collection examined. – see Petrini et al. (1989).

- Form B

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 02.01.1994 (FC 5427-B).

In Form B, the stromata break the bamboo fibers into longitudinal rows, whereas in Form A the slits are perpendicular to the fibers. According to Rappaz (1994, in litt.), such difference between both collections is spectacular. Although in general such features are caused by difference in ecological conditions (mainly humidity) during the growth, the presence of stromata of both sizes on close areas of the same substratum suggests genetic differences between the two forms. Cultural work, however, is necessary to prove such hypothesis.

*Eutypella scoparia* (Schwein.: Fr.) Ellis et Everh.

- Form A

Description and illustrations: Rappaz (1987: 534–541).

Collection examined. – see Petrini et al. (1989).

- Form B

Collections examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 26.09.1992 (FC 5428-B); 40 Biaudos, Parc du château, on *Phyllostachys bambusoides*, FC–JPC–JFM 23.01.1994 (FC 5428-B1).

Form B differs from Form A by its valsooid and superficial stromata.

*Eutypa leptoplaca* (Mont.) F. Rappaz

Description and illustrations: Rappaz (1987: 346–348).

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 02.01.1994 (FC 5429); identified by F. Rappaz.

*Gibberella zeae* (Schwein.) Petch

*Hypocrea rufa* (Pers.: Fr.) Fr.

*Hypocrea protocitrina* Doi

Description and illustrations: Doi (1972: 660–661).

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp. FC 21.09.1986 (FC 4805–7); 64 Osserain, on *Phyllostachys* sp., FC 22.10.1989 (FC 4805–7 A); same site: FC–JPC and G. Gilles 21.09.1986 (FC 4805–7 B). Identified by G. J. Samuels.

This species is characterized by having small part spores and its habitat on bamboos.

*Hypoxylon bipapillatum* Berk. et Curt.

*Hypoxylon serpens* (Pers.: Fr.) Kickx

*Hypoxylon serpens* (Pers.: Fr.) Kickx var. *macrosporum* J. H. Miller

*Iodosphaeria phyllophila* (Mouton) G. J. Samuels et O. Petrini

Description and illustrations: Samuels et al. (1987: 486–499).

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 06.09.1992 (FC 5099).

This species was not so far recorded from this host.

*Iodosphaeria tarda* (Fuckel) M. E. Barr, comb. nov. – Fig. 1, a–d.

= *Sphaeria tarda* Fuckel, Fungi Rhenani exs. n. 2021. In sched.

= *Trichosphaeria tarda* (Fuckel) Fuckel, Jahrb. Nassauischen Ver. Naturk. 23–24: 145. 1870.




Fig. 1. a–d: *Iodosphaeria tarda*. a: ascoma on host. b: seta and peridium cells. c: ascus. d: ascospores, two lower ones from Fuckel 2021. e: ascospores of *Lophiosphaera ulicis*. f: ascospores of *Thyridaria rigniacensis*. Bar = 400 µm for a, 15 µm for b–f.

Ascomata perithecioid, superficial, 300–400 µm wide, bearing numerous septate, thick-walled, blunt-ended setae, (50–)75–330(–440) × 12–20 µm; ostioles minute, periphysate; peridium of large, brown, pseudoparenchymatous cells, usually two rows, 15–25 µm wide. Asci 70–85(–110) × 6–12 µm, basal, in fascicles, oblong, slightly inflated in mid region, short stipitate; apical ring minute, refractive, nonamyloid. Paraphyses few, delicate, 2–3 µm wide. Ascospores (12–) 14–20 × (3–)4–6 µm, hyaline, one celled, oblong to nearly allantoid, ends obtuse, often tapered more toward base; wall smooth; uniseriate or partially biseriate in the ascus.

Collections examined. – 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC and JPC 27.11.1994 (FC 319). – GERMANY: Johannisberg, on *Corylus* sp., Fungi rhenani 2021 (FH, isotype, Herbarium Barbey-Boissier 672).

Although closely related to *I. phyllophila* (Mouton) G. Samuels, E. Müller et O. Petrini (1987), this species differs in the nonamyloid reaction of the apical ring in the ascus, and in smaller sizes of asci and ascospores. No anamorphs were found associated with the collections.

*Lasiosphaeria ovina* (Fries) Cesati et de Not.

Description and illustrations: Dennis (1978: 308).

Collection examined. – 64 Sauveterre de Béarn, on rotten. – *Phyllostachys* sp., FC 08.04.1990 (FC 5102).

*Nectria magnusiana* Rehm in Sacc.

Description and illustrations: Samuels et al. (1991: 27, fig 29–31).

Collection examined. – 64 Uhart-Mixe, Parc du château, hyperparasitic on *Eutypella* sp. on *Phyllostachys* sp., FC–JPC 26.09.1992 (FC 4856–3).

*Nectria consors* (Ellis et Everh.) Seaver

Description and illustrations: Samuels (1977).

Collection examined. – 64 Osserain, on *Phyllostachys* sp., JPC 23.08.1992 (FC 4863–2).

An anamorphic *Volutella* sp. was found associated with the collection.

*Nectriopsis squamulosa* (Ellis) Samuels

Description and illustrations: Samuels (1988: 45–47).

Collections examined. – 40 Biaudos, Parc du château, on sheaths of *Phyllostachys bambusoides*, FC–JFM 23.01.1994 (FC 4862-A). Several additional collections in all sites as cited in Petrini et al. (1989).

The Biaudos material is the only collection with a white subiculum; all others have perithecia associated with a golden yellow mycelium.

*Peroneutypa heteracantha* (Sacc.) Berl.

*Rosellinia franciscae* L. E. Petrini

= *Rosellinia* sp. in Petrini et al. (1989: 267).

Description and illustrations: Petrini (1992: 242–243).

Collection examined. – 64 Sauveterre de Béarn, on *Phyllostachys* sp., JFM 05.1993 (FC 5384–3).

So far recorded from only one site.

*Rosellinia sublimbata* (Durrieu et Mont.) Pass. apud Thüm.

Synonymy – see Petrini (1992) and Ju and Rogers (1994).

Description and illustrations: Ju and Rogers (1994: 249–250).

Collection examined. – 64 Sauveterre de Béarn, on *Phyllostachys bambusoides*, FC 23.03.1983 (FC 5379). Very frequent in all collecting sites visited.

*Roussoëlla hysterioides* (Cesati) von Höhnel, non *Didymosphaeria striatula* (Penzig) Saccardo

Description and illustrations: Müller and von Arx 1962: 698).

Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp. FC 06.09.1992 and 27.02.1994 (FC 5395).

Very abundant at only one collecting site, especially on dead erected *Phyllostachys*.

*Roussoëlla minutella* (Penzig et Sacc.) Aptroot

= *Roussoëlla verruculosa* F. Candoussau et K. Katumoto in Petrini et al. (1989).

*Roussoëlla serrulata* (Ellis et G. Martin) K. D. Hyde et A. Aptroot

Description and illustrations: Aptroot (1995: 369–373).

Collection examined. – Capbreton, on *Sasa japonica*, FC 06.1994.

*Trichosphaeria pilosa* (Pers.) Fuck.

*Xylaria polymorpha* (Pers.: Mer.) Gréville

Description and illustrations: Dennis (1978: 319) and Rogers and Callan (1986: 391–395).

Collections examined. – 64 Orthez Gave d'Oloron, on *Phyllostachys* sp. J. Vivant 27.08.1992 (FC 5367); 40 Biaudos, Parc du château, on *Phyllostachys bambusoides*, FC 05.06.1994 (FC 5367 A); 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC–JPC–JFM 12.06.1994 (immature).

*Zignoëlla pulviscula* (Curr.) Sacc. sensu Munk (1957).

## 5. CORONOPHORALES

*Bertia moriformis* (Tode) de Not.

Description and illustrations: Dennis (1978: 378).

Collections examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 26.06.1994 (FC 5667) and FC–JPC–JFM 12.06.1994 (FC 5667-A).

## 6. DOTHIDEALES

*Astrosphaeriella trochus* (Penz. et Sacc.) D. Hawksworth

*Aulographum emilii* O. Petrini, F. Candoussau et L. E. Petrini

*Byssosphaeria schiedermayeriana* (Fuckel) M. Barr

*Didymosphaeria thalictri* Ellis et Dearn.

Description and illustrations: Scheinpflug (1958: 356–357).

Collections examined. – 64 Uhart-Mixe, Parc du château, hyperparasitic on *Mollisia* sp. on *Phyllostachys* sp., FC 26.09.1992 (FC 5609), identified by L. Müller.

*Glioniopsis praelonga* (Schw.) Zogg

*Glonium abbreviatum* (Schw.) Lohman

*Herpotrichia herpotrichoides* (Fuckel) Cannon

*Hysterium angustatum* Alb. et Schw.

*Lophiosphaera ulicis* (Pat.) E. Müller. – Fig. 1e.

Description and illustrations: Berlese (1894) as *Ceriosporella patouillardii* (Letendre) Berl.

Collection examined. – 40 Lake of Leon (Camping), on *Pseudosasa japonica*, FC 06.02.1994 (FC 281).

This melanommataceous species is one of several related taxa whose generic disposition is still in question. The relatively large ascomata, clavate asci in trabeculae, and hyaline, uniseptate ascospores that bear elongate terminal appendages are in accord with those of *L. ulicis*.

*Lophiostoma macrostomum* (Tode: Fr.) Ces. et De Not.

*Lophiostoma semiliberum* (Desm.) Ces. et De Not.

*Lophiostoma viridarium* Cooke

Description and illustrations: Holm and Holm (1988).

Collection examined. – 40 Lake of Leon on *Pseudosasa japonica*, FC 06.02.1994 (FC 6073).

So far not recorded on bamboo. Associated with *Munkovalsaria donacina*.

*Munkovalsaria donacina* (Niessl) Aptroot

Description and illustrations: Aptroot (1995: 346–349).

Collection examined. – 40 Lake of Leon (Camping), on *Pseudosasa japonica*, FC 08.05.1993, 06.02.1994 (FC 5396–2) and 10.02.1994 (FC 5396–1), identified by A. Aptroot.

*Rhizodiscina ligniota* (Fr.) Hafellner

*Schizothyrium pomi* (Mont.: Fr.) von Arx

*Sporormiella pilosa* (Cain) Ahmed et Cain

*Thyridaria rigniacencis* Sacc. et Flageolet. Fig. 1f.

Description and illustrations: Wehmeyer (1941).

Collection examined. – 40 Lake of Leon (Camping) on *Pseudosasa japonica*, FC 08.05.1994 (FC 291).

Although this collection has slightly larger ascospores ( $14\text{--}17 \times 5 \mu\text{m}$  vs  $10\text{--}14 \times 3.5 \mu\text{m}$ ) than Wehmeyer (1941) described for the species on *Ulex europaea*, it agrees well in shapes of asci and ascospores with the species.

## 7. SORDARIALES

*Chaetomium olivaceum* Cooke et Ellis

## DEUTEROMYCOTINA

### 1. HYPHOMYCETES

*Acremonium hyalinulum* (Sacc.) Gams

*Annellodochium ramulisporum* Deighton

*Annellodochium* cf. *ramulisporum* Deighton

*Arthrinium* anam. *Apiospora montagnei*

*Arthrinium phaeospermum* (Corda) M. B. Ellis

*Chalara inflipes* (Preuss) Sacc.

*Corynespora foveolata* (Pat.) Hughes

*Fusarium aquaeductum* (Redlk. et Rabenh.) Lagerberg

*Fusarium graminearum* Schwabe

*Graphium fasciculatum* Sacc.

*Gonytrichum* anam. *Trichosphaerella inaequalis* (Grove ex Berl. et Vogl.) E. Müller

*Hadrotrichum bambusicola* O. Petrini, L.E. Petrini et F. Candoussau  
*Periconia igniaria* Mason et M. B. Ellis  
*Pteroconium anam. Apiospora camptospora* Penz. et Sacc.  
*Torula herbarum* (Pers.) Link ex S. F. Gray  
*Verticillium lecanii* (Zimm.) Viegas

## 2. COELOMYCETES

*Amerosporium polynematoides* Speg.  
*Dinemasporium strigosum* (Pers.: Fr.) Sacc.  
*Epicoccum nigrum* Link  
= *E. purpurascens* Ehrenb. ex Schlecht. in Petrini et al. (1989).

## MYXOMYCOTINA

### 1. TRICHIALES

*Arcyria denudata* (L.) Wettst.  
Description and illustrations: Martin and Alexopoulos (1969: 126–127).  
Collections examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 06.09.92 (JFM M125); 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC–JFM 27.11.1994 (JFM M214).  
*Arcyria cinerea* (Bull.) Pers.  
Description and illustrations: Martin and Alexopoulos (1969: 124–125).  
Collections examined. – 64 Uhart-Mixe, Parc du château on *Phyllostachys* sp., FC 12.06.94 (JFM M189); 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC–JFM 27.11.1994 (JFM M215, FC 288).

### 2. PHYSARALES

*Didymium nigripes* (Link) Fr.  
Description and illustrations: Martin and Alexopoulos (1969: 393).  
Collections examined. – 40 Cap Breton, on *Phyllostachys* sp., FC 24.06.84 (JFM M126; FC 348). – 40 Biaudos, on *Phyllostachys* sp., FC 27.11.1994 (JFM M223).  
*Craterium minutum* (Leers) Fr.  
Description and illustrations: Martin and Alexopoulos (1969: 272).  
Collection examined. – 64 Assat, on *Phyllostachys bambusoides*, FC 06.12.1992 (JFM M128; FC 235).  
*Diderma hemisphaericum* (Bull.) Hornem.  
Description and illustrations: Martin and Alexopoulos (1969: 359).  
Collection examined. – 64 Uhart-Mixe, Parc du château, on *Phyllostachys* sp., FC 27.02.1994 (JFM M175; FC 288).

### 3. STEMONITALES

*Comatricha ellae* Harkonen  
Description and illustrations: Nannenga-Bremekamp (1991: 349).  
Collection examined. – 64 Pau, on *Pseudosasa Japonica*, FC 10.02.1994 (JFM M157; FC 284).

*Comatricha tenerrima* (M. A. Curt.) G. Lister

Description and illustrations: Martin and Alexopoulos (1969: 239).

Collection examined. – 64 Thèse, château de Viven, on *Phyllostachys mitis*, FC 22.11.1992 (JFM M127; 173).

*Stemonitis fusca* Roth.

Description and illustrations: Martin and Alexopoulos (1969: 193).

Collection examined. – 40 Biaudos, Parc du château, on *Phyllostachys* sp., FC–JFM 27.11.1994 (JFM M216).

### Acknowledgements

We thank Mrs Marianne Meyer for checking the identifications of the Myxomycetes.

### References

- Aptroot, A. (1995). Redisposition of some species excluded from *Didymosphaeria* (Ascomycotina). *Nova Hedwigia* 60: 325–379.
- Berlese, L. N. (1894). *Icones fungorum*. Vol. 1, fasc. 2–3: 91–243.
- Dennis, R. W. G. (1978). *British Ascomycetes*. Gamer Vaduz, 486 pp.
- Doi, Y. (1972). Revision of the Hypocreales with cultural observations. IV, the genus *Hypocrea* and its allies. *Japan. Bull. Nat. Sc. Mus.* 15(4): 649–751.
- Holm, L. and K. Holm. (1988). Studies in the Lophiostomataceae with emphasis on Swedish species. *Symb. Bot. Upsal.* 28(2): 1–50.
- Iturriaga, T. and R. P. Korf (1990). A monograph of the Discomycetes genus *Strossmayeria* (Leotiaceae) with comments on its anamorph, *Pseudopiropes* (Dematiaceae). *Mycotaxon* 36: 383–454.
- Ju, Y. M. and J. D. Rogers (1994). *Kretzschmariella culmorum* (Cooke) comb. nov. and notes on some other monocot-inhabiting Xylariaceous Fungi. *Mycotaxon* 51: 241–255.
- Lundqvist, N. (1987). Pyrenomyceten *Camarops pugillus* funnen i Sverige. *Svensk Bot. Tidskr.* 81: 66–69.
- Martin, G. W. and C. J. Alexopoulos (1969). *The Myxomycetes*. University of Iowa Press, 561 pp.
- Müller, E. and J. A. von Arx (1962). Die Gattungen der didymosporen Pyrenomyceten. *Beiträge Kryptogamenflora der Schweiz*. Band 11, Heft 2, 922 pp.
- Munk, A. (1957). Danish Pyrenomycetes. *Dansk Botanisk Arkiv* 17, 491 pp.
- Nannenga-Bremekamp, N. E. (1991). *A Guide to Temperate Myxomycetes*. Biopress Limited, Bristol, UK, 409 pp.

- Nannfeldt, J. A. (1972). *Camarops* Karst. (Sphaeriales-Boliniaceae). Svensk Bot. Tidskr. 66: 335–376.
- Petrini, L. E. (1992). *Rosellinia* species of the temperate zones. Sydowia 44: 169–281.
- Petrini, O., F. Candoussau and L. E. Petrini (1989). Bambusicolous fungi collected in Southwest France 1982–1989. Mycologia Helvetica 3(3): 263–279.
- Rappaz, F. (1987). Taxonomie et nomenclature des Diatrypaceae à asques octosporés. Mycologia Helvetica 2(3): 285–648.
- Rogers, J. D. and B. E. Callan (1986). *Xylaria polymorpha* and its allies in continental United States. Mycologia 78: 391–400.
- Samuels, G. J. (1977). *Nectria consors* and its *Volutella* conidial state. Mycologia 69: 255–262.
- Samuels, G. J. (1988). Fungicolous, lichenicolous and myxomyceticolous species of *Hypocreopsis*, *Nectriopsis*, *Nectria*, *Peristomialis* and *Trichonectria*. Memoirs NY Bot. Garden 48: 1–78.
- Samuels, G. J., E. Müller and O. Petrini (1987). Studies in the Amphisphaeriaceae (sensu lato) 3. New species of *Monographella* and *Pestalosphaeria*, and two new genera. Mycotaxon 28: 473–499.
- Samuels, G. J., A. Y. Rossman, R. Lowen and C.T. Rogerson (1991). A synopsis of *Nectria* subgen. *Dialonectria*. Mycol. Pap. 164: 1–48.
- Scheinflug, H. (1958). Untersuchungen über die Gattung *Didymosphaeria* Fuck. und einige verwandte Gattungen. Ber. Schweiz. bot. Ges. 68: 325–285.
- Sherwood, M. (1977). The Ostropalean Fungi. Mycotaxon 5: 1–277.
- Wehmeyer, L. E. (1941). The genus *Thyridaria* (Pyrenomycetes). Lloydia 4: 241–261.