

Zeitschrift: Bulletin der Schweizerischen Akademie der Medizinischen Wissenschaften = Bulletin de l'Académie suisse des sciences médicales = Bollettino dell' Accademia svizzera delle scienze mediche

Herausgeber: Schweizerische Akademie der Medizinischen Wissenschaften

Band: 22 (1966)

Artikel: The chemical basis of sea urchin embryogenesis

Autor: Løvtrup, Søren

Bibliographie

DOI: <https://doi.org/10.5169/seals-307647>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 01.05.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

or two molecules of any enzyme was present, and thus the question remained unsettled. There is, in my opinion, a shortcut to the solution of the problem, i.e., the logical approach. I presume that, in contrast to opinions held in earlier times, nobody maintains today that the embryo is preformed in the egg, ready to develop by what may be called a growth process. In other words, none of the morphological entities, liver, brain ... etc. are present, only the genetical information required for the establishment of these structures, if and when the developmental processes proceed according to a certain, causally determined spatio-temporal pattern. However, if the various organs are absent it would seem an obvious inference that no organ-specific proteins can occur, since the synthesis of these compounds must depend upon the activity of the respective differentiated cells.

A particularly complex situation arises if it is contended that organ-specific proteins are present and that they, in order to exert their (determinative?) function must become distributed in the embryo in accordance with the organ and tissue differentiation. This mechanism would seem to imply that the substances be distributed according to a very intricate pattern already in the unfertilized egg. It is very difficult to see how such a requirement be reconcilable with various results obtained in experimental embryology, e.g. by the rotation experiments of ANCEL and VINTEMBERGER (1948). Anyhow, enzyme molecules are not self-reproducing units; what is required for synthesis is not an enzyme prototype, but the code which is present in the nucleus of any cell.

The question of epigenesis-preformism may also be approached from the phylogenetic point of view. According to this way of thinking the unfertilized egg, in spite of its highly complex organization in certain respects, must represent the archaic cell type, on the basis of whose properties all later development rests. It follows that this cell can contain only such substances as are typical for this stage of development, any enzyme or other protein which is characteristic for cell types derived from the original one by differentiation cannot be present, even though, of course, the template for their formation is present in the genome.

Acknowledgement.—The appearance of the present work owes much to Dr. TRYGGVE GUSTAFSON, my friend. Not only has his own contributions to many different aspects of the research on sea urchin embryology captured my fascination many years ago, but it has been strengthened during many stimulating and instructive discussions.

Mrs. HUBERTA REVAY has drawn Fig. 1, Mrs. INGER JANSON has done the typing and assisted in many other ways in the preparation of this manuscript. My wife, HUGUETTE LØVTRUP, lic. ès. sciences, has helped me with the revision of the manuscript.

For the help thus extended to me I wish to express my sincere gratitude.

ABRAMS R.: Synthesis of nucleic acid purines in the sea urchin embryo. *Exp. Cell Res.* 2, 235–242 (1951).

AFZELIUS B. A.: The fine structure of the sea urchin spermatozoa as revealed by the electron microscope. *Z. Zellforsch.* 42, 134–148 (1955).

- AGRELL I. and PERSSON H.: Changes in the amount of nucleic acids and free nucleotides during early embryonic development of sea urchin. *Nature (Lond.)* 178, 1398-1399 (1956).
- ANCEL P. and VINTEMBERGER P.: Recherches sur le déterminisme de la symétrie bilatérale dans l'œuf des amphibiens. *Bull. Biol., Suppl.* 31, 1-182 (1948).
- ANDRESEN N., ENGEL F. and HOLTER H.: Succinic dehydrogenase and cytochrome oxidase in *Chaos chaos*. *C. R. Lab. Carlsberg, Sér. chim.* 27, 408-420 (1951).
- AUGUSTINSSON K.-B.: Acetylcholine esterase and cholinesterase, in: J. B. SUMNER and K. MYRBÄCK: *The enzymes*, Vol. 1, pp. 443-472. New York 1950.
- AUGUSTINSSON K.-B. and GUSTAFSON T.: Cholinesterase in developing sea-urchin eggs. *J. cell. comp. Physiol.* 34, 311-321 (1949).
- BALDWIN E.: Rigidification in phylogeny, in: J. NEEDHAM and D. E. GREEN: *Perspectives in biochemistry*, pp. 99-107. Cambridge 1937.
- BALDWIN E.: *Biochemistry and evolution*, in J. M. ALLEN: *The nature of biological diversity*, pp. 45-68. New York 1963.
- BALL E. G. and MEYERHOF B.: On the occurrence of iron-porphyrin compounds and succinic dehydrogenase in marine organisms possessing the copper blood pigment hemocyanin. *J. biol. Chem.* 134, 483-493 (1940).
- BALTZER F. and CHEN P. S.: Über das zytologische Verhalten und die Synthese der Nukleinsäuren bei den Seeigelbastarden *Paracentrotus* ♀ × *Arbacia* ♂ und *Paracentrotus* ♀ × *Sphaerechinus* ♂. *Rev. suisse Zool.* 67, 183-194 (1960).
- BERG W. E. and LONG N. D.: Regional differences of mitochondrial size in the sea urchin embryo. *Exp. Cell Res.* 33, 422-437 (1964).
- BERG W. E., TAYLOR D. A. and HUMPHREYS W. J.: Distribution of mitochondria in echinoderm embryos as determined by electron microscopy. *Develop. Biol.* 4, 165-176 (1962).
- BLACK R. E.: Transaminase activity in homogenates of developing eggs of the sea urchin, *Lytechinus variegatus*. *Exp. Cell Res.* 33, 613-616 (1964).
- BLACKLER A. W.: The transfer of primordial germ-cells in *Xenopus laevis*. *Symp. on germ cells and development*, pp. 25-28. Milano 1961.
- BOELL E. J.: Energy exchange and enzyme development during embryogenesis, in: B. H. WILLIER, P. A. WEISS and V. HAMBURGER: *Analysis of development*, pp. 520-555. Philadelphia 1955.
- BOELL E. J. and SHEN S. C.: Development of cholinesterase in the central nervous system of *Amblystoma punctatum*. *J. exp. Zool.* 113, 583-599 (1950).
- BOREI H.: Respiration of oocytes, unfertilized eggs and fertilized eggs from *Psammechinus* and *Asterias*. *Biol. Bull.* 95, 124-150 (1948).
- BOREI H.: Cytochrome c in sea-urchin eggs. *Acta chem. scand.* 4, 1607-1610 (1951).
- BOUNOURE L.: *L'origine des cellules reproductrices*. Paris 1939.
- BRACHET J.: Recherches sur la synthèse de l'acide thymonucléique pendant le développement de l'œuf d'Oursin. *Arch. Biol. (Liège)* 44, 519-576 (1933).
- BRACHET J.: The role of nucleic acids and sulfhydryl groups in morphogenesis (amphibian egg development, regeneration in *Tubularia*). *Advanc. Morphogenes.* 3, 247-300 (1964).
- BRACHET J. and JEENER R.: Recherches sur des particules cytoplasmiques de dimensions macromoléculaires riches en acide pentosenucléique. I. Propriétés générales, relations avec les hydrolases, les hormones, les protéines de structure. *Enzymologia* 11, 196-212 (1944).
- BÄCKSTRÖM S.: The total content of ascorbic acid in the developing sea urchin egg. *Exp. Cell Res.* 11, 322-326 (1956).
- BÄCKSTRÖM S.: Content and distribution of ascorbic acid in sea urchin embryos of different developmental trends. *Exp. Cell Res.* 13, 333-340 (1957).
- BÄCKSTRÖM S.: Changes in ribonucleic acid content during early sea urchin development. *Ark. Zool., Ser. 2*, 12; 339-342 (1959 a).

- BÄCKSTRÖM S.: Activity of glucose-6-phosphate dehydrogenase in sea urchin embryos of different developmental trends. *Exp. Cell Res.* 18, 347-356 (1959 b).
- BÄCKSTRÖM S.: Reduction of blue tetrazolium in developing sea urchin eggs after addition of various substrates and phosphopyridine nucleotides. *Exp. Cell Res.* 18, 357-363 (1959 c).
- BÄCKSTRÖM S.: 6-Phosphogluconate dehydrogenase in sea urchin embryos. *Exp. Cell Res.* 32, 566-569 (1963).
- BÄCKSTRÖM S., HULTIN K. and HULTIN T.: Pathways of glucose metabolism in early sea urchin development. *Exp. Cell Res.* 19, 634-636 (1960).
- DE CESARIS COROMALDI L.: Studio delle fosfatasi nello sviluppo embrionale e larvale di «*Bufo vulgaris*». *Ric. sci.* 25, 2323-2333 (1955).
- CHEN P. S., BALTZER F. and ZELLER CH.: Changes in nucleic acids in early amphibian and sea urchin embryos (pure species, merogonic and hybrid combinations). *Symp. on germ cells and development*, pp. 506-523. Milano 1961.
- CHÈVREMONT M., CHÈVREMONT-COMHAIRE S. and BAECKELAND E.: Action de désoxyribonucléases neutre et acide sur des cellules somatiques vivantes cultivées in vitro. *Arch. Biol. (Liège)* 70, 811-849 (1959).
- CHILD C. M.: Differential reduction of vital dyes in the early development of echinoderms. *Arch. Entwickl.-Mech. Org.* 135, 426-456 (1936).
- CLELAND K. W. and LORD ROTHSCHILD: The metabolism of the sea-urchin egg. Anaerobic breakdown of carbohydrate. *J. exp. Biol.* 29, 285-294 (1952 a).
- CLELAND K. W. and LORD ROTHSCHILD: The metabolism of the sea-urchin egg. Oxidation of carbohydrate. *J. exp. Biol.* 29, 416-428 (1952 b).
- COMITA J. J. and WHITELEY A. H.: The correlation of desoxyribonucleic acid synthesis and the rate of respiration in the sea urchin embryo. *Biol. Bull.* 105, 412-419 (1953).
- CRANE R. K.: The distribution of phosphorus in the unfertilized egg of *Arbacia punctulata*. *Biol. Bull.* 93, 192-193 (1947).
- CRANE R. K. and KELTCH A. K.: Dinitroresol and phosphate stimulation of the oxygen consumption of a cell-free oxidative system obtained from sea urchin eggs. *J. gener. Physiol.* 32, 503-509 (1949).
- CZIHAK G.: Entwicklungsphysiologische Untersuchungen an Echiniden (Topochemie der Blastula und Gastrula, Entwicklung der Bilateral- und Radiärsymmetrie und der Coelomdivertikel). *Arch. Entwickl.-Mech. Org.* 151, 29-55 (1962).
- CZIHAK G.: Entwicklungsphysiologische Untersuchungen an Echiniden (Verteilung der Cytochromoxydase). *Arch. Entwickl.-Mech. Org.* 151, 272-292 (1963).
- DAN K.: Cyto-Embryology of echinoderms and amphibia. *Int. Rev. Cytol.* 9, 321-367 (1960).
- DETLAFF T. A.: Cell divisions, duration of interkinetic states and differentiation in early stages of embryonic development. *Advanc. Morphogenes.* 3, 323-362 (1964).
- DEUTSCH H. F. and GUSTAFSON T.: The changes in catalase and cytochrome oxidase activity in developing sea urchin eggs. *Ark. Kemi* 4, 221-231 (1952).
- DOGSDON K. S., SPENCER B. and THOMAS J.: Studies on sulphatases. 9. The arylsulphatases of mammalian liver. *Biochem. J.* 59, 29-37 (1955).
- DURAND M.: L'acide désoxyribonucléique (ADN) dans les gamètes et au cours des premiers stades de l'embryogénie des Gryllides (Orth.). *Bull. Biol.* 95, 28-122 (1961).
- DE DUVE C.: The lysosome concept, in: *Ciba Found. Symp. on Lysosomes*, pp. 1-35. London 1963.
- DE DUVE C., WATTIAUX R. and BAUDHUIN P.: Distribution of enzymes between sub-cellular fractions in animal tissues. *Advanc. Enzymol.* 24, 291-358 (1962).
- ELSON D. and CHARGAFF E.: On the desoxyribonucleic acid content of sea urchin gametes. *Experientia (Basel)* 8, 143-145 (1952).
- ELSON D., GUSTAFSON T. and CHARGAFF E.: The nucleic acids of the sea-urchin during embryonic development. *J. biol. Chem.* 209, 285-294 (1952).

- EPHRUSSI B. and RAPKINE L.: Composition chimique de l'œuf d'oursin *Paracentrotus lividus* Lk. et ses variations au cours du développement. *Ann. Physiol. Physicochim. biol.* 3, 386-398 (1928).
- EVOLA-MALTESE C.: Histochemical localization of alkaline phosphatase in the sea urchin embryo. *Acta Embryol. Morph. exp. (Palermo)* 1, 98-104 (1957).
- GOLDINGER J. M. and BARRON GUZMAN E. S.: The pyruvate metabolism of sea urchin eggs during the process of cell division. *J. gener. Physiol.* 30, 73-82 (1946).
- GRANT P.: The synthesis of deoxyribonucleic acid during early embryonic development of *Rana pipiens*. *J. cell comp. Physiol.* 52, 227-247 (1958).
- GRAY J.: The mechanism of cell-division. III. The relationship between cell-division and growth on segmenting eggs. *Brit. J. exp. Biol.* 4, 313-321 (1927).
- GREGG J. R.: Morphogenesis and metabolism of gastrula arrested embryos in the hybrid *Rana pipiens* ♀ × *Rana sylvatica* ♂, in: A. TYLER, R. C. VON BORSTEL and C. B. METZ: The beginnings of embryonic development, pp. 231-261. Washington 1957.
- GUSTAFSON T.: Studies on the cellular basis of morphogenesis in the sea urchin, in: Biological structure and function. *Proc. 1st IUB/IUBS. int. Symp. Vol. II*, pp. 497-508 (1961).
- GUSTAFSON T.: Morphogenetic significance of biochemical patterns in sea urchin embryos, in: R. WEBER: Biochemistry of animal development, pp. 139-202 (1966).
- GUSTAFSON T. and HASSELBERG I.: Alkaline phosphatase activity in developing sea urchin eggs. *Exp. Cell Res.* 1, 371-375 (1950).
- GUSTAFSON T. and HASSELBERG I.: Studies on enzymes in the developing sea urchin egg. *Exp. Cell Res.* 2, 642-672 (1951).
- GUSTAFSON T. and HJELTE M.-B.: The amino acid metabolism of the developing sea urchin egg. *Exp. Cell Res.* 2, 474-490 (1951).
- GUSTAFSON T. and LENIQUE P.: Studies on mitochondria in the developing sea urchin eggs. *Exp. Cell Res.* 3, 251-274 (1952).
- GUSTAFSON T. and LENIQUE P.: Studies on mitochondria in early cleavage stages of the sea urchin egg. *Exp. Cell Res.* 8, 114-117 (1955).
- GUSTAFSON T. and WOLFERT L.: The cellular basis of morphogenesis and sea urchin development. *Int. Rev. Cytol.* 15, 139-214 (1963).
- HARVEY S. C.: The carbohydrate metabolism of *Trypanosoma hippicum*. *J. biol. Chem.* 179, 435-453 (1949).
- HAYES F. R.: The relation of fat changes to the general chemical embryology of the sea urchin. *Biol. Bull.* 74, 267-277 (1938).
- HILKER D. M. and WHITE A. G. C.: Some aspects of the carbohydrate metabolism of *Entamoeba histolytica*. *Exp. Parasit.* 8, 539-548 (1959).
- HOFF-JØRGENSEN E.: Deoxynucleic acid in some gametes and embryos. *Colston Papers* 7, 79-88 (1954).
- HOLTER H. and LINDAHL P. E.: Beiträge zur enzymatischen Histochemie. XXXII. Über die Verteilung der Peptidase in *Paracentrotus*-Keimen. *C. R. Lab. Carlsberg, Sér. chim.* 23, 249-256 (1940).
- HOLTER H. and LOWY B. A.: A study of the properties and localization of acid phosphatase in the amoeba *Chaos chaos* L. *C. R. Lab. Carlsberg, Sér. chim.* 31, 105-127 (1959).
- HORIO T., SEKUZU I., HIGASHI T. and OKUNUKI K.: Cytochrome oxidases of *Pseudomonas aeruginosa* and ox-heart muscle, and their related respiratory components, in: J. E. FALK, R. LEMBERG and R. K. MORTON: Haematin enzymes, pp. 302-319. Oxford/London/New York/Paris 1961.
- HSIAO S. C. and FUJI N. K.: Early ontogenetic changes in the concentration of alkaline phosphatase in Hawaiian sea urchins. *Exp. Cell Res.* 32, 217-231 (1963).
- HULTIN T.: Incorporation of N¹⁵-labelled ammonium chloride into pyrimidines and pyrimidines during the early sea urchin development. *Ark. Kemi* 5, 267-275 (1953 a).
- HULTIN T.: The amino acid metabolism of sea urchin embryos studied by means of N¹⁵-labelled ammonium chloride and alanine. *Ark. Kemi* 5, 543-552 (1953 b).

- HULTIN T.: Incorporation of N¹⁵-DL-alanine into protein fractions of sea urchin embryos. *Ark. Kemi* 5, 559-564 (1953 c).
- HULTIN T.: Incorporation of C¹⁴-labelled carbonate and acetate into sea urchin embryos. *Ark. Kemi* 6, 195-200 (1953 d).
- HULTIN T.: Metabolism and determination. *Arch. néerl. Zool.* 10, Suppl. 1, 76-91 (1953 e).
- HULTIN T.: Acid-soluble nucleotides in the early development of *Psammechinus miliaris*. *Exp. Cell Res.* 12, 413-415 (1957).
- HUTCHENS J. O., KOPAC M. J. and KRAHL M. E.: The cytochrome oxidase content of centrifugally separated fractions of unfertilized *Arbacia* eggs. *J. cell comp. Physiol.* 20, 113-116 (1942).
- HUTCHENS J. O., KELTCH A. K., KRAHL M. E. and CLOWES G. H. A.: Studies on cell metabolism and cell division. VI. Observations on the glycogen content, carbohydrate consumption, lactic acid production, and ammonia production of eggs of *Arbacia punctulata*. *J. gener. Physiol.* 25, 717-731 (1942).
- HUTCHISON W. C. and MUNRO H. N.: The determination of nucleic acids in biological materials. A review. *Analyst.* 86, 768-813 (1961).
- HÖRSTADIUS S.: Über die Determination im Verlaufe der Eiachse bei Seeigeln. *Pubbl. Staz. zool. Napoli.* 14, 251-479 (1935).
- HÖRSTADIUS S.: The mechanics of sea urchin development, studied by operative methods. *Biol. Rev.* 14, 132-179 (1939).
- HÖRSTADIUS S.: Induction and inhibition of reduction gradients by the micromeres in the sea urchin egg. *J. exp. Zool.* 120, 421-436 (1952).
- HÖRSTADIUS S.: Reduction gradients in animalized and vegetalized sea urchin eggs. *J. exp. Zool.* 129, 249-256 (1955).
- IMMERS J.: Cytological features of the development of the eggs of *Paracentrotus lividus* reared in artificial sea water devoid of sulphate ions. *Exp. Cell Res.* 10, 546-548 (1955).
- IMMERS J.: Changes in acid mucopolysaccharides attending the fertilization and development of the sea urchin. *Ark. Zool., Ser. 2.* 9, 367-375 (1956).
- IMMERS J. and RUNNSTRÖM J.: Release of respiratory control by 2,4-dinitrophenol in different stages of sea urchin development. *Develop. Biol.* 2, 90-104 (1960).
- JANDORF B. J. and KRAHL M. E.: Studies on cell metabolism and cell division. VIII. The diphosphopyridine nucleotide (cozymase) content of eggs of *Arbacia punctulata*. *J. gener. Physiol.* 25, 749-754 (1942).
- KAVANAU J. L.: Amino acid metabolism in the early development of the sea urchin *Paracentrotus lividus*. *Exp. Cell Res.* 7, 530-557 (1954).
- KEILIN D. and HARTREE E. F.: Cytochrome a and cytochrome oxidase. *Nature* 141, 870-871 (1938).
- KEILIN D. and HARTREE E. F.: Effect of low temperature on the absorption spectra of haemoproteins; with observations on the absorption spectrum of oxygen. *Nature (Lond.)* 164, 254-259 (1949).
- KRAHL M. E.: Oxidative pathways for glucose in eggs of the sea urchin. *Biochim. biophys. Acta (Amst.)* 20, 27-32 (1956).
- KRAHL M. E., JANDORF B. J. and CLOWES G. H. A.: Studies on cell metabolism and cell division. VII. Observations on the amount and possible function of diphosphothiamine (cocarboxylase) in eggs of *Arbacia punctulata*. *J. gener. Physiol.* 25, 733-747 (1942).
- KRAHL M. E., KELTCH A. K., NEUBECK C. E. and CLOWES G. H. A.: Studies on cell metabolism and cell division. V. Cytochrome oxidase activity in the eggs of *Arbacia punctulata*. *J. gener. Physiol.* 24, 597-617 (1941).
- KRAHL M. E., KELTCH A. K., WALTERS C. P. and CLOWES G. H. A.: Hexokinase activity from eggs of the sea urchin *Arbacia punctulata*. *J. gener. Physiol.* 38, 31-39 (1954).
- KRAHL M. E., KELTCH A. K., WALTERS C. P. and CLOWES G. H. A.: Glucose-6-phosphate and 6-phosphogluconate dehydrogenases from eggs of the sea urchin, *Arbacia punctulata*. *J. gener. Physiol.* 38, 431-439 (1955).

- KRUGELIS E. J.: Properties and changes of alkaline phosphatase activity during amphibian development. *C. R. Lab. Carlsberg, Sér. chim.* 27, 273-290 (1950).
- KRUGELIS E. J., Nicholas J. S. and Vosgian M. E.: Alkaline phosphatase activity and nucleic acids during embryonic development of *Amblystoma punctatum* at different temperatures. *J. exp. Zool.* 121, 484-504 (1952).
- LALLIER R.: Analyse expérimentale de la différenciation embryonnaire chez les échinodermes. *Experientia (Basel)* 14, 309-315 (1958).
- LASER H. and LORD ROTHSCHILD: The metabolism of the eggs of *Psammechinus miliaris* during the fertilization reaction. *Proc. roy. soc. B* 126, 539-557 (1939).
- LEHMANN F. E.: Die Bedeutung der Unterlagerung für die Entwicklung der Medullarplatte von Triton. *Arch. Entwickl.-Mech. Org.* 113, 123-171 (1928).
- LEHNINGER A. L.: The mitochondria. New York/Amsterdam 1964.
- LINDAHL P. E.: Zur Kenntnis der physiologischen Grundlagen der Determination im Seeigelkeim. *Acta zool.* 17, 179-365 (1936).
- LINDAHL P. E.: Über die biologische Sauerstoffaktivierung nach Versuchen mit Kohlenmonoxid an Seeigeleiern und Keimen. *Z. vergl. Physiol.* 27, 136-168 (1939 a).
- LINDAHL P. E.: Zur Kenntnis der Entwicklungsphysiologie des Seeigeleies. *Z. vergl. Physiol.* 27, 233-250 (1939 b).
- LINDAHL P. E. and HOLTER H.: Beiträge zur enzymatischen Histochemie. XXXIII. Die Atmung animaler und vegetativer Keimhälften von *Paracentrotus lividus*. *C. R. Lab. Carlsberg, Sér. chim.* 23, 257-287 (1940).
- LINDBERG O.: Studien über das Problem des Kohlehydratabbaus und der Säurebildung bei der Befruchtung des Seeigeleis. *Ark. Kemi.* 16 A, No 15, 1-20 (1943).
- LINDBERG O.: On the metabolism of glycogen in the fertilization of the sea-urchin egg. *Ark. Kemi.* 20 B, No 1, 1-8 (1945).
- LINDBERG O. and ERNSTER L.: On carbohydrate metabolism in homogenized sea urchin eggs. *Biochim. biophys. Acta (Amst.)* 2, 471-477 (1948).
- LWOFF M.: The nutrition of parasitic flagellates (Trypanosomidae, Trichomonadinae), in: A. LWOFF: *Biochemistry and physiology of protozoa*, Vol. 1, pp. 129-176. New York 1951.
- LØVTRUP S.: Utilization of reserve material during amphibian embryogenesis at different temperatures. *C. R. Lab. Carlsberg, Sér. chim.* 28, 400-425 (1953 a).
- LØVTRUP S.: Changes in the content of peptidases during amphibian embryogenesis at different temperatures. *C. R. Lab. Carlsberg, Sér. chim.* 28, 426-443 (1953 b).
- LØVTRUP S.: Chemical differentiation during amphibian embryogenesis. *C. R. Lab. Carlsberg, Sér. chim.* 29, 261-314 (1955).
- LØVTRUP S.: Synthesis of alkaline phosphatase during the embryonic development of *Rana platyrhinus*. *Acta Embryol. Morph. exp. (Palermo)* 2, 54-57 (1958 b).
- LØVTRUP S.: Utilization of energy sources during amphibian embryogenesis at low temperatures. *J. exp. Zool.* 140, 383-394 (1959 a).
- LØVTRUP S.: Synthesis of alkaline phosphatase during embryonic development of *Rana platyrhina* at low temperatures. *J. exp. Zool.* 140, 395-404 (1959 b).
- LØVTRUP S.: Synthesis of desoxyribonucleic acid during amphibian embryogenesis at different temperatures. *J. exp. Zool.* 141, 545-570 (1959 c).
- LØVTRUP S.: On the causes of variations in the respiratory curves during amphibian embryogenesis. *J. exp. Zool.* 140, 231-246 (1959 d).
- LØVTRUP S.: Morphogenesis in the amphibian embryo. Determination of the site of invagination. *Acta zool.* 46, 119-165 (1965 a).
- Løvtrup S.: Morphogenesis in the amphibian embryo. Gastrulation and neurulation. *Zool. gothoburg.* 1, 3-139 (1965 b).
- LØVTRUP S.: Morphogenesis in the amphibian embryo. Fertilization and blastula formation. *Arch. Entwickl.-Mech. Org.* 156, 204-248 (1965 c).
- LØVTRUP S.: Morphogenesis in the amphibian embryo. Cell type distribution, germ layers, and fate maps. *Acta zool.* 47, 209-276 (1966).

- LØVTRUP S. and ROOS K.: Observations on the chemical determination of deoxyribonucleic acid in animal tissues. *Biochim. biophys. Acta (Amst.)* *53*, 1-10 (1961).
- LØVTRUP S. and ROOS K.: Further observations on the chemical determination of deoxyribonucleic acid in animal tissues. *Biochim. biophys. Acta (Amst.)* *68*, 425-433 (1963 a).
- LØVTRUP S. and ROOS K.: Microbiological determination of deoxyribonucleic acid. *Acta biochim. pol.* *10*, 73-85 (1963 b).
- MAGGIO R.: Cytochrome oxidase activity in the mitochondria of unfertilized and fertilized sea urchin eggs. *Exp. Cell Res.* *16*, 272-278 (1959).
- MAGGIO R. and GHIRETTI-MAGALDI A.: The cytochrome system in mitochondria of the unfertilized sea urchin eggs. *Exp. Cell Res.* *15*, 95-102 (1958).
- MARKMAN B.: Regional differences in isotopic labelling of nucleic acid and protein in early sea urchin development. An autoradiographic study. *Exp. Cell Res.* *23*, 118-129 (1961 a).
- MARKMAN B.: Differences in isotopic labelling of nucleic acid and protein in early sea urchin development. *Exp. Cell Res.* *23*, 197-200 (1961 b).
- MARKMAN B.: Differences in isotopic labelling of nucleic acid and protein in sea urchin embryos from animal and vegetal egg halves. *Exp. Cell Res.* *25*, 224-227 (1961 c).
- MAZIA D.: The distribution of desoxyribonuclease in the developing embryo (*Arbacia punctulata*). *J. cell comp. Physiol.* *34*, 17-32 (1949).
- MAZIA D.: Mitosis and the physiology of cell division, in: J. BRACHET and A. E. MIRSKY: *The cell*, Vol. 3, pp. 77-412. New York/London 1961.
- MC EWEN B. S., ALLFREY V. G. and MIRSKY A. E.: Dependence of RNA synthesis in isolated thymus nuclei on glycolysis, oxidative carbohydrate catabolism and a type of "oxidative phosphorylation". *Biochim. biophys. Acta (Amst.)* *91*, 23-28 (1964).
- MINTZ B.: Formation and early development of germ cells. *Symp. on germ cells and development*, pp. 1-24. Milano 1961.
- MONOD J.: The phenomenon of enzymatic adaptation and its bearings on problems of genetics and cellular differentiation. *Growth* *11*, 223-289 (1947).
- MØLLER K. M. and PRESCOTT D. M.: Observations on the cytochromes of *Amoeba proteus*, *Chaos chaos* and *Tetrahymena geleii*. *Exp. Cell Res.* *9*, 375-377 (1955).
- NAKANO E. and MONROY A.: Incorporation of S^{35} -methionine in the cell fractions of sea urchin eggs and embryos. *Exp. Cell Res.* *14*, 236-244 (1958).
- NASS M. M. K. and NASS S.: Fibrous structures within the matrix of developing chick embryo mitochondria. *Exp. Cell Res.* *26*, 424-427 (1962).
- NEEDHAM J.: *Biochemistry and morphogenesis*. Cambridge 1942.
- ÖHMAN L. O.: Über die Veränderung der respiratorischen Quotienten während der Frühentwicklung des Seeigelleies. *Ark. Zool.* *32 A*, No 15, 1-9 (1940).
- ÖRSTRÖM Å. and LINDBERG O.: Über den Kohlenhydratstoffwechsel bei der Befruchtung des Seeigelleies. *Enzymologia* *8*, 367-384 (1940).
- ÖRSTRÖM Å.: Über die chemischen Vorgänge, insbesondere den Ammoniakstoffwechsel, bei der Entwicklungserregung des Seeigelleies. *Hoppe-Seylers Z. physiol. Chem.* *271*, 1-176 (1941).
- PAPPENHEIMER A. M. and WILLIAMS C. M.: Cytochrome b_5 and the dihydrocoenzyme I-oxidase system in the *Cecropia* silkworm. *J. biol. Chem.* *209*, 915-929 (1954).
- PERLMAN P.: Immunochemical analysis of the surface of the sea urchin egg—an approach to the study of fertilization. *Experientia (Basel)* *15*, 41-52 (1959).
- PERLZWEIG W. A. and GUZMAN BARRON E. S.: Lactic acid and carbohydrate in sea urchin eggs under aerobic and anaerobic conditions. *J. biol. Chem.* *79*, 19-26 (1928).
- PIGON A.: Changes of enzyme activity during starvation and encystment of a Ciliate (*Urostyla*). *Cathepsin, Acid phosphatase*. *Acta Biol. cracoviens. Ser. zool.* *5*, 175-197 (1962).
- POX N. G.: Expressions of the pentose phosphate cycle, in: M. FLORKIN and H. S. MASON: *Comparative biochemistry*, Vol. VII, pp. 1-92, New York/London 1964.

- RANZI S.: The proteins in embryonic and larval development. *Advanc. Morphogenes.* 2, 211-257 (1962).
- REICHARD P.: Enzymic formation of deoxyribonucleic acid from ribonucleotides. *Biological structure and function. Proc. 1st IUB/IUBS int. Symp., Vol. 1.* pp. 103-112. London/New York 1961.
- ROBBIE W. A.: The effect of cyanide on the oxygen consumption and cleavage of the sea urchin egg. *J. cell comp. Physiol.* 28, 305-324 (1946).
- ROTHSCHILD LORD: The physiology of *Echinus esculentus* spermatozoa. *J. exp. Biol.* 25, 15-21 (1948).
- ROTHSCHILD LORD: The metabolism of fertilized and unfertilized sea urchin eggs. The action of light and carbon monoxide. *J. exp. Biol.* 26, 100-111 (1949).
- ROTHSCHILD LORD: Fertilization. London/New York 1956.
- ROY A. B.: Comparative studies on the liver sulphatases. *Biochem. J.* 68, 519-528 (1958).
- RUNNSTRÖM J.: Über Selbstdifferenzierung und Induktion bei dem Seeigelkeim. *Arch. Entwickl.-Mech. Org.* 117, 123-145 (1929).
- RUNNSTRÖM J.: Zur Kenntnis der Stoffwechselforgänge bei der Entwicklungserregung des Seeigeleies. *Biochem. Z.* 258, 257-279 (1933).
- RUNNSTRÖM J.: Some considerations on metabolic changes occurring at fertilization and during early development of the sea urchin egg. *Pubbl. Staz. zool. Napoli* 28, 315-340 (1956).
- SAWYER C. H.: Cholinesterase and the behavior problem in *Amblystoma*. I. The relationship between development of the enzyme and early mobility. *J. exp. Zool.* 92, 1-29 (1943).
- SCARANO E.: An example of cell differentiation at the enzymic level. *Symp. on germ cells and development*, pp. 402-410. Milano 1961.
- SCARANO E. and KALCKAR H. M.: Nucleic acid synthesis in developing sea urchin embryos. *Pubbl. Staz. zool. Napoli.* 24, 189-196 (1953).
- SCHMIDT G., HECHT L. and THANNHAUSER S. J.: The behavior of the nucleic acids during the early development of the sea urchin egg (*Arbacia*). *J. gener. Physiol.* 31, 203-207 (1948).
- SCHÖNMANN W.: Der diploide Bastard *Triton palmatus* ♀ × *Salamandra* ♂. *Arch. Entwickl.-Mech. Org.* 138, 345-375 (1938).
- SEAMAN G. R.: The phosphagen of protozoa. *Biochim. biophys. Acta (Amst.)* 9, 693-696 (1952).
- SHAVER J. R.: Mitochondrial populations during development of the sea urchin. *Exp. Cell Res.* 11, 548-559 (1956).
- SHAVER J. R.: Some observations on cytoplasmic particles in early echinoderm development, in: A. TYLER, R. C. VON BORSTEL and C. B. METZ: *The beginnings of embryonic development*, pp. 263-290. Washington 1957.
- SPIEGELMAN S.: Differentiation as the controlled production of unique enzymatic patterns. *Symp. Soc. exp. Biol.* 2, 286-325 (1948).
- STADTMAN T. C.: Alkaline phosphatases, in: P. D. BOYER, H. LARDY and K. MYRBÄCK: *The enzymes*, 2nd ed., Vol. 5, pp. 55-71. New York/London 1961.
- STRITTMATTER C. F.: Studies on microsomal cytochromes and related substances, in: J. E. FALK, R. LEMBERG and R. K. MORTON: *Haematin enzymes*, pp. 461-478. Oxford/London/New York/Paris 1961.
- TOCCO G., ORENGO A. and SCARANO E.: Ribonucleic acids in the early embryonic development of the sea urchin. I. Quantitative variations and ³²P orthophosphate incorporation studies of the RNA of subcellular fractions. *Exp. Cell Res.* 31, 52-60 (1963).
- TYLER A.: Developmental processes and energetics. *Quart. Rev. Biol.* 17, 197-212 (1942).
- URBANI E.: Comparative biochemical studies on amphibian and invertebrate development. *Advanc. Morphogenes.* 2, 61-108 (1962).

- VASSEUR E.: Periodate oxidation of the jelly coat substance of *Echinocardium cordatum*. *Acta chem. scan.* 6, 376-384 (1952).
- VENDRELY C. and VENDRELY R.: Sur la teneur individuelle en acide désoxyribonucléique des gamètes d'oursin *Arbacia* et *Paracentrotus*. *C. R. Soc. Biol. (Paris)* 143, 1386-1387 (1949).
- VILLEE C. A., LOWENS M., GORDON M., LEONARD E. and RICH A.: The incorporation of P^{32} into the nucleoproteins and phosphoproteins of the developing sea urchin embryo. *J. cell comp. Physiol.* 33, 93-112 (1949).
- WAINIO W. W.: Composition of cytochrome c oxidase, in: J. E. FALK, R. LEMBERG and R. K. MORTON: *Haematin enzymes*, pp. 281-301. Oxford/London/New York/Paris 1961.
- WALD G.: Biochemical evolution, in: E. S. GUZMAN BARRON: *Modern trends in physiology and biochemistry*, pp. 337-376. New York 1952.
- WARBURG D.: Über die Wirkung des Kohlenoxyds auf den Stoffwechsel der Hefe. *Biochem. Z.* 177, 471-486 (1926).
- WHITELEY A. H. and BALTZER F.: Development, respiratory rate and content of desoxyribonucleic acid in the hybrid *Paracentrotus* ♀ × *Arbacia* ♂. *Pubbl. Staz. zool. Napoli* 30, 402-457 (1958).
- WILLMER E. N.: *Cytology and evolution*. New York/London 1960.
- WOHLFARTH-BOTTERMANN K. E.: Protistenstudien X. Licht- und elektronenmikroskopische Untersuchungen an der Amöbe *Hyalodiscus simplex* n. sp. *Protoplasma (Wien)* 52, 58-107 (1960).
- WOLPERT L. and MERCER E. H.: An electron microscope study of the development of the blastula of the sea urchin embryo and its radial polarity. *Exp. Cell Res.* 30, 280-300 (1963).
- WRIGHT B. E.: The biochemistry of morphogenesis, in: M. FLORKIN and H. S. MASON: *Comparative biochemistry*, Vol. VI, pp. 1-71. New York/London 1964.
- YČAS M.: The respiratory and glycolytic enzymes of sea-urchin eggs. *J. exp. Biol.* 31, 208-217 (1954).
- YOUNGSTROM K. A.: On the relationship between cholinesterase and the development of behavior in amphibia. *J. Neurophysiol.* 1, 357-363 (1938).
- ZEUTHEN E.: Biochemistry and metabolism of cleavage in the sea urchin egg, as resolved into its mitotic steps. *Arch. néerl. Zool.* 10, Suppl. 1, 31-58 (1951).
- ZIELIŃSKI M. A.: Carbohydrate metabolism and phosphorus in the fertilized eggs of the sea-urchin (*Paracentrotus lividus* Lm). *Acta Biol. exp. (Warszawa)* 13, 35-48 (1939).

Rectification

concernant l'article U. ROSA et al., *Bull. Acad. suisse sci. méd.* 21, No. 3/4, p. 185-196 (1965): Les expériences qui ont fait l'objet de l'article ont été développées en partie sous le contrat EURATOM 053-63-10 RISI.