

Zeitschrift:	Schweizer Archiv für Tierheilkunde SAT : die Fachzeitschrift für Tierärztinnen und Tierärzte = Archives Suisses de Médecine Vétérinaire ASMV : la revue professionnelle des vétérinaires
Herausgeber:	Gesellschaft Schweizer Tierärztinnen und Tierärzte
Band:	132 (1990)
Heft:	8
Artikel:	Immunoreactivity of canine and feline mast cell tumours
Autor:	Fondevila, D. / Rabanal, R. / Ferrer, L.
DOI:	https://doi.org/10.5169/seals-593402

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 10.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

18, 182. — 13. Mendel V. E. et al. (1969): J.A.V.M.A. 154, 769. — 14. Milne J. A. (1955): N. Z. Vet. J. 3, 119. — 15. Nicholson S. S. et al. (1989): J.A.V.M.A. 195, 345. — 16. Pearse A. G. (1985): Histochimistry. Theoretical and Applied. Vol. 2, 874. 17. Seawright A. A.

(1982): Animal Health in Australia. Vol. 2, 79. — 18. Simpson B. H. (1969): N. Z. Vet. J. 17, 240. — 19. Ulvund M. J. (1985): Acta Vet. Scand. 26, 286. 20. Williams J. D. (1972): Aust. J. Agr. Res. 23, 611.

Dept. of Vet. Pathology, Veterinary School, Universidad Autónoma de Barcelona, Spain

IMMUNOREACTIVITY OF CANINE AND FELINE MAST CELL TUMOURS

D. Fondevila, R. Rabanal, L. Ferrer

Cutaneous mast cell tumours comprise 7 to 20% of the neoplasms affecting the skin of dogs and cats (6). Histologically, mast cell tumours are characterized by a diffuse to multinodular proliferation of mast cells (4). According to the extent of involvement, cellularity and cell morphology, mitotic index and stromal reaction mast cell tumours are graded in three stages: I well differentiated; II intermediate and III anaplastic (6). The percentage of anaplastic mast cell tumours is highly variable in the literature varying between 21% and 77% (5, 6). Frequently the histopathological diagnosis of this poorly differentiated neoplasia is difficult. In most laboratories metachromatic stains (Toluidine blue, Azure A, Thionin) or fuchsin aldehyde are used for the diagnosis of undifferentiated tumours although some authors have indicated that granules in immature mast cells may be difficult to stain (3).

Immunocytochemical techniques have proved to be useful tools in the diagnosis of neoplastic diseases and many veterinary laboratories are using them for the diagnosis of difficult neoplasia (7). Human mast cells react positively to antisera against vimentin, common leukocyte antigen (CLA), $\alpha 1$ -antitrypsin and lysozyme (2). This study was performed to determine the immunoreactivity of canine and feline mast cell tumours to a broad range of antisera.

Mast cell tumours from 22 dogs and 7 cats have been investigated previously, all tumours had been diagnosed histopathologically. Specimens were fixed in formalin and embedded in paraplast. Tissue sections from each case were stained for $\alpha 1$ -antitrypsin ($\alpha 1$ -AT), lysozyme (lys), S-100 protein (S100), keratin (ker) and desmin (des) with the peroxidase-anti-peroxidase method and for vimentin (vim) with the indirect immunoperoxidase procedure. The method has been published in detail elsewhere (1, 7).

The immunoreactivity of the tumours to the markers used in this study can be observed in Table 1. In short, all mast cell tumours reacted intensely positive for vimentin and most of the tumours (15 out of 22 dogs and 6 out of 8 cats) reacted positively for $\alpha 1$ -AT (Fig. 1). Five canine tumours also showed immunoreactivity of different intensity with the antibody $\alpha 1$ -AT. The percentage of grade I tumours which reacted with the anti $\alpha 1$ -AT antibody was significantly higher than the percentage of grade III tumours (Table 1).

According to our findings, neoplastic mast cells exhibit the following immunoreactivity: they react strongly with antivimentin antibodies and apparently they contain large amounts of antiproteases, especially $\alpha 1$ -AT although a minor proportion contains lysozyme. These immunohistochemical findings are similar to those described for human mast cells and support the concept that mast cells belong to the «leukocyte family» (2). Immunocytochemical demonstration of




Fig. 1: Canine mast cell tumour (Grade II).

- A. Immunoreactivity to $\alpha 1$ -antitrypsin
- B. Immunoreactivity to vimentin
- C. Absence of reactivity in negative control

Table 1

Type of tumour	Number of cases	Ker	Vim	Des	S100	$\alpha 1$ -AT	Lys
Canine mastocytoma							
Grade I	6	0	6	0	0	5	2
Canine mastocytoma							
Grade II	8	0	8	0	0	6	1
Canine mastocytoma							
Grade III	8	0	8	0	0	4	2
Feline mastocytoma	7	0	7	0	0	6	1

these markers can be useful in the histopathological diagnosis of mast cell tumours.

References

1. Fondevila D. et al. (1989): J. Vet. Med. A 36, 71–77. — 2. Horny H-P. et al. (1988): American Journal of Clin. Path. 89, 335–340. — 3. Macy DW. (1985): Small Anim. Pract. 15, 783–803. — 4. Muller GH. et al. (1989): Small animal dermatology. 4th Ed., Saunders, Philadelphia. — 5. O'Keefe DA. et al. (1987): J. Vet. Int. Med. 1, 75–80. — 6. Patnaik AK. et al. (1984): Vet. Path. 21, 469–474. — 7. Rabanal RM. et al. (1989): Res. Vet. Sci. 47, 129–133.