

Zeitschrift: Mitteilungen der Schweizerischen Entomologischen Gesellschaft =
Bulletin de la Société Entomologique Suisse = Journal of the Swiss
Entomological Society

Herausgeber: Schweizerische Entomologische Gesellschaft

Band: 11 (1903-1909)

Heft: 10

Register: Sachregister zu Band XI

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 20.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Sachregister zu Band XI.*

	Seite		Seite
A			
Abax ater Vill., ovalis Dft., parallelus Dft., Col.	169	294, filicata, flaveolaria 143, fumata 147, immorata L. 147, 294, immutata, marginepunctata, moniliata, ornata, osseata 294, politaria 142, remutaria 294, sericeata 143, 294, spoliata, straminata, strigilaria 294, submutata 143, 294, virgularia, Lep.	294
Abemus fossor Scop., Col.	177	Acidota cruentata Mnh., Col.	179
Abraxas adustata, grossulariata 294, marginata 294, 313, naevaria, ab. pollutata, Lep.	294	Acilius sulcatus Leach., Col.	172
Absidia angularis Sahlb. 391, discreta Bourg. 390, 391, rufo-testacea Letzn., Col.,	391	Aciptilia pentadactyla, Lep.	297
Acalla (Teras) abietana 296, 326, adpersana 296, ab. albistriana Kw., ab. aquilana Hb. 326, v. asperana 296, boscana F. 327, ab. Byringerana Hb., ab. combustana Hb. 326, contaminana 296, ab. coronana Thnbg., ab. costimaculana Wck., cristana, ab. divisana Hb. 326, var. Germarana Fröl. 327, hastiana L. 326, hippophaëana Heyd. 327, holmiana 296, Lacordairana Dup., lithargyrana H.-S., logiana S. V., lorquiniana Dup., niveana F. 327, ab. psorana Fröl. 326, quercinana Z. 327, ab. radiana Hb. 326, roscidana Hb. 327, variegana, Lep.	296	Acmaeops collaris L. 207, pratensis Laich, septentrionis Ths. var. simplonica Strl., Col.	393
Acalles abstersus Schh., hypocrita Schh., Col.	199	Acoenites arator Gr., rufipes Gr., Hym.	228
Acalyptus alpinus Vill., carpini Hbst., Col.	200	Acontia luctuosa, Lep.	293
Acanthaclisis occitan. Vill., Neur.	166	Acrobasis bithynella Z., Fal-louella Rag. 322, obtusella 295, 321, sodalella Z. 322, Zelleri Rag., Lep.	321
Acanthocinus aedilis L., atomarius F., griseus F., Col.	208	Acrolocha amabilis Heer, striata Gr., Col.	179
Acanthocryptus quadrispinus Gr., Hym.	226	Acroclita consequana H.-S. var. littorana Const., Lep.	330
Acanthoderes clavipes L., Col.	208	Acrolepia granitella Tr., Lep.	355
Acanthoponera, Hym.	382	Acronycta aceris 312, alni 313, auricoma 292, var. brady-porina 312, cuspis 311, 313, euphorbiae 292, leporina 312, 313, ligustri 292, megacephala, psi 292, 313, rumicis 292, 312, strigosa 292, tridens, Lep.	313
Acentropus niveus Oliv., Lep.	319	Actenicerus sjaelandicus Müll., Col.	189
Acherontia atropos, Lep.	291	Acupalpus dorsalis F. 170, harpalinus 291, meridianus L., Col.	170
Achroia grisella, Lep.	296, 317	Acylophorus glabricollis Lac, Col.	177
Acidalia aversata, bisetata, v. canteneraria, caricaria 294, decorata, degeneraria 143, dilutaria, dimidiata, emarginata		Adalia bipuncta L. et var., both-nica Payk., obliterata L., Col.	215
		Adela albicinctella Mn., congruella F.-R. 357, oxsenheimerella, Lep.	148

* Die Seitenzahlen sind nicht jedem Speciesnamen beigelegt, sondern erst, wenn wieder eine andere Zahl kommt.

	Seite
<i>Adelosia macer</i> Mtsch., Col.	169
<i>Adexius scrobipennis</i> Gyll., Col.	198
<i>Adimonia rustica</i> Schall., <i>tana-</i> <i>ceti</i> L., Col.	211
<i>Adonia variegata</i> Goeze et var., Col.	215
<i>Adoxus obscurus</i> L. et var., Col.	210
<i>Adrastus humilis</i> Er., <i>lateralis</i> , <i>pusillus</i> F., Col.	190
<i>Aechmia dentella</i> , Lep.	297
<i>Aedia leucomelas</i> , Lep.	293
<i>Aesalus scarabaeoides</i> L., Col.	187
<i>Aethecerus nitidus</i> Wesm., Hym.	225
<i>Agabus bipustulatus</i> L., <i>chal-</i> <i>conotus</i> Pz., <i>didymus</i> Ol., <i>fe-</i> <i>moralis</i> Pk., <i>guttatus</i> Pk., <i>ma-</i> <i>culatus</i> L., <i>paludosus</i> L., <i>Sturmi</i> Gyll., <i>uliginosus</i> L., Col.	171
<i>Agapanthia cardui</i> L., <i>cyanea</i> Hbst., <i>lineatocollis</i> Don., Col.	208
<i>Agapetus nimbulus</i> , Trich.	16
<i>Agaricophagus cephalotes</i> Schm., Col.	181
<i>Agathidium atrum</i> Payk., <i>ba-</i> <i>dium</i> Er., <i>marginatum</i> St., <i>ni-</i> <i>gripenne</i> F., <i>rotundatum</i> Gyll., <i>seminulum</i> L., <i>varians</i> Beck., Col.	181
<i>Agathis anglica</i> Marsh., <i>pur-</i> <i>gator</i> F., Hym.	223
<i>Agelastica alni</i> 97, 211, <i>halensis</i> L., Col.	211
<i>Aglia tau</i> , Lep.	313
<i>Aglossa pinguinalis</i> , Lep.	295
<i>Agonum complanatum</i> Dej., <i>de-</i> <i>pressum</i> Dej., Col.	390
<i>Agrilus angustulus</i> Ill., <i>auri-</i> <i>chalceus</i> Redt., <i>betuleti</i> Ratz., <i>biguttatus</i> F., <i>coeruleus</i> Rossi, <i>hyperici</i> Creutz., <i>integerrimus</i> Ratz., <i>laticornis</i> Ill., <i>pratensis</i> Ratz., <i>sinuatus</i> Ol., <i>viridis</i> L., var. <i>fagi</i> Ratz., Col.	188
<i>Agriotes gallicus</i> Latr., <i>lineatus</i> L., <i>obscurus</i> L., <i>pallidulus</i> Ill., <i>picipennis</i> Chaud., <i>sobrinus</i> Ksw., <i>ustulatus</i> Redt. et var., Col.	190
<i>Agriotypus armatus</i> Curt., Hym.	231, 234
<i>Agrophila sulphurea</i> , Lep.	293
<i>Agropus Ahrensi</i> Germ., Col.	214
<i>Agrotera nemoralis</i> , Lep.	295
<i>Agrotis alpestris</i> 142, <i>augur</i> , <i>baja</i> , c. <i>nigrum</i> , v. <i>cohaesa</i> , <i>comes</i> 292, <i>corticea</i> 147, 292,	

	Seite
<i>cos</i> 143, <i>cuprea</i> 147, <i>ditrape-</i> <i>zium</i> , <i>exclamationis</i> , <i>festiva</i> , <i>fimbria</i> 292, <i>grisea</i> 147, <i>herbida</i> , <i>janthina</i> , v. <i>innuba</i> , <i>nigricans</i> 292, <i>ocellina</i> 147, 292, <i>plecta</i> , <i>pronuba</i> , ab. <i>prosequa</i> , <i>punicea</i> 292, <i>putris</i> 292, 314, <i>recussa</i> 147, <i>rhomboidea</i> , <i>rubi</i> 292, <i>saucia</i> 154, ab. <i>margari-</i> <i>tosa</i> , <i>segetum</i> 292, <i>simplonia</i> H. G. 147, <i>speciosa</i> 142, <i>suf-</i> <i>fusa</i> , <i>triangulum</i> 292, <i>tristis</i> 143, <i>tritici</i> 292, <i>trux</i> 154, <i>xan-</i> <i>thographa</i> , Lep.	292
<i>Agrypon clandestinus</i> Gr., <i>tenui-</i> <i>cornis</i> Gr., Hym.	228
<i>Alabonia staintoniella</i> Z., Lep.	347
<i>Alaobia scapularis</i> Sahlb., Col.	174
<i>Aleochara bisignata</i> Er., <i>fumata</i> Gr., <i>fuscipes</i> Gr., <i>moerens</i> Gyll., <i>moesta</i> Gr., <i>morio</i> ? Gr., <i>nitida</i> Gr., <i>tristis</i> Gr., Col.	175
<i>Alexia pilifera</i> Müll., Col.	185
<i>Allodactylus geranii</i> Payk., Col.	201
<i>Allosterna tabacicolor</i> Dej., Col.	207
<i>Allotria cursor</i> Htg., <i>macropha-</i> <i>dna</i> Htg., <i>minuta</i> Htg., Hym.	51
<i>Aloconota gregaria</i> Er., Col.	174
<i>Alophus triguttatus</i> F., Col.	197
<i>Alucita desmodactyla</i> ?, <i>dode-</i> <i>cadactyla</i> ?, Lep.	297
<i>Alysia fuscipennis</i> Hal., <i>mandi-</i> <i>bulata</i> Nees., <i>manducator</i> Pz., Hym.	224
<i>Amalus scortillum</i> Hbst., Col.	201
<i>Amara communis</i> Pz., <i>consu-</i> <i>laris</i> Dft., <i>curta</i> Dej., <i>eury-</i> <i>nota</i> Pz., <i>familiaris</i> Dft., <i>nitida</i> St., <i>ovata</i> Schm., <i>patricia</i> Zimm., <i>plebeja</i> Gyll., <i>Quen-</i> <i>seli</i> Schh., <i>rufocincta</i> Sahlb., <i>trivialis</i> Gyll., Col.	169
<i>Amblynotus opacus</i> Htg., Hym.	51
<i>Amblyteles amatorius</i> Müll., <i>ca-</i> <i>melinus</i> Wsm., <i>crispatorius</i> L., <i>culpatorius</i> Gr., <i>fascia-</i> <i>torius</i> F., <i>fossorius</i> Müll., <i>fu-</i> <i>nereus</i> Frer., <i>glaucatorius</i> F., <i>Gravenhorsti</i> Wsm., <i>infrac-</i> <i>torius</i> Pz., <i>melanocastanus</i> Gr., <i>mesocastanus</i> Gr., <i>nega-</i> <i>torius</i> F., <i>occisorius</i> F., <i>ora-</i> <i>torius</i> F., <i>palliatorius</i> Gr., <i>Pan-</i> <i>zeri</i> Wsm., <i>punctus</i> Gr., <i>qua-</i> <i>dripunctorius</i> Müll., <i>sputator</i> F., <i>subsericans</i> Gr., Hym.	225

	Seite		Seite
Ameisenarbeiterinnen	67	Anilasta crassicornis Gr., pubes-	
Ameisengäste	66	cens Ratzb., rufocincta Gr.,	
Amicroplus collaris Spin., Hym.	223	Hym.	229
Amischa analis Er., Col.	174	Anisandrus dispar F., Col.	206
Ammoconia caecimacula, Lep.	292	Anisobas cingulatorius Gr.,	
Ammoecius brevis Er., Col.	187	Hym.	225
Ampedus siehe Elater		Anisodactylus binotatus F., ne-	
Amphichroum hirtellum H., Col.	179	morivagus Dft., spurcaticor-	
Amphicyllis globus F., Col.	181	nis Dej., Col.	170
Amphidasys betularia, Lep.	294, 313	Anisogamus difformis, Trich.	7, 64
Amphimallus ater Hbst., rufi-		Anisoplia agricola 393, 395, bro-	
cornis F., solstitialis L., Col.	187	micola Germ., Col.	188
Amphinemura cinerea, Stand-		Anisopteryx aescularia, Lep.	294, 313
fussi, triangularis, Trich.	96	Anisosticta 19punctata L., Col.	215
Amphipyra pyramidea, trago-		Anisotoma badia St., brunnea	
pogonis, Lep.	293	St., calcarata Er., cinnamo-	
Amphotis marginata F., Col.	183	mea Pz., dubia Kby., flaves-	
Anabolia lombarda Ris, Trich.	7, 17	cens Schm., ovalis Schm., pal-	
Anacampsis patruella Mn., san-		lens St., parvula Sahlb., Triep-	
giella Stt., Lep.	345	kei Schm., Col.	181
Anacharis typica Walk., Hym.	51	Anobium abietis, Col.	233
Anaesthetis testacea F., Col.	208	Anobium siehe Byrrhus	
Anaglyptus mysticus L., Col.	206	Anodus siehe Ocyprus	
Anaitis plagiata, Lep.	294	Anomala aenea Deg. 188, ob-	
Anarta cordigera, melanopa 142,		longa F., Col.	395
nigrita, var. tristis, Lep.	147	Anomalon cerinops Gr. 228,	
Anaspis brunnipes Muls., v. fus-		clandestinum Gr., Hym.	233
cipes Muls., confusa Em.,		Anomalopteryx chauviniana,	
flava L., v. thoracica, frontalis		Trich.	64
L., Geoffroyi Müll. et var.,		Anoncodes siehe Nacerdes	
melanostoma Costa, pulicaria		Anoplecta corvina Thms., Col.	174
Costa, rufilabris Gyll., sub-		Anoplodera rufipes Schall., sex-	
testacea Steph., varians Muls.,		guttata Schall., Col.	207
Col.	195	Anoplus plantaris Naez, setu-	
Anatis ocellata L. et var., Col.	215	losus Kirsch., Col.	199
Anchicera vide Atomaria, Col.	182	Anostenus speculator Hal., Hym.	223
Anchinia daphnella S. V., Lep.	148	Anoxia villosa F., Col.	395
Ancistrocerus japonicus, pariet-		Antaxius Brunneri, pedestris F.,	
tum 286, quadrisectus Say.		Orth.	37
282, trimarginatus, Hym.	286	Anthaxia candens Pz., cichorii	
Ancistronycha violacea Payk.,		Bsd., morio Mnh., quadripunc-	
Col.	191	tata Lap., var. angulicollis	
Ancyliis upupana Tr., Lep.	333	Küst., var. Godeti Lap., sali-	
Ancylocheira rustica L., Col.	188	cis F., sepulchralis Bsd., var.	
Andrena siehe Anthrena		helvetica Strl., Col.	188
Andricus curvator Htg. 47, 51,		Antheraea yama-mai Guér, Lep.	155
54, fecundatrix Htg. 48, 54,		Antherophagus nigricornis, pal-	
inflator Htg., radicis L. 51,		lens Ol., silaceus Hbst., Col.	182
seminationis Ol. 47, 51, 54,		Anthicus antherinus L., floralis	
terminalis, Hym.	54	L., Col.	195
Anerastia lotella Hb., Lep.	319	Anthidium oblongatum Latr.,	
Anergates atratulus, Hym.	86, 88	Hym.	38
Angerona prunaria, ab. sor-		Anthobium abdominale Gr.,	
diata, Lep.	294	atrum Heer, floralis Gr., lim-	
Angitia armillata Gr., exareolata		batum Er., longipenne Er.,	
Ratz., fenestralis Htg., Hym.	229	minutum F., ophthalmicum	

	Seite		Seite
Payk., scutellata Er., sorbi, Gyll., triviale Er., Col.	179	bescens Sturm, quadrimacu- latus L., rufipes L., rufus Moll., scrofa F., scybalarius F., sor- didus F., Col.	187
Anthoboscus figuratus Scop., massiliensis L., verbasci Scop., Col.	206	Aphomia colonella, Lep.	296
Anthocharis siehe Euchloe		Aphthona abdominalis Dft., at- rovirens Först., coerulea Pk., cyanella Redt., cyparissiae E. H., euphorbiae Schk., herbi- grada Curt., v. laeivcollis Weise, lutescens Gyll., pseudac- cori Mrsh., venustula Kutsch., Col.	213
Anthocomus equestris F., fas- ciatus F., sanguinolentus F., Col.	192	Aphycus punctipes Dalm., Hym.	53
Anthomorphus, siehe Anthonomus		Apion aciculare Germ., aene- um J., aethiops H., affine Kby., angustatum Kby. 203, anti- quum Gyll. 259, apricans Hbst., armatum Gerst., assimile Kby., astragali Pk., atomarium Kby., brevirostre Hbst. 203, Bug- nioni Wagn. 264, cerdo Gerst. 202, clavipes Gerst. 261, co- lumbinum Germ., craccae L. 203, curtirostre Germ. 259, curtisii Boh. 203, dispar Germ. 202, ebeninum Kby., elegan- tulum Germ., elongatum Germ., ervi Kby., filirostre Kby., flavipes F. 203, frumen- tarium L., genistae L. 202, globulipenne Wagn. 262, gra- cilipes Dietr., Gyllenhali Kby., humile Germ., immune Kby., laevigatum Payk., livescerum Schh., marchicum Hbst., mel- liloti Kby., miniatum Germ. 203, nigerrimum Wagn. 263, nigritarse Kby., ononicola Bach., ononis Kby. onopordi Kby., opeticum Bach., pavi- dum Germ., pisi F. 203, po- monae F. 202, pubescens Kby., punctigerum Pk., radio- lus Kby., rufirostre F., sedi Germ., seniculus Kby., simum Germ. 203, Standfussi Wagn. 259, striatum Kby., tenue Kby., trifolii L., unicolor Ths., vari- pes Kby., vernale Pk., viola- ceum Kby., virens Hbst. 203, virescens Schy., Col.	291
Anthonomus druparum L., in- curvus Steph., pedicularius L., pomorum L., rubi Hbst., rufus Schk., undulatus Gyll., Col.	199	Apioniden, südafrikanische	259 ff.
Anthophagus bicornis Block, caraboides L., praeustus Müll., Col.	180	Apoderus caelatus Gr., Col.	179
Anthrena aeneiventris Mor. 40, albicans Müll. 98, 99, argen- tata Sm. 41, 98, curvungula Th. 41, dorsata, fucata Sm., Gwynana Kb. 98, incisa Ev. 41, nycthemera Imh. 44, 45, 98, 99, ovina Kl. 98, parvi- ceps Krb. 43, 98 99, praecox Scop. 44, propinqua Schk. 98, Rogenhoferi Mor. 44, thora- cica F., tibialis Ky., varians Ky. 98, ventralis Imh., Hym. 43, 44		Apoderus coryli v. avell. L., Col.	204
Anthrenus Geoffr. 158, fuscus Latr., museorum L., pimpi- nellae F., scrophulariae L., verbasci Z. 185, spec.?, Col.	242	Apteropoda orbiculata F., Col.	214
Anthrribus albinus F., Col.	204		
Anusia fulvescens Dalm., Hym.	53		
Apalus bimaculatus L., Col.	155		
Apamea testacea, Lep.	292		
Apanteles falcatus Nees., glo- meratus L. 222, obscurus Nees, pallidipes Reinh. Hym.	223		
Apatania fimbriata, Trich.	10		
Aphaereta cephalotes Hal., Hym.	224		
Aphanisticus emarginatus F., Col.	188		
Aphanorhoptrum abdominale Först., Hym.	228		
Aphidius infulatus Hal., rosae Hal., Hym.	224		
Aphodius alpinus Scop. 395, are- narius Ol., ater Deg., brevis Er., depressus Kug., fimeta- rius L., granarius L., haemor- rhoidalis L., var. sylvaticus, inquinatus F., lividus Pk., mer- darius F., nitidulus, piceus Gyll., prodromus Brahm., pu-			

Seite	Seite
<p><i>Arctia aulica</i> 143, <i>caja</i> 154, 291, 314, <i>cervini</i> 146, <i>flavia</i> et var. 104, 106, 146, <i>Hnatekii</i>, 146, <i>villica</i> L. ab <i>Bellieri</i> <i>Failla</i> 246, var. <i>Konewkai</i> <i>Frr.</i>, <i>Lep.</i> 245 ff.</p> <p><i>Argutor interstinctus</i> <i>Stm.</i>, <i>stre-nuus</i> <i>Pzr.</i>, <i>Col.</i> 169</p> <p><i>Argynnis arsilache</i> 142, <i>daphne</i>, <i>Lep.</i> 143</p> <p><i>Argyresthia amiantella</i> <i>Z.</i>, <i>fun-della</i> <i>F.-R.</i>, <i>glabratella</i> <i>Z.</i>, <i>hel-vetica</i> <i>Hein.</i>, <i>spiniella</i> <i>Z.</i>, <i>sub-montana</i> <i>Frey</i>, <i>Lep.</i> 342</p> <p><i>Argyritis pictella</i> <i>Z.</i>, <i>superbella</i> <i>Z.</i>, <i>Lep.</i> 345</p> <p><i>Aromia moschata</i> <i>L.</i>, <i>Col.</i> 206</p> <p><i>Ascalaphus hybridus coccajus</i> <i>W. V.</i> \times <i>longicornis</i> <i>M. L.</i>, <i>Neur.</i> 2</p> <p><i>Ascalenia vanella</i> <i>Frey</i>, <i>Lep.</i> 349</p> <p><i>Asclera coerulea</i> <i>L.</i>, <i>sanguini-collis</i> <i>F.</i>, <i>Col.</i> 195</p> <p><i>Ascogaster instabilis</i> <i>Wesm.</i>, <i>quadridentata</i> <i>Wesm.</i>, <i>varipes</i> <i>Wesm.</i>, <i>Hym.</i> 222</p> <p><i>Asemum striatum</i> <i>L.</i>, <i>Col.</i> 206</p> <p><i>Asopia farinalis</i>, <i>glaucinalis</i>, <i>Lep.</i> 295</p> <p><i>Aspicera edigaster</i> <i>Rossi</i>, <i>Hym.</i> 51</p> <p><i>Aspidogonus diversicornis</i> <i>Wesm.</i>, <i>Hym.</i> 223</p> <p><i>Aspilota ruficornis</i> <i>Nees</i>, <i>Hym.</i> 224</p> <p><i>Aspis Uddmanniana</i>, <i>Lep.</i> 296</p> <p><i>Astata boops</i> <i>Schrk.</i>, <i>Hym.</i> 39</p> <p><i>Atanycolus denigrator</i> <i>L.</i>, <i>initia-tor</i> <i>Nees</i>, <i>Hym.</i> 222</p> <p><i>Atemeles</i> 69, 70. <i>paradoxa</i> <i>Steph.</i>, <i>Col.</i> 174</p> <p><i>Atheta validicornis</i> <i>Märk.</i>, <i>Col.</i> 174</p> <p><i>Atholus</i>, siehe <i>Hister</i> 186</p> <p><i>Athous haemorrhoidalis</i> <i>L.</i>, <i>mon-tanus</i> <i>Cand.</i>, <i>mutilatus</i> <i>Rsh.</i>, <i>niger</i> <i>L.</i>, <i>subfuscus</i> <i>Müll.</i> 189, <i>undulatus</i> <i>Deg.</i> 392, <i>vittatus</i> <i>F.</i>, var. <i>Oskayi</i> <i>Friv.</i>, <i>Col.</i> 189</p> <p><i>Atomaria analis</i> <i>Er.</i>, <i>atra</i> <i>H.</i>, <i>fuscata</i> <i>Schh.</i>, <i>linearis</i> <i>Steph.</i>, <i>munda</i> <i>Er.</i>, <i>nana</i> <i>Er.</i>, <i>nigri-pennis</i> <i>Payk.</i>, <i>pusilla</i> <i>Payk.</i>, <i>turgida</i> <i>Er.</i>, <i>Col.</i> 182</p> <p><i>Atractodes bicolor</i> <i>Gr.</i>, <i>Hym.</i> 227</p> <p><i>Atractotomus Rhodani</i>, <i>Hem.</i> 97</p> <p><i>Atta</i> 382, <i>fervens</i> <i>Pzr.</i> 135, <i>Lundi</i> 134, 135, <i>nigra</i> <i>Schup.</i> 136, <i>octospinosa</i> <i>Reich.</i> 136, 137, <i>sexdens</i> <i>L.</i>, <i>Hym.</i> 137</p> <p><i>Attachia pigerella</i> <i>H.-S.</i>, <i>Lep.</i> 351</p>	<p><i>Attagenus nigripes</i> <i>F.</i>, <i>panthe-rinus</i> <i>Ahr.</i>, <i>pellio</i> <i>Z.</i> 185, <i>seri-ceus</i> <i>Guér.</i> 241, <i>vigintiguttatus</i> <i>F.</i>, <i>Col.</i> 185</p> <p><i>Attaphila aptera</i> <i>Bol.</i> 135—137, <i>Bergi</i> <i>Bol.</i>, <i>fungicola</i> <i>Wheeler</i> 134, <i>Schuppi</i> 135, 138, <i>sex-dentis</i> <i>Wasm.</i>, <i>Orth.</i> 135, 137</p> <p><i>Attelabus curculionoides</i> <i>L.</i>, <i>Col.</i> 204</p> <p><i>Atticola Mortoni</i> <i>Bol.</i>, <i>Orth.</i> 141</p> <p><i>Aulax glechomae</i> <i>Htg.</i>, <i>Hym.</i> 52</p> <p><i>Aulogymnus aceris</i> <i>Först.</i>, <i>Hym.</i> 52</p> <p><i>Autalia impressa</i> <i>Ol.</i>, <i>rivularis</i> <i>Gr.</i>, <i>Col.</i> 173</p> <p><i>Automalus alboguttatus</i> <i>Gr.</i>, <i>Hym.</i> 224</p> <p><i>Aventia flexula</i>, <i>Lep.</i> 294</p> <p><i>Axinotarsus marginalis</i> <i>Lep.</i>, <i>pulicarius</i> <i>F.</i>, <i>Col.</i> 192</p> <p style="text-align: center;">B</p> <p><i>Badister bipustulatus</i> <i>F.</i>, v. <i>bi-notatus</i> <i>Fisch.</i>, <i>sodalis</i> <i>Dft.</i>, <i>unipustulatus</i> <i>Bon.</i>, <i>Col.</i> 170</p> <p><i>Baeocharis pascuorum</i> <i>Mayr.</i>, <i>Hym.</i> 52</p> <p><i>Baeotomus pyrrhogaster</i> <i>Walk.</i>, <i>Hym.</i> 53</p> <p><i>Bagous limosus</i> <i>Gyll.</i>, <i>tempe-stivus</i> <i>Hbst.</i>, <i>Col.</i> 199</p> <p><i>Balaninus brassicae</i> <i>F.</i>, <i>crux</i> <i>F.</i>, <i>glandium</i> <i>Marsh.</i>, <i>nucum</i> <i>L.</i>, <i>pellitus</i> <i>Schh.</i>, <i>pyrrhoceras</i> <i>Marsh.</i>, <i>rubidus</i> <i>Schh.</i>, <i>turba-tus</i> <i>Schh.</i>, <i>villosus</i> <i>Hbst.</i>, <i>Col.</i> 199</p> <p><i>Balanomorpha</i>, siehe <i>Mantura</i> 212</p> <p><i>Banchus falcator</i> <i>F.</i>, <i>pictus</i> <i>F.</i>, <i>Hym.</i> 228</p> <p><i>Banksia alpestrilla</i> <i>Hein.</i>, <i>Lep.</i> 355</p> <p><i>Bapta bimaculata</i> 313, <i>pictaria</i> 143, 313, <i>taminata</i>, <i>Lep.</i> 294</p> <p><i>Baptolinus alternans</i> <i>Gr.</i>, <i>Col.</i> 176</p> <p><i>Bargus</i>, siehe <i>Bledius</i> 179</p> <p><i>Baris abrotani</i> <i>Germ.</i>, <i>artemi-siae</i> <i>Hbst.</i>, <i>chlorizans</i> <i>Germ.</i>, <i>coerulescens</i> <i>Scop.</i>, <i>Col.</i> 202</p> <p><i>Barynotus obscurus</i> <i>Germ.</i>, <i>Col.</i> 197</p> <p><i>Baryodma</i>, siehe <i>Aleochara</i> <i>Gr.</i> 175</p> <p><i>Barypeithes brunnipes</i> <i>Ol.</i>, <i>mon-tanus</i> <i>Chevr.</i>, <i>Col.</i> 197</p> <p><i>Basalys fumipennis</i> <i>Westw.</i>, <i>Hym.</i> 52</p> <p><i>Bassus albosignatus</i> <i>Gr.</i>, <i>laeta-torius</i> <i>Gr.</i>, <i>nemoralis</i> <i>H.</i>, <i>Hym.</i> 230</p> <p><i>Batophila rubi</i> <i>Pk.</i>, <i>Col.</i> 212</p> <p><i>Batrachedra praeangusta</i> <i>H.</i>, <i>Lep.</i> 349</p> <p><i>Belyta fuscicornis</i> <i>Nees.</i>, <i>Hym.</i> 51</p>

	Seite		Seite
<i>Bembex integra</i> Pzr., Hym.	39	<i>Brachycentrus pimplarius</i>	
<i>Bembidium</i> 168, <i>glaciale</i> Heer,		Taschb., Hym. 226, <i>subnubi-</i>	
<i>pyrenaeum</i> Dej. 389, <i>stomoi-</i>		lus, Trich.	64
ides, Col.	97	<i>Brachyderes incanus</i> L., Col.	197
<i>Berosus aericeps</i> Curt., <i>luridus</i>		<i>Brachynus crepitans</i> L., <i>explo-</i>	
L., Col.	172	dens Dft., Col.	170
<i>Bessobia occulta</i> Er., Col.	174	<i>Brachypterus cinereus</i> Heer,	
<i>Bidessus geminus</i> F., <i>unistria-</i>		<i>gravidus</i> Ill., <i>urticae</i> F., Col.	183
tus Ill., Col.	171	<i>Brachysomus echinatus</i> Bonsd.,	
<i>Biorhiza terminalis</i> F., Hym. 47, 51, 53		<i>setiger</i> Schh., <i>setulosus</i> Boh.,	
<i>Biosteres carbonarius</i> Nees,		<i>squamulatus</i> F., Col.	197
Hym.	223	<i>Brachytarsus fasciatus</i> Forst.,	
<i>Bisnius</i> , siehe <i>Philonthus</i>	176	<i>nebulosus</i> Forst., Col.	204
<i>Biston hirtaria</i> 313, <i>hispidaria</i>		<i>Brachytemnus porcatus</i> G., Col.	202
311, 313, <i>lapponaria</i> 311, 313,		<i>Bracon anthracinus</i> Nees., <i>cau-</i>	
<i>pomonaria</i> 311, 313, <i>strataria</i>		<i>datus</i> Ratzb., <i>flavipes</i> Nees.,	
313, <i>zonaria</i> , Lep.	314	<i>satanas</i> Wesm., <i>stabilis</i> Wesm.,	
<i>Blacus tuberculatus</i> Wesm.,		<i>terebella</i> Wesm., <i>urinator</i> F.,	
Hym.	223	<i>variator</i> Nees., Hym.	222
<i>Blaps mortisaga</i> Schrk., <i>similis</i>		<i>Bracteon foraminosum</i> Sturm,	
Latr., Col.	194	<i>littorale</i> Ol., <i>striatum</i> F., Col.	168
<i>Blastobasis phycidella</i> Z., Lep.	346	<i>Bradybatus elongatulus</i> Schh.,	
<i>Blastothrix sericea</i> Dalm., Hym.	53	<i>subfasciatus</i> Gerst., Col.	199
<i>Boarmia consonaria</i> 312, <i>con-</i>		<i>Bradycellus verbasci</i> Dft., Col.	170
<i>sortaria</i> 294, 313, <i>crepuscu-</i>		<i>Bradyrrhoa cantenerella</i> Dup.,	
<i>laria</i> 294, 312, <i>extersaria</i> , <i>li-</i>		Lep.	320
<i>chenaria</i> 294, <i>punctularia</i> 313,		<i>Bradytus consularis</i> Dft., <i>ful-</i>	
<i>repandata</i> , <i>rhomboidaria</i> 294,		<i>vus</i> Deg., Col.	169
<i>roboraria</i> , Lep.	312	<i>Brephos nothum</i> , <i>parthenias</i> ,	
<i>Bolitobius atricapillus</i> Gyll. 176,		Lep.	313
<i>exoletus</i> Er. 175, <i>lunulatus</i> L.		<i>Bromius</i> , siehe <i>Adoxus</i>	210
176, <i>trinotatus</i> Er., Col.	175	<i>Brontes</i> , siehe <i>Hyleota</i>	184
<i>Bolitochara lucida</i> Gr., <i>obliqua</i>		<i>Brosicus cephalotes</i> L., Col.	167
Er., Col.	174	<i>Brotolomia meticulosa</i> , Lep.	293
<i>Bombus terrestris</i> , Hym.	123	<i>Bruchoptinus rufipes</i> F., Col.	193
<i>Bombyx alpicola</i> Stgr. 147, <i>lane-</i>		<i>Bruchus</i> , siehe <i>Ptinus</i>	193
<i>stris</i> , <i>neustria</i> , <i>populi</i> 291,		<i>Bruchus canus</i> Germ., <i>cisti</i> F.,	
<i>quercus</i> Hermaphrodit? 243		<i>debilis</i> Gyll., <i>flavimanus</i> Schh.,	
<i>trifolii</i> , Lep.	291	<i>granarius</i> L., <i>loti</i> Pk., <i>mar-</i>	
<i>Boreus</i> -Arten, Neur.	158	<i>ginalis</i> F., <i>nigripes</i> Schh., <i>nubi-</i>	
<i>Borkhausenia angustella</i> Hb.,		<i>bilus</i> Schh. 204, <i>olivaceus</i>	
<i>formosella</i> S. V. 348, <i>fusces-</i>		Germ. 205, <i>psi</i> L. 204, <i>pubes-</i>	
<i>cens</i> Hw. 347, <i>grandis</i> Desv.,		<i>cens</i> Germ., <i>pusillus</i> Germ.,	
<i>Jourdheuillella</i> Rag., <i>lamb-</i>		<i>pygmaeus</i> Boh., <i>rufimanus</i>	
<i>della</i> Don., <i>leucochrysella</i> Mill.		Schh., <i>seminarius</i> L., Col.	205
<i>nubilosella</i> H.-S., <i>pseudospre-</i>		<i>Bryaxis fossulata</i> Reichb., <i>sang-</i>	
<i>tella</i> Stt., <i>Schaefferella</i> L., <i>si-</i>		<i>guinea</i> L., Col.	180
<i>milella</i> Hb. 348, <i>unitella</i> Hb.,		<i>Brychius elevatus</i> Pz., Col.	171
Lep.	347	<i>Bryocharis analis</i> Payk., Col.	176
<i>Bostrychus capucinus</i> L., Col.	193	<i>Bryodema tuberculata</i> F., Orth.	34
<i>Bothriothorax clavicornis</i> Dalm.,		<i>Bryophila algae</i> , ab. <i>deceptri-</i>	
<i>Schlechtendali</i> Mayr., Hym.	53	<i>cula</i> , <i>glandifera</i> , <i>perla</i> , <i>raptri-</i>	
<i>Botys</i> , siehe unter <i>Pyrausta</i>		<i>cula</i> , Lep.	292
<i>Brachmia rufescens</i> Hw., <i>trian-</i>		<i>Bryotropa affinis</i> Dgl., <i>decrepi-</i>	
<i>nulella</i> H.-S., Lep.	345	<i>della</i> H.-S., v. <i>obscura</i> Hein.,	
<i>Brachonyx indiginea</i> Hbst., Col.	199	<i>senectella</i> Z., <i>umbrosella</i> Z., Lep.	343

	Seite
Bucculatrix cidarella Z., cristatella Z., Lep.	353
Bupalus piniarius, Lep.	313
Butalis glacialis Frey, Lep.	148
„ siehe Scythris	
Byctiscus betuleti F., populi L., Col.	204
Byrrhus, siehe Cistela Geoffr. 186, domesticus Fourc., emarginatus Dft., 193, nitidus F., paniceus L., pertinax L., Col.	193
Bythinus bulbifer Reichb., Burrelli Denny, clavicornis Pz., nigripennis Aubé, puncticollis Denny, securiger Reichb., Col.	180
Byturus, siehe Trixagus	184

C

Cabera exanthemaria, pusaria, Lep.	294
Caccoporus piceus L., Col.	179
Cacoecia aeriferana H.-S., decretana Tr., Lafauriana Rag., murinana Hb., striolana Rag., unifasciana Dup., Lep.	327
Cacotropa sericea Ths., Hym.	230, 231
Coelambus impressopunctatus Schall., v. lineellus Gyll., Col.	171
Calamia lutosa, Lep.	293
Calandra granaria L., oryzae L., Col.	202
Calasymbolus excaecata Abb., Lep.	250, 338
Calathus erratus Sahlb. 169, fuscipes Goeze 168, melanocephalus L., Col.	169
Calitys scabra Thunb., Col.	392
Calliclisis hectica Gr., Hym.	228
Callidiotes coxator Gr., Hym.	230
Callidium alni L., femoratum L., rufipes L., variabile L., violaceum L., Col.	206
Calligenia rosea, Lep.	291
Calligula japonica Moore, Lep.	155
Calocampa exoleta, vetusta, Lep.	293
Calocoris seticornis, Hem.	291
Calocryptus congruens Gr., Hym.	226
Calodera aethiops Gr., uliginosa Gr., Col.	173
Calophasia linariae 293, platyptera, Lep.	143
Caloptenus italicus L., Orth.	76
Calopus serraticornis L., Col.	195
Calosirus, siehe Corymbites	189
Calosoma inquisitor F., Col.	167

Calymnia pyralina, trapezina, Lep.	293
Calyptus tibialis Hal., Hym.	223
Campa assimilis Gyll., Col.	168
Camponotus fallax, lateralis 265, rufipes F. 140—141, senex nid, Hym.	382
Campoplex canaliculatus Först., cultrator Gr., nitidulator Hgr., obliterated Hgr., pupillator L., tenuis Först., Hym.	228
Campylus linearis L., v. mesomelas L., rubens Pill., Col.	190
Canidia angularis Rtz., Hym.	229
Cantharis albomarginata M., atra L., discoidea Ahr., elongata Fall., figurata Mannh. 91, fulva Scop. 191, 291, fulvicollis F., fusca L., fuscicornis Ol., haemorrhoidalis F., livida L. et var., nigricans Müll., obscura L., oralis Germ., pallida F., paludosa Fall., pellicida F., pulicaria F., rufa L., rustica Fall., sudetica Letzn., testacea L., thoracica Ol., tristis F., violacea Pk., Col.	191
Capnionura nemuroides Ris, Plect.	93—95
Capsus campestris, Hem.	291
Capua angustiorana Hw., favillaceana Hb., reticulana Hb., Lep.	327
Carabus alternans Dej. 76, arvensis F. 167, Aumonti 79, 80, auratus L. 167, auronitens F. 167, 278, baldensis, Bonellii, bucephalus 132, cancellatus 132, 167, 278, v. carinatus 278, constantinus Lap. 78, concolor alpinus Dej. 278, 279, 389, bernensis 279, v. bernhardinus Kr. 389, v. nivalis Heer 278, 279, v. nivus Heer 389, convexus 217, Creutzeri 132, cychrisans Lap. 78, depressus Bon. 129 ff., extensus Kr. 133, Fabricii Pz. 129 ff., glabratus 132, granulatus L. 167, grignensis 132, v. Hermann Born 175 ff., hortensis L., intricatus L. 167, irregularis 132, 167, Kircheri, Kollari 132, latior Born 133, lucens 132, macilentus Lap. 78, v. Meyeri Born 275 ff., Mitrei Luc. 78, monilis F. 132,	

	Seite		Seite
167, Montandoni 132, morbillosus F. 75 ff., nemoralis Müll.		Celonites abbreviatus, Hym.	39
167, Olcesi 79, purpurascens F. 167, 276 ff., f. crenatus und exasperatus 275 ff., Scheidleri 132, v. Seileri 167, Servillei 76, violaceus L. 132, 167, 275 ff., Zwickii Heer, Col.	167	Cemiostoma laburnella Stt., scitella, susinella H.-S., Lep.	353
Caradrina alsines, ambigua, arcuosa, cubicularis, exigua 293, lenta 143, morpheus, superstes, taraxaci, Lep.	293	Centeterus confector Gr., Hym.	225
Cardiochiles saltator F., Hym.	223	Cephennium thoracicum Müll., Col.	180
Cardiophorus discicollis Er., ebeninus Germ., nigerrimus Er., rubripes Germ., thoracicus L., Col.	189	Cerambyx cerdo L., Scopoli Füssli, Col.	206
Carpocapsa grossana, pomonana 296, var. reaumurana Hein., splendana Hb., Lep.	333	Ceraphron tortricum Ratzb., Hym.	52
Carpophilus sexpustulatus F.	183	Cerapterocerus mirabilis West., Hym.	52
Cartodere elongata Curt., ruficollis Msh., Col.	185	Cerchysius Dalm., Hym.	52
Casinaria alboscutellaris Ths., scutellaris Hlgr., vidua Grv., Hym.	229	Cercyon flavipes F., haemorrhoidale F., lugubre Payk., melanocephalum L., minutum F., plagiatum Er., pygmaeum Ill., unipunctatum L., Col.	172
Cassida azurea F., canaliculata Laich, denticollis Suffr., flavolea Thnb., lineola Creutz., margaritacea Schall., murraea L., nebulosa L., nobilis L., oblonga Vill., v. pannonica Suffr., prasina Ill., pusilla Waltl., rubiginosa Müll., sanguinolenta Müll., sanguinosa Suffr., stigmatica Suffr., subferruginea Schrk., thoracica Pz., vibex L., viridis L., Col.	214	Ceria conopsoides, gambiana, Dipt.	396
Cataclysta lemnata, Lep.	295	Cerocephala cornigera Westw., Hym.	52
Cataplectica auromaculata Frey, devotella Heyd., profugella Stt., Lep.	349	Cerocoma Schaefferi L., Col.	195
Catephia alchymista, Lep.	312	Cerostoma alpella S.-V, instabilella Mn., persicella S.-V.	343
Catocala electa, fraxini, nupta, paranympa 294, vulcanica, Lep.	155	Ceruchus chrysomelinus Hochw., Col.	395
Catoglyptus fortipes Gr., foveolator H., Hym.	230	Cerura bicuspidis 311, 313, bifida, furcula, Lep.	312
Catops coracinus Kelln., fumatus Er., fuscus Pz., morio F., nigricans Spence, picipes F., sericeus Pz., Col.	181	Cerylon angustatum Er., histeroideus F., Col.	185
Cecidomyia rosaria, Dipt.	49, 53	Cetonia aurata L. 188, var. valesiaca Heer 395, floricola Hbst. 188, marmorata F. 188, speciosissima Scop., Col. 188, 382	
Cedestis farinatella Dup., Lep.	342	Ceuthorrhynchidius floralis Pk., pulvinatus Schh., quercicola Payk., terminatus Hbst., troglodytes F., Col.	201
Celerio hippophaes, Lep.	385	Ceuthorrhynchus albosignatus Schh., angustus Hbst., asperifoliarum Gyll. 201, assimilis Pk. campestris Gyll., chalybaeus Germ., contractus Msh. 202, crucifer Ol., denticulatus Schk. 201, ericae Gyll., erysimi F. 202, geographicus Goeze, marginatus Gyll., melanostictus Msh. 201, molitor Schh., nanus Gyll., napi Germ., picitarsis Schh., pleurostigma Msh. 202, Poncyi Stierl. 56, punctiger Sahlb., quadridens Pz. 201, rapae Schh. 202, raphani F. 201, rugulosus Hbst., setosus Schh. 202, signatus	
Celia, siehe Amara	169		

	Seite		Seite
Gyll. 201, sulcicollis Payk., syrites Germ. 202, timidus Weise, Col.	56	Choreutis myllerana F., var. stellaris Z., Lep.	341
Chaenon anceps Curt., Hym.	224	Chremnophila sedacovella Ev., Lep.	321
Chaerocampa elpenor, Lep.	291, 314	Chrysanthia viridis Schm., viri- dissima L., Col.	195
Chaetarthria seminulum Payk., Col.	172	Chrysis austriaca F., pustulosa Ab. 39, versicolor Spin., Hym.	38
Chaetida longicornis Gr., Col.	174	Chrysobothris chrysostigma L. 391, Solieri Lep., Col.	188
Chaetocnema aerosa Rsh., ari- dula Gyll., concinna Msh., hortensis Fourc., Mannerheimi Gyll., Sahlbergi Gyll., tibialis Ill., Col.	212	Chrysocharis heterotoma Först., Hym.	52
Chaetopteryx Gessneri, Trich.	10, 17	Chrysochloa (Orina) bifrons F., frigida Weise, var. rhaetica Weise, gloriosa F. var. nubila Weise, speciosissima Scop., var. troglodytes Ksw., vittigera Suffr., var. glacialis Weise	394
Chalcidier	52	Chrysochus asclepiadeus Pall., Col.	394
Chalicodoma muraria, Hym.	50	Chrysomela aurichalcea Mnh. var. asclepiadis Vill. 394, bul- garensis Schrk., cerealis L., coerulans, fastuosa Scop., fuliginosa Ol., geminata Pk., v. galeopsidis Schrk., Göttin- gensis L., haemoptera L., hy- perici Forst. 210, limbata F. 210, 393, marginalis Dft., mar- ginata L., polita L., quadri- gemina Suffr., sanguinolenta L., staphylea L., varians Schall., Col.	210
Chalcis flavipes Pz., minuta L., Hym.	54	Chrysomyia albiceps Wied., Dipt.	242
Charaeas graminis, Lep.	292	Chrysopa vulgaris Schn., Neur.	154
Charaxes jasius, Lep.	380, 381	Chrysophanus v. americana 22, dorilis 19, eurybia 24, 25, fasci- ata 22, gordius 21, 23, 25, helle 142, hypophlaeas Boisd. 22, hippothoë 19, 21, 22, mie- gii Vog. 23, phlaeas 19, 22, 25, forma radiata, rutilus 22, vir- gaureae 19, 22, 23, 25, vir- gaureola, Lep.	25
Chariclea marginata, Lep.	293	Cicindela v. affinis Fisch., cam- pestris L., v. connata Heer 167, gallica Brull. 388, germanica L., hybrida L. 167, v. riparia Ol. 167, 389, 393, sylvicola Latr. 167, v. transversalis Heer, Col.	167
Chariptera culta, Lep.	292	Cicones variegatus Hellw., Col.	184
Charops decipiens Gr., Hym.	229	Cidaria aemularia 143, albicil- lata, albulata, alchemillata 295,	
Charopus pallipes Ol., Col.	192		
Chasmodes motatorius Gr., pa- ludicola Wesm., Hym.	224		
Chasmodon apterus Nees, Hym.	224		
Chauliodus scurella F.-R., Lep.	148		
Cheilotoma bucephala Schall., Col.	209		
Cheimatobia brumata, Lep.	294		
Chelonus annulatus Nees, buc- atus Thms., inanitus Nees, microphthalmus Wesm., mu- tabilis Nees, obscurator H., sulcatus Nees., Hym.	222		
Chelostoma spec.	53		
Chesias obliquaria 143? spar- tiata, Lep.	314		
Chevrier'sche Sammlung, Hym.	101		
Chilo cicatricellus 296, 318, phragmitellus, Lep.	296		
Chilocorus bipustulatus L., Col.	215		
Chiloneurus elegans Dalm, for- mosus Boh., Hym.	53		
Chilopora cingulata Chr., longi- tarsis Er., Col.	173		
Chimarrha marginata, Trich.	64		
Chiropachys colon L., Hym.	53		
Chlaenius nigricornis 97, tibialis Dej. 97, vestitus Payk., Col. 97,	170		
Chloantha perspicillaris, Lep.	292		
Chlorophanus pollinosus F., viri- dis L., Col.	197		
Choleva agilis Ill., elongata Payk., Col.	181		

	Seite		Seite
anseraria 144, aptata 148, berberata, bilineata, capitata, chenopodiata, decolorata, v. deflavata, dilutata, elutata, ab. fascia rufa, ferrugata, firmata, fluctuata, fluviata 295, fulvata 294, galiata, heparata 295, immanata 148, 294, impluviata, ligustrata, luctuata, miaria 295, mixtata 142, munitata 148, ocellata 294, olivata, procellata, propugnata 295, psittacata 294, quadrifasciaria, rivata, rivulata, rubidata 295, rubiginata, russata 294, silaceata 295, simulata 148, sinuata 295, soldaria 148, stragulata 294, sylvata, tersata, tophaceata 295, turbata 148, unifasciaria 295, variata 294, vespertaria, vitalbata, vittata, Lep.	295		
Cidnorrhinus quadrimaculatus L., Col.	201		
Cilix glaucata 313, spinula, Lep.	291		
Cimbex variabilis, Hym.	233		
Cinetus piceus Thms., Hym.	52		
Cionus blattariae F., fraxini Deg., hortulanus Msh., olivieri Rsh., pulchellus Hbst., scrophulariae L., similis Müll., solani F., Col.	200		
Cirrospilus subviolaceus Ths., vittatus Wlk., Hym.	52		
Cis boleti Scop., dentatus Mell., festivus Pz., hispidus Payk., nitidus Hbst., rugulosus Mell., vestitus Mell., Col.	193		
Cistela F., luniger Germ., pilula L., Col.	186		
Cistela Geoffr. ceramboides L., luperus Hbst., murina L., rufipes F., Col.	194		
Clambus pubescens Redt., Col.	181		
Claviger testaceus Preyssl., Col.	180		
Cledeobia angustalis, Lep.	295		
Cleogene lutaria, Lep.	148		
Cleogynus dorsalis, Hym.	52		
Cleonus albidus F., alternans Ol., cinereus F., grammicus Pz., marmoratus F., ophthalmicus Rossi, roridus F., sulcirostris L., trisulcatus Hbst., Col.	198		
Cleonymus depressus F., Hym.	53		
Cleopus siehe Miarus, Col.	200		
Cleroides formicarius L., quadrimaculatus Schh., Col.	192		
Clerus alvearius F., apiarius F., Col.	192		
Clinocentrus exsertor Nees, Hym.	222		
Clivina collaris Hbst., fossor L., Col.	167		
Clyanthus, siehe Clytus	206		
Clythra appendicina Lec., laeviuscula Ratzb., quadripunctata L., Col.	209		
Clytus arietis L., detritus L., figuratus Scop. 206, lama Muls. 393, massiliensis L., mysticus L., rusticus L., verbasci L., Col.	206		
Cnemidotus caesus Dft., Col.	171		
Cnemogonus epilobii Payk., Col.	201		
Cneorrhinus geminatus F., Col.	197		
Cnephasia canescana Gn., chrysanthæana Dup., Lep.	327		
Coccidula rufa Hbst., scutellata Hbst., Col.	216		
Coccinella decempunctata L. et var., hieroglyphica L., 14pustulata L., 5punctata L., 7punctata L., Col.	215		
Coccytrypes dactyliperda J., Col.	206		
Coeliastes lamii Hbst., Col.	201		
Coelinius niger Nees., Hym.	224		
Coeliodes = Coeliastes			
Coelocryptus rufinus Grv., Hym.	226		
Coeloides melanotus Wesm., Hym.	222		
Coelopisthus cephalotes Wlk., Hym.	53		
Coenocara bovistae Hoffm., Col.	193		
Coenorrhinus, siehe Rynchites	204		
Colenis dentipes Gyll., Col.	181		
Coleocentrus excitator Poda, Hym.	228		
Coleophora albitarsella Z., anatipennella Hb., antennariella H.-S., auricella F. 350, brigenensis Frey 351, ciconiella H.-S., conspicuella Z., gnaphalii Z., juncicolella Stt., leucapennella Hb., lineariella Z., lineolea Hw., lithargyrinella Z., ochrea Hw., onosmella Brahm. 350, otitae Z. 351, paripennella Z., tractella Z., valesianella Z., vibicella Hb., Wockeella Z., Lep.	350		
Colias edusa 105, palaeno 142, phicomone, Lep.	145		

	Seite		Seite
Collix sparsata, Lep.	295	190, cupreus F., haematodes	
Collyria calcitrator Gr., Hym.	228	F., impressus F., latus F., pec-	
Colobicus marginatus Latr., Col.	184	tinicornis L., quercus Gyll.,	
Colon angulare Er., brunneum		sjaelandicus Müll., v. signatus	
Latr., calcaratum Er., vien-		Pz., sulphuripennis Germ. 189,	
nense Hbst., Col.	181	tesselatus L. 190, virens Schk.,	
Colpognathus celerator Gr., Hym.	225	Col.	189
Colpotrochia elegantula Schrk.,		Corynetes coeruleus Klug, rufi-	
Hym.	230	collis F., ruficornis Stm., rufi-	
Colydium filiforme F., Col.	184	pes F., violaceus L., Col.	192
Colymbetes Grapii Gyll., Col.	171	Coryssomerus capucinus Beck.,	
Comys obscura Dalm., scutel-		Col.	202
lata Swed., Hym.	53	Cosmopteryx druryella Z., exi-	
Conapion Bugnioni Wagn. 264,		mia Hw., Lep.	349
globulipenne Wagn. 262, ni-		Cossonus linearis F., parallelo-	
gerrimum Wagn., Col.	263	pipedus Hbst., Col.	202
Conchylis aurofasciana Mn. 329,		Cossus ligniperda 291, terebra	
curvistrigana Wilk. 328, deut-		F., Lep.	39
schiana Zett. 329, dipoltella		Cotonaspis longicornis Htg.,	
Ha. 328, epilina Z. 329, gil-		Hym.	51
vicomana Z. 328, hamana 296,		Crambus alpinellus, v. aquilellus	
hilarana H.-S., hybridella 328,		296, aureliellus F.-R. 308, v.	
implicitana Wck., Kinder-		caducellus Rebel 318, ab. ces-	
manniana Tr. 329, notulana		pitellus 296, contaminellus Hb.	
Z. 328, pallidana Z. 148, per-		317, chrysonuchellus 296, cra-	
fusana Gn., posterana Z., rori-		terellus Sc. 318, culmellus 296,	
dana Mn., rupicola Curt. 328,		deliellus Hb. 317, ericellus Hb.	
Smeathmanniana F. 329, Wo-		318, falsellus 296, furcatellus	
liniana Schleich. 328, zoegana,		Zett. 318, geniculens Hw. 296,	
Lep.	296	317, hortuellus, inquinatellus	
Coniatus Wenckeri, Col.	97	296, lucellus H.-S. 318, lucti-	
Conoblasta ceratites Gr., Hym.	227	ferellus Hb. 148, v. luctuellus	
Conurus binotatus Gr., bipustu-		H.-S. 148, luteellus S. V. 318,	
latus Gr., littoreus L., lividus		lythargyrellus Hb. 317, macu-	
Er., pubescens Gr., Col.	175	lalis Zett., malacellus Dup.	
Copidosoma terebrator Mayr,		318, margaritellus, myellus	
Hym.	53	296, mytilellus Hb. 318, palu-	
Copisura, siehe Chaenon	224	dellus Hb. 317, palustrellus Rg.	
Coprophilus striatulus F., Col.	178	318, pascuellus Hb., perlellus	
Coprothassa lividipennis Mnh.,		296, pinellus L. 318, pratellus	
Col.	174	296, rostellus Lah., saxonellus	
Coptocephala unifasciata Scop.		Zck. 318, selasellus Hb. 296,	
et var., Col.	209	317, speculalis Hb. 148, 318,	
Corticaria bella Redt., distin-		sylvellus, tristellus 296, ve-	
guenda Com., elongata Gyll.,		rellus Zck. 296, 318, ab. war-	
fuscula Gyll., gibbosa Hbst.,		ringtoniellus 296, zermattensis	
pubescens Gyll., similata Gyll.,		Frey, Lep.	148, 318
transversalis Mnh., truncatella		Crateronyx taraxaci Esp., Lep.	147
Mnh., Col.	185	Cratocryptus erythropus Gr.,	
Corticeus, siehe Hypophloeus	194	leucospis Gr., Hym.	226
Cortodera femorata F., monti-		Cratonychus, siehe Melanotus,	
cola Ab. 393, quadriguttata F.		Col.	189
et var., Col.	207	Cratotechus larvarum L., Hym. 52, 55	
Corymbites aeneus L. 190, aeru-		Cremastus bellicosus Gr., Hym. 229	
ginosus F., affinis Payk. 190,		Crematogaster Ransonneti	
bipustulatus L., cinctus Payk.		Mayr, nid., Hym.	382

	Seite		Seite
Cremnops desertor L., Hym.	223	Cryptus albatorius Gr., ob-	
Crepidodera atropae Fdr., au-		scurus Gr., tarsoleucus Gr.,	
rata Mrsh. 212, chloris Fdr.,		viduatorius F., Hym.	226
ferruginea Scop., helxines L.		Cteniopus sulphureus L., Col.	194
et var., modeeri L., nitidula		Ctenopelma affinis H., Hym.	230
L., rufipes L., transversa Msh,		Cucullia absinthii, asteris 293,	
Col.	212	prenanthis 143, scrophulariae,	
Criocephalus rusticus L., Col.	206	umbratica, Lep.	293
Crioceris asparagi L., duodecim-		Cyaniris argiolus, Lep.	314
punctata L., lili Scop., mer-		Cybister Roeselii Füssli, Col.	172
digera L., Col.	209	Cychramus fungicola Heer, lu-	
Crocallis elinguaris, Lep.	294, 313	teus Ol., quadripunctatus	
Crunoecia irrorata, Trich.	11	Hbst., Col.	183
Cryphalus abietis Rtz., piceae		Cychrus rostratus F., Col.	167
Rtz., Col.	205	Cyclonotum orbiculare F., Col.	172
Cryphiphorus ligustici L., Col.	196	Cylistosoma (Platysoma) ob-	
Cryptarcha strigata F., Col.	184	longum F., Col.	396
Cryptoblabe bistriga Hw., Lep.	322	Cymatophora bipuncta 291, dup-	
Cryptocephalus aureolus Suffr.,		laris 313, octogesima 291, 313,	
biguttatus Scop., bilineatus L.,		or, Lep.	313
bipunctatus L., coryli L. 209,		Cymatopterus fuscus L., Col.	172
decemmaculatus L., elegan-		Cymindis cingulata Dej. 390,	
tulus Gr. 210, flavescens Schn.,		coadunata L. 170, 390, hu-	
flavipes F., hypochaerides L.,		meralis Frer., Col.	170
interruptus Suffr. 209, labiatus		Cymodusa exilis Hlgr., Hym.	229
L. 210, lobatus F., marginellus		Cynegetis impunctata L., Col.	215
Ol. 209, minutus F., Moraei		Cynipiden	51
L., ocellatus Drap. 210, octo-		Cynips baccarum 54, divisa 53,	
punctatus Scop. 209, populi		54, folii 54, longiventris 48,	
Suffr. 210, primarius Har. 209,		53, terminalis, Hym.	54
pygmaeus F. 210, quadripustu-		Cyphon coarctatus Payk., padi	
latus Gyll., sanguinolentus		L., Paykulli Guér., variabilis	
Scop., sericeus L., sexpunc-		Thbg., Col.	190
tatus L., sexpustulatus Rossi,		Cymus trimaculatus, Trich.	12
variegatus F., violaceus Leach,		Cyrtanaspis phalerata Germ.,	
vittatus F., Col.	209	Col.	195
Cryptohypnus meridionalis Cst.,		Cyrtotriplax bipustulata F., Col.	182
Meyeri Stierl., minutissimus		Cyrtusa pauxilla Schmidt, Col.	181
Germ., quadriguttatus Cast.		Cytilus, siehe Cistela, Col.	186
189, rivularis Gyll. 392, tenui-			
cornis Germ., Col.	189		
Cryptophagus affinis Sturm, cel-			
laris Scop., dentatus Hbst.,			
fumatus Gyll., lycoperdi Hbst.,			
pilosus Gyll., pubescens Stm.,			
scanicus L., subdepressus			
Gyll., vini Pz. et var., Col.	182		
Cryptopimpla calceolata Gr.,			
Hym.	227		
Cryptopleurum atomarium Ol.,			
Col.	172		
Cryptopristus caliginosus Wlk.,			
Hym.	54		
Cryptorhynchus lapathi L., Col.	199		
Cryptothrix nebulicola, Trich.	10		
Crypturgus pusillus Gyll., Col.	205		

D

Danacaea pallipes Pz., tomen-			
tosa Latr., Col.	192		
Dascillus cervinus L., Col.	190		
Dasycerus sulcatus Brongn.,			
Col.	185		
Dasychira fascelina 312, pudi-			
bunda, Lep.	313		
Dasydia tenebraria Esp., Lep.	147		
Dasytes coeruleus F., fuscus			
Ill., niger F., plumbeus Müll.,			
Col.	192		
Datomicra celata Er., Col.	174		
Decatoma Neesi Först. 53, sig-			
nata Nees, Hym.	46—49, 53		
Deilephila elpenor 291, 314,	385		

	Seite		Seite
euphorbiae L. 243 ff., 314,		Diapria conica F., verticillata	
gallii Rott. 243 ff., 338, hippo-		Latr., Hym.	52
phaës 143, 385, porcellus,		Diasemia litteralis, Lep.	295
Lep.	291, 314	Diastictis artesiaria, Lep.	294
Deleaster dichrous Gr., Col.	178	Diastrophus rubi Htg. 49, 51, 53,	
Delotomus lucidulus Gr., Hym.	229	saponariae St., Hym.	51
Demas coryli, Lep.	292, 312	Dibolia cryptocephala Koch,	
Demetrias atricapillus L., Col.	170	cynoglossi Kutsch., femoralis	
Desmosoma haemorrhoea Märk.,		Redt., Försteri Bach, occultans	
Col.	175	Koch, rugulosa Letzn.,	
Dendroctonus micans Kby., Col.	205	Schillingi Letzn., timida Ill.,	
Dendrolimus pini var. montana,		Col.	214
Lep.	313	Dichonia aprilina 292, 312, con-	
Denticollis, siehe Campylus	190	vergens, Lep.	292
Deporaus betulae L., mega-		Dichrorampha agilana Tgstr.	
cephalus Germ., tristis F.,		333, alpestrana H.-S., cacaleana	
Col.	204	H.-S. 334, cigulana H.-S. 148,	
Depressaria albipunctella Hb.,		distinctana Hein. 333, harpeana	
alpigena Frey, alstroemeriana		Frey 148, 334, rhaeticana Frey	
Ol. 347, applana 297, artemisiae		Nick. 347, assimilella Tr. 346,	
Nick. 347, assimilella Tr. 346,		Astrantiae Hein. 347, atomella	
Tr. 346, Astrantiae Hein. 347,		Hb. 346, badiella Hb., Chaerophylli	
atomella Hb. 346, badiella Hb.,		Z., ciliella St., conterminella	
Chaerophylli Z., ciliella St.,		Z. 347, costosa Hw. 346, depressella	
conterminella Z. 347, costosa		Hb., feruliphila Mill. 347, flavella	
Hw. 346, depressella Hb., feruliphila		Mill. 347, flavella var. sparmanniana	
Hw. 346, depressella Hb., feruliphila		F. 346, hepaticaria Z., laterella	
Hw. 346, depressella Hb., feruliphila		S.-V., libanotidella Schläg., nervosa	
Hw. 346, depressella Hb., feruliphila		Hw., nodiflorella Mill. 347, ocellana	
Hw. 346, depressella Hb., feruliphila		Mill. 347, pimpinellae Z. 347,	
Hw. 346, depressella Hb., feruliphila		propinquella Tr. 346, pulcherrimella	
Hw. 346, depressella Hb., feruliphila		Stt., silerella Stt. 347, v. sparmanniana	
Hw. 346, depressella Hb., feruliphila		F. 346, thapsiella Z., weirella Stt.,	
Hw. 346, depressella Hb., feruliphila		yeatiana F., zephyrella Hb.,	
Hw. 346, depressella Hb., feruliphila		Lep.	347
Dermestes bicolor F. 185, Frischii?		Dermestes bicolor F. 185, Frischii?	
222, lanarius Ill., lardarius L.,		222, lanarius Ill., lardarius L.,	
murinus L., undulatus Brahm. 185,		murinus L., undulatus Brahm. 185,	
vulpinus?, Col.	242	vulpinus?, Col.	242
Derocrepis rufipes L., Col.	212	Derocrepis rufipes L., Col.	212
Deronectes latus Steph., Col.	171	Deronectes latus Steph., Col.	171
Derostenus cupreus Först., Hym.	52	Derostenus cupreus Först., Hym.	52
Diaborus lituratus L., Hym.	229	Diaborus lituratus L., Hym.	229
Diacanthus, siehe Corymbites	189	Diacanthus, siehe Corymbites	189
Diachromus germanus L., Col.	170	Diachromus germanus L., Col.	170
Dianous coeruleus Gyll., Col.	178	Dianous coeruleus Gyll., Col.	178
Dianthoecia albimacula 311, 314,		Dianthoecia albimacula 311, 314,	
capsincola 292, 314, capsophila,		capsincola 292, 314, capsophila,	
conspersa, cucubali 292, luteago		conspersa, cucubali 292, luteago	
143, magnolii 139, perplexa		143, magnolii 139, perplexa	
292, proxima, Lep.	142	292, proxima, Lep.	142
Diaperis boleti L., Col.	194	Diaperis boleti L., Col.	194
		Diapria conica F., verticillata	
		Latr., Hym.	52
		Diasemia litteralis, Lep.	295
		Diastictis artesiaria, Lep.	294
		Diastrophus rubi Htg. 49, 51, 53,	
		saponariae St., Hym.	51
		Dibolia cryptocephala Koch,	
		cynoglossi Kutsch., femoralis	
		Redt., Försteri Bach, occultans	
		Koch, rugulosa Letzn.,	
		Schillingi Letzn., timida Ill.,	
		Col.	214
		Dichonia aprilina 292, 312, con-	
		vergens, Lep.	292
		Dichrorampha agilana Tgstr.	
		333, alpestrana H.-S., cacaleana	
		H.-S. 334, cigulana H.-S. 148,	
		distinctana Hein. 333, harpeana	
		Frey 148, 334, rhaeticana Frey	
		334, simpliciana Hw., Lep.	333
		Dicranura erminea 311, 312, vi-	
		nula, Lep.	312
		Dictyoptera sanguinea L., Col.	191
		Dilina tiliae L., Lep. 156, 313,	314
		Dimetrota atramentaria Gyll.,	
		marcida, Col.	174
		Dinaraea aequata Er., analis Er.,	
		angustula Gyll., exilis Er.,	
		gregaria Er., Col.	174
		Dinarda dentata Gr., Märkelii	
		Ksw., Col.	174
		Dinocarsis hemiptera Dalm., Hym.	53
		Diodyrrhynchus austriacus L.,	
		Col.	204
		Diomorus Kollari Först., Hym.	54
		Dioryctria abietella S.-V. var.	
		mutatella Fuchs, Lep.	321
		Dioxys tridentata Nyl., Hym.	39
		Diphthera alpium 312, ludifica,	
		Lep.	292
		Diplectrona atra, Trich.	11, 17
		Dipterygia pinastri, Lep.	292
		Discoxenus	66, 67
		Disochara, siehe Oxypoda	175
		Disophrys caesia Klug, Hym.	223
		Ditoma crenata Hbst., Col.	185
		Dolichosoma lineare Steff., Col.	192
		Dolophilus copiosus, Trich.	12
		Dolopius marginatus L., Col.	190
		Doloplocapunctulana S.-V., Lep.	328
		Domene scabricolle Er., Col.	178
		Donaucaula mucronellus S.-V.,	
		Lep.	319
		Donacia affinis Kunze 209, bicol-	
		ora Zsch., clavipes F., cras-	

	Seite		Seite
sipes F., dentipes F., discolor Pzr., impressa Pk., limbata Pzr., linearis Hoppe, semicuprea Pz. sericea L. var., Col.	208	tissimus L., marginalis L., punctulatus F., Col.	172
Dorcadion aethiops Scop., fuliginator L., Col.	207	E	
Dorcatoma dresdensis Hbst., Col.	193	Earias chlorana, Lep.	291
Dorcus parallelipedus L., Col.	186	Ebaeus pedicularius Schrk., thoracicus Er., Col.	192
Doryctes leucogaster Nees., Hym.	222	Eccopisa effractella Z., Lep.	320
Doryloxenus-Arten	66, 67	Ecnomus tenellus, Trich.	12
Dorymyrmex, Hym.	382	Ectobia ericetorum Wesm., Orth.	140
Dorytomus affinis Payk., bituberculatus Zett., Dejeani Fst., dorsalis L. 199, longimanus F., 198, majalis Payk., pectoralis Gyll., punctator Hbst., suratus Gyll. 199, tortrix L. 198, tremulae Payk., villosulus Gyll., Col.	199	Echthrus reluctator L., Hym.	228
Drasterius bimaculatus F., Col.	189	Ectroma rufum Dalm., Hym.	53
Drepana binaria 312, cultraria 313, curvatula Bkh. 255, falcataria L. 255, 313, harpagula, Lep.	312	Eidophasia messingiella F.-R., Lep.	342
Drepanopteryx phalaenoides L., Neur.	154	Elachista albidella Tgstr., biatomella Stt., chrysodesmella Z., disertella H.-S., elegans Frey, Freyi Stgr., herrichii Frey, humilis Z. 351, immolatella Z. 352, lastrella Chrét., longipennis Frey, magnificella Tgstr., monticola Frey, nitidulella H.-S., nobilella Z., pollinariella Z., quadrella Hb., reuttiana Frey, rudectella Stt., subalbidella Schläg., subocellea Stph., taeniatella Stt., Lep.	351
Drilus flavescens Rossi, Col.	192	Elachistus inunctus Nees, Hym.	52
Dromius agilis F., bifasciatus Dej., linearis Ol., marginellus F., quadrimaculatus L., quadrinotatus Pz., Col.	170	Elaphrus aureus Müll., cupreus Dft., riparius F., Col.	167
Drusilla canaliculata Er., Col.	170	Elassus parvicornis Nees., Hym.	224
Drusus alpinus 9, 65, Chapmani 9, 17, chrysotus 9, 65, discolor 9, melanchaetes 10, Mülleri 9, nigrescens, Trich.	10	Elater aethiops Lac., balteatus L., concolor Strl., crocatus Geoffr., elegantulus F., elongatulus F., erythrogonus Müll., pomorum Geoffr., praeustus F., sanguineus L., sanguinolentus Schk., sinuatus Germ., Col.	189
Dryinus basalis Dlm., Hym.	52	Eledona agricola Hbst., Col.	194
Drymonia chaonia, Lep.	312	Elleschus bipunctatus L., scanicus Payk., Col.	200
Dryobota protea, Lep.	292	Ellopias prasinaria, Lep.	294
Dryocoetes, siehe Tomicus 206, autographus Rtz., Col.	395	Elmis Mülleri E., Volkmar Pzr., Col.	173
Dryophanta agama Htg. 48, 51, divisa Htg. 48, 51, folii L. 48, 51, longiventris Htg. 51, Taschenbergi, Hym.	48	Ematurga atomaria, Lep.	294
Dryophilus pusillus Gyll., Col.	193	Embolemus Ruddei Westw., Hym.	52
Dryophthorus lymexylon Schh., Col.	202	Empleurus nubilus F., Col.	172
Dyschirius politus Dej., thoracicus F., Col.	167	Emus hirtus L., Col.	177
Dyschorista fissipuncta, Lep.	293	Encephalus complicans Westw., Col.	174
Dyspetes praerogator Gr., Hym.	229	Encyrtus aeruginosus Dalm., ambiguus Nees., bifasciatellus Mayr, cyanifrons Dalm., fuscipennis Dalm. 52, fusicollis	
Dytiscus circumcinctus Mr., la-			

	Seite		Seite
Dalm. 50, interpunctus Dalm., lunatus Dalm., meges Walk., Rogenhoferi Mayr, sceptriger Först., Hym.	52	munda Er., melina Er., oblonga Hbst., obsoleta F., silacea Hbst., Col.	183
Endomychus cocineus L., Col.	182	Epyris niger Westw., Hym.	52
Endotricha flammealis, Lep.	295	Erastria argentula, atratula, fuscula, unca, venustula, Lep.	293
Endromis versicolora, Lep.	313	Erebia Christi, Lep.	338
Endrosis lacteella, Lep.	297	Ericydnus longicornis Dalm., ventralis Dalm., Hym.	53
Engis bipustulata Thbg., Col.	182	Eriogaster catax 312, lanestris, Lep.	313
Enicmus anthracinus Mannh., minutus L., transversus Ol., Col.	185	Eriocampa saliceti, Hym.	53
Enicospilus merdarius Gr., ramidulus Gr., Hym.	228	Eriocrania var. fastuosella Z., sparmanella Bosc., Lep.	357
Ennearthron affine Gyll., Col.	192	Eriohinus acridulus L., aethiops F., festucae Hbst., Scirpi F., Col.	198
Enneatoma bovistae Hfm., Col.	193	Ernobius abietinus Gill., abietis Hbst., mollis L., pini Stm., Col.	193
Enoicyla amoena 10, pusilla, Trich.	64	Eros affinis Pk., aurora F., Cosnardi Chevr., minutus F., rubens Gyll., Col.	191
Entomoscelis adonidis F., Col.	210	Erromenus brunnicans Gr., frenator Gr., Hym.	230
Entstehung der Arten durch physiol. Isolierung	70, 73	Esolus angustatus Müll., parallelopipedus Müll., pygmaeus Müll., Col.	173
Eperomia tergestina, Orth.	31	Etheotassa siehe Omalium	179
Eperomia aequidentella Hfm., insecurella Stt., Lep.	348	Etiella zinckenella Tr., Lep.	320
Ephestia cautella Wlk., kuehniella Z., modestella Led., tephriella Led., Lep.	319	Euaesthetus scaber Gr., Col.	178
Ephialtes carbonarius Gr., extensor Pz., manifestator Gr., mesocentrus Gr., tuberculatus Fourcr., Hym.	227	Euancistrocerus japonicus Schulth., Hym.	285
Ephyra, siehe Zonosoma		Eubria palustris Germ., Col.	190
Epiblema agrestis 296, bilunana Hw., caecimaculana Hb., expallidana Hw., foenella L., fulvana Steph., hepaticana Tr., immundana F.-R., infidana Hb., monstratana Rbl., pusillana Peyer, rhododendrana H.-S., subuculana Rbl., Thapsiana Z., trigeminana Stph., Lep.	332	Eubrychius velatus Beck, Col.	201
Epichnopteryx pulla, Sieboldi, Lep.	291	Euchloe cardamines, Lep.	314
Epicnaptera ilicifolia 311, 312, tremulifolia, Lep.	311, 312	Eucoila depilis Gir., emarginata Htg., geniculata Htg., longicornis Htg., Hym.	51
Epideiphole	88	Euconnus hirticollis Ill., nanus Schaum., pubicollis M. R., Col.	180
Epilachna chrysomelina L., Col.	214	Eucosmia undulata, Lep.	311, 313
Epinephele tithonus, Lep.	143	Eudipnus micans F., Col.	196
Epione apiciaria, Lep.	294	Euglenes oculatus Payk., populneus F., Col.	194
Epischnia boisduvaliella Gn., prodromella Hb., Lep.	321	Eugonia angularia, tiliaria, Lep.	294
Episema scoriacea, Lep.	143	Eulia politana Hw., Lep.	327
Epithrix atropae Foudr., Col.	212	Eulissus fulgidus F., Col.	176
Epuraea aestiva L., angustata Er., deleta Er., florea Er., im-		Eulophus damicornis Först. 51, 55, pectinicornis L., tarandicornis Först., Hym.	52
		Eumenes arcuatus F., Harmandi Pérèz 285, Samuray Schulth., Hym.	284
		Eumesius crassicornis Gr., Hym.	230
		Eupelmus urozonus Dalm., Hym.	47, 53

	Seite		Seite
Euphorus pallidipes Curt., Hym.	223	Exenterus gnathoxanthus Gr.,	
Eupithecia abbreviata 143, ab-		hostilis H., marginatorius F.,	
sinthiata, albipunctata, assi-		pullus H., Hym.	229
milata, campanulata 295, cau-		Exetastes fornicator F., gutta-	
chyata 143, centaureata, con-		torius Gr., illusor Gr., laevi-	
terminata, digitaliata 295, do-		gator Gr., Hym.	228
doneata 143, exigua 295, ex-		Exapate congelatella Ol., dura-	
pallidata 143, extraversaria,		tella v. Heyd., ignotella de	
helveticaria, laquaearia, lari-		Roug., Lep.	328
ciaria, modicaria 295, nanata		Exochomus 4pustulatus L., Col.	216
142, pimpinellata, piperata,		Exochus erythronotus Gr., gra-	
plumbeolaria, pusillaria, rec-		vipes Gr., tibialis Hlgr., Hym.	230
tangulata, satyrata 295, sile-		Exolytus laevigator Gr., Hym.	227
nata, subciliata 143, tenuiata,		Exyston cinctulus Gr., Hym.	229
trisingnaria, valerianata, veno-			
sata 295, veratraria 142, vir-		F	
gaureata 143, vulgata, Lep.	295	Falagria nigra Gr., obscura Gr.,	
Euplectus ambiguus Reichb.,		sulcata Payk., thoracica Curt.,	
Col.	180	Col.	173
Euplexia lucipara, Lep.	192	Figites scutellaris Rossi, Hym.	51
Eurrhypera urticalis, Lep.	295	Foenus affectator F., foveolatus	
Eurycreon palealis, verticalis,		Schlett., granulithorax Tourn.,	
Lep.	295	Thomsoni Schlett., Hym.	54
Eurylabus torvus Wesm., Hym.	225	Formica fusca 85 ff., 338, var.	
Eurymene dolabraria, Lep.	294	glebaria Nyl. 338, rufibarbis	
Euryproctus atomator Gr., gen-		68, 69, 338, sanguinea, Hym. 69, 70	
niculosus Gr., nemoralis		Formicoxenus	88
Fourcr., Hym.	230	Foucartia squamulatus F., Col.	197
Eurytoma aciculata Ratzb. 47,		Fourmis antarctiques	381, 382
48, 49, 53, aethiops Ratzb. 48,			
53, diastrophii Mayr 49, 53,		G	
ischioxanthus Ratzb., nodu-		Gabrius. siehe Philonthus	176
laris Boh., robusta Mayr 53,		Galeruca calvariensis L., li-	
rosae Nees, Hym.	49, 53	neola F., nymphaeae L., pu-	
Eusphalerum, siehe Anthobium	179	silla Dft., tenella L., viburni	
Eusterinx laevipleuris Först.,		Payk., Col.	211
Hym.	231	Galesus frontalis Thms., obliq-	
Eustolus, siehe Polydrusus Germ.	196	uus Thms., Hym.	52
Eutelus collaris Thms., Hym.	52	Galleria mellonella, Lep.	296
Euterpia laudeti, Lep.	384	Gastroidea, siehe Gastrophysa	
Euxanthis alternana Steph.,		Redt.	210
pareyssiana Dup., straminea		Gastropacha quercifolia, Lep.	314
Hw., Lep.	329	Gastrophysa polygoni L., viri-	
(siehe auch Conchylis)		dula Deg., Col.	210
Euzophera cinerosella Z., fuli-		Gaurotes virginea L., Col.	207
ginosella Hein 320, terebrella,		Gelechia basigutella Hein. 343,	
Lep.	296	boreella Dyl., cytisella Tr.,	
Evania minuta F., flavipes Curt.,		diffinis Hw., elatella H.-S.,	
Hym.	54	electella Z. 344, flavicomella,	
Evergestis aenealis S.-V., lim-		infernalis H.-S. 343, interalbi-	
bata L., politalis Hb., Lep.	323	cella H.-S., luctuella Hb., lu-	
Evetria duplana Hb., pinivo-		gubrella F., maculatella Hb.,	
vorana Z., posticana Zett.,		malvella Hb. 344, melaleucella	
tessulatana Stgr., Eep.	329	Const. 148, peliella Tr. 343,	
Exodinus clathratus F. et var.		perpetuella F.-R. 148, peta-	
brunnipes Muls., Col.	393	sitis Pfaffen. 344, pinguinella	

	Seite
Tr., praeclarella H.-S. 343,	
rosalbella Fologne 344, rumi-	
civorella Mill. 343, scalella	
Sc., tessella Hb. 344, tragicella	
Heyd., velocella Dup., viduella	
F. Lep.	343
Geodromicus plagiatus F., Col.	179
Geometra papilionaria, vernaria,	
Lep.	294
Georyssus crenulatus Rossi, lae-	
scicollis Germ., Col.	173
Geostiba circellaris Gr., Col.	174
Geotrupes mutator Msh., spi-	
niger Msh., stercorarius L.,	
sylvaticus Pzr., Col.	187
Gibbium psylloides Czemp., Col.	193
Giraudia Först., siehe Calocryp-	
tus Thoms.	226
Glischrochilus, siehe Ips	184
Glossosoma Boltoni 16, ver-	
nale, Trich.	65
Gluphisia crenata, Lep. 291, 311,	312
Glyphipteryx fuscoviridella Hw.,	
Lep.	341
Glyphotaelius pellucidus, Trich.	64
Glypta bicornis Gr., bifoveo-	
lata Gr., flavolineata Gr.,	
haesilator Gr., mensurator	
Gr., Hym.	227
Gnathoncus rotundatus Ill., Col.	186
Gnathoxys, siehe Stenodontus	225
Gnophus caelibaria H.-S. 147,	
obfuscaria Hb., Lep.	148
Gnophria quadra 291, rubri-	
collis, Lep.	291, 313
Gnorimus nobilis L., Col.	188
Goërius, siehe Ocybus	176
Gonatopus formicarius Nees,	
Hym.	52
Gonepteryx rhamni, Lep.	314
Goniocryptus annulitarsis Ths.,	
clypearis Ths., macrourus Ths.,	
titillator Grv., Hym.	226
Gonioctena, siehe Phytotecta	210
Gonodera luperus Hbst., Col.	194
Gortyna flavago (ochr.), Lep.	293
Gracilaria fribergensis Fritz.,	
pavoniella Z., phasianipen-	
nella Hb., populetorum Z., Lep.	352
Gracilia pygmaea, Col.	206
Grammesia trilinea, ab. ochra-	
cea Rätz., Lep.	393
Grammodes algira, Lep.	311, 314
Grammoptera ruficornis F., ta-	
bacicolor Dej., ustulata Schall,	
variegata Germ., Col.	207

	Seite
Graphoderes bilineatus De G.,	
cinereus L., Col.	172
Grapholitha caecana Schläg.	
332, compositella F. 333, coni-	
ferana Rtz. 332, ab. conjunc-	
tella Rbl. 333, conterminana	
296, discretana Wck. 333, foe-	
neana 296, graeca Stgr., illu-	
tana H.-S. 333, immundana 296,	
microgrammana Gn. 332, or-	
obana Tr., pactolana Z., palli-	
frontana Z. 333, roborana 296,	
servillana Dup. 332, strobilella	
50, 54, tripunctana 296, Woe-	
beriana 296, zebeana Ratzb.,	
Lep.	332
Graptodera, siehe Haltica	212
Gryllacris elongata Fritze, fumi-	
gata de Haan 304, malayana	
Fritze 305, ruficeps Serv. 304,	
sordida Fritze Orth.	303
Gryllus pullus, Orth.	31
Grypидius equiseti F., Col.	198
Gymnetron beccabungae L.,	
linariae Pz., melanarius Germ.,	
noctis Hbst., pascuorum Gyll.,	
rostellum Hbst., spilotus Germ.,	
veronicae Germ., villosulus	
Schh., Col.	200
Gynandrophthalma, s. Clythra	209
Gynopterus, siehe Ptinus	193
Gypsonoma aceriana Dup., neg-	
lectana Dup., Lep.	331
Gyrinus distinctus Aubé, mi-	
nutus F., natator Ahr., Col.	172
Gyrophypnus, siehe Xantholinus	176
Gyrophaena affinis Sahlb., bo-	
leti L., congrua Er., minima	
Er., nana Payk., pulchella	
Heer, Col.	174

H

Habrocerus capillaricornis Gr.,	
Col.	175
Habrocryptus alternator Grv.,	
assertorius F., Hym.	226
Habrocytus acutigena Thms.	
47, 53, obscurus Dalm., Hym. 49, 53	
Habrolepis Dalmanni Westw.,	
Hym.	52
Hadena v. aethiops, ab. alope-	
curus, basilinea, bicoloria, di-	
dyma 292, fasciuncula 143,	
ab. furuncula, gemina, hepa-	
tica 292, illyrica 142, infesta,	
ab. infuscata 292, lateritia 147,	

	Seite		Seite
v. latruncula, ab. leucostigma,		Harpella majorella Hb., Lep.	297
lithoxylea, ab. nictitans, ab.		Harpya bifida 291, vinula,	
obscura 292, ochroleuca 143,		Lep.	147, 291
ophiogramma, ab. ophiogram-		Hedychrum ardens, Hym.	39
moides 292, var. parsius 147,		Hedylus habilis Mrsh., Hym.	223
polyodon, v. remissa, rurea,		Helcon aequator Nees, Hym.	223
satura, scolopacina, strigilis,		Heliozela resplendella Stt., stan-	
sublustris, unanimis, ab. vinc-		neella F. R., Lep.	350
tuncula 292, zeta, Lep.	147	Helochares lividus Forst., Col.	172
Hadrotoma nigripes F., Col.	185	Helodes marginata F., minuta	
Haemonia appendiculata Pzr.,		L. v. laeta Pzr. 190, siehe Pra-	
Col.	209	socuris, Col.	211
Halesus antennatus 8, 17, au-		Helophorus aquaticus L. 172,	
ricollis 9, 64, digitatus 8, hi-		granularis L. 173, griseus Hbst.	
laris 9, 64, interpunctatus 8,		172, nanus Sturm, quadrisig-	
melampus, mendax 9, rufi-		natus Bach., Col.	173
collis, Trich.	8	Helops aeneus Scop., Col.	393
Halia brunneata 148, wawaria,		Helorus anomalipes Pz., Hym.	52
Lep.	294	Hemaris fuciformis, scabiosae,	
Haliphus flavicollis Sturm, flu-		Lep.	314
viatilis Aubé, fulvicollis Er.,		Hemerophila nycthemeraria, Lep.	143
lineatocollis Mrsh., lineatus		Hemiptarsenus unguicellus Zett.,	
Aubé, mucronatus Steph., ob-		Hym.	52
liquus F., ruficollis De G., va-		Hemistenus, siehe Stenus	178
riegatus Sturm, Col.	171	Hemiteles areator Gr., bicolori-	
Hallomenus humeralis Pzr. (bi-		notatus Gr., castaneus Tschbg.	
notatus Quens.), Col.	194, 393	226, chionops Gr., floriculator	
Halobrecta flavipes Er., Col.	174	Gr. 227, fulvipes Gr. 226, gra-	
Haltica mercurialis F., oleracea		cilis Thms., palpator Gr., vi-	
L., quercetorum Foudr., ta-		cinus Gr., Hym.	227
maricis Schrk., Col.	212	Henicocerus exsculptus Germ.,	
Halticella armata Pzr., Hym.	54	Col.	173
Halticoptera flavicornis Spin.,		Henicopus pilosus Duv., Col.	192
Hym.	52	Hepialus hecta, humuli, sylvi-	
Halazia conglobata L., decem-		nus 291, velleda, Lep.	142
guttata L. et var., duodecim-		Hepiopelmus leucostigmus Grv.,	
guttata Pod., octodecimgut-		Hym.	225
tata L., quatuordecimguttata		Heptaulacus carinatus Germ. 395,	
L. et var., quindecimguttata F.,		testudinarius F., Col.	187
sedecimguttata L., vigintiduo-		Herculia glaucinalis L., rubi-	
punctata L., Col.	215	dalis S. V., Lep.	322
Hanneton, periodicité triennale	74, 75	Hercyna helvetica H.-S., ru-	
Haplocnemus aestivus Ksw.,		pestralis H.-S., Lep.	148
nigricornis Ksw., Col.	192	Heriades angustata Chevr. 102,	
Haptoderus cristatus Duft., Col.	169	campanularum Kby. 103, ca-	
Harmonia octodecimpunctata		sularum Chevr. 102, emargi-	
Scop., quatuor punctata Pont.,		nata Nyl., flaveolata Mor. 103,	
Col.	215	intermedia Chevr. 102, 103,	
Harpalus aeneus L. 170, atratus		nigricornis Nyl., paxillarum	
290, dimidiatus Rossi, distin-		Chevr. 102, ventralis Schlett.,	
guendus Duft., hirtipes Pzr.,		Hym.	103
laevicollis Duft. et var., latus		Hermoeophaga mercurialis F.,	
L. 170, pubescens 290, quadri-		Col.	212
punctatus Dej., rubripes Sturm		Herpestomus brunnicornis	
170, ruficornis 290, rufitarsis		Wesm., xanthops Grv., Hym.	225
Duft., tenebrosus Dej., Col.	170	Herrichia excelsella Stgr., Lep.	341

	Seite		Seite
Hetaerius ferrugineus Ol., Col.	186	Hormomyia fagi, Dipt.	49, 53, 54
Heterocerus fuscus Ksw., laevigatus Pzr., Col.	173	Huberia	312
Heterographis oblitella Z., Lep.	319	Hybernia bajaria, defoliaria, leucophaearia, rupicaprararia, Lep.	313
Heterothops quadripunctatus Gr., Col.	177	Hydaticus grammicus Germ., stagnalis F., transversalis Bon-top., Col.	172
Hilara paleola Er., Col.	174	Hydraena gracilis Germ., nigrita Germ., polita Ksw., pulchella Germ., riparia Kug., Col.	173
Hippodamia tredecimpunctata L. et var., Col.	215	Hydrilla gluteosa, Lep.	143
Hippuriphila modeeri L., Col.	212	Hydrobius fuscipes L., Col.	172
Hispa atra L., Col.	214	Hyprocampa nymphaeata, stagnata, Lep.	295
Hister bimaculatus L., bisexstriatus F., cadaverinus Hoffm. carbonarius E. H., corvinus Germ., duodecimstriatus Schk. fimetarius Herbst., merdarius Hoffm., neglectus Germ., purpurascens Herbst., quadrimaculatus L., quadrinotatus Scr., stercorarius E. H., uncinatus Ill., unicolor L., Col.	186	Hydrochus carinatus Germ., elongatus Schall., Col.	173
Hoffmannia fasciapennella Stt., saxifragae Stt., Lep.	342	Hydroecia micacea, nictitans, ab. erythro stigma, Lep.	293
Holaspis apionis Mayr 54, militaris Boh., Hym.	50, 54	Hydronomus alismatis Marsh., Col.	199
Holcothorax fuscicollis Dalm., testaceipes Rtz., Hym.	52	Hydrophilus caraboides L., Col.	172
Holocentropus dubius, Trich.	64	Hydroporus angustatus Sturm, bilineatus Sturm, elongatulus Sturm 171, foveolatus Heer 390, granularis L. 171, griseostriatus Dej. 390, halensis F., lineatus F., marginatus Dft., memnonius Nicol., nigrita F., nivalis Heer, obscurus Sturm, palustris L., pictus F., planus F., rufifrons Dft., tristis Payk., Col.	171
Homalitus suturalis F., Col.	191	Hydropsyche angustipennis, instabilis, Trich.	11
Homalota atramentaria Gyll., celata Er., corvina Thms., debilis Er., elongatula Er., erythrocerata Heer, flavipes Er., fungicola Thms., gagatina Baudi., lividipennis Mannh., longicornis Gr., marcida Er., nigritula Gr., occulta Er., ochracea Muls., paleola Er., socialis Payk., sodalis Er., validicornis Märk., xanthopus Thms., Col.	174	Hydroptila femoralis 16, 65, insubrica 16, 17, sparsa 16, uncinata, Trich.	18
Homalotylus flaminus Dalm., Hym.	53	Hydrothassa aucta F., marginella L., Col.	211
Homoeosoma binaevella Hb., nebulella Hb., nimbella Z., Lep.	319	Hydrous aterrimus Esch., Col.	172
Homotropus bizonarius Gr., pectoratorius Gr., pumilus H., strigator F., Hym.	230	Hygroecia debilis Er., Col.	174
Hoplia farinosa L., philanthus Silv., Col.	188	Hygronoma dimidiata Gr., Col.	173
Hoplismenus perniciosus Gr., Hym.	224	Hygrotus decoratus Gyll., inaequalis F., versicolor Schall., Col.	171
Hoplitis milhauseri, Lep.	312	Hylastes angustatus Herbst, ater Pk., attenuatus Er., cunicularius Er., linearis Er., opacus Er., palliatus Gyll., trifolii Müll., Col.	205
Hoplocryptus dubius Tschbg., Hym.	226	Hylastinus, siehe Hylastes	205
		Hylecoetus dermestoides L., Col.	192
		Hyleota planata L., Col.	184
		Hylesinus fraxini F., Col.	205
		Hylobius abietis F. 198, piceus Dej., Col.	395

	Seite		Seite
Hyloicus pinastris, Lep.	291, 313	225, sugillatorius L.	224, terminatorius Gr., varipes Gr.
Hylophila prasinana, Lep.	291	225, zonalis Gr., Hym.	224
Hylotrupes bajulus L., Col.	206, 233	Ichneutes reunitor Nees, Hym.	223
Hylurgops palliatus Gyll., Col.	205	Idiolispa analis Gr., Hym.	225
Hylurgus minor Hart., piniperda L., Col.	205	Ilybius ater Deg., fuliginosus F., guttiger Gyll., subaeneus Er., Col.	171
Hymenalia rufipes F., Col.	194	Ilyobates nigricollis Pk., Col.	175
Hypatima binotella Thbg., Lep.	346	Incurvaria flavimitrella Hb., koer- neriella Z., luzella Hb., mo- rosa Z., oehlmanniella Tr., splendidella Hein., trimacu- lella H.-S., vetulella Hb., Lep.	356
Hypebaeus flavipes F., Col.	192	Inostemma Boscii Latr., Hym.	52
Hypena obesalis 294, obsitalis 143, proboscidalis, radiatalis, rostralis, ab. unicolor, Lep.	294	Involvulus, siehe Rhynchites	204
Hypera intermedia Boh., Col.	197	Iphiaulax impostor Scop., Hym.	222
Hyperaspis campestris Herbst, reppensis Herbst, Col.	216	Ips ferrugineus L., quadrigut- tatus Ol., quadripustulatus L., Col.	184
Hyphidrus ovatus L., Col.	171	Ischnodes sanguinicollis Pzr., Col.	189
Hypnophila obesa Walzl., Col.	214	Ischnomera, siehe Asclera	195
Hypocaccus, siehe Saprinus	186	Ischnosoma, siehe Mycetoporus	176
Hypochoalcia ahenella 296, lignella Hb., Lep.	320	Ischnus truncator Fbr., Hym.	226
Hypocryptus discoideus Er., longicornis Pk., Col.	175	Ischnura elegans 162, fluviatilis Selys., verticalis Selys. 163, pumilio, Odon.	162
Hypoganus cinctus Payk., Col.	190	Isolierung, physiologische, als Ursache der Entstehung der Arten	70—73
Hyponomeuta, siehe Yponomeuta		Isomira murina L., Col.	194
Hypophloeus castaneus F., depressus F., linearis F., Col.	194	Isophia camptoxipha Fieb., pyrenaea Serv., Orth.	37
Hypostenus, siehe Stenus	178	Isosoma longula Boh., Hym.	53
Hypsopygia costalis F., Lep.	322	Ityocara longitarsis Er., Col.	175
Hypstelia ochreago, Lep.	147	Judolia cerambyciformis Schrk. 207, sexmaculata L., Col.	393
J		Jullien'sches Organ	384
Jassus stactogala, Hem.	97	K	
Ichneumon albinus Grv., albo- signatus Gr., anator F., an- nulator F., bilunulatus Grv., bucculentus Wesm. 225, calo- scelis Wesm., castaniventris Grv., computatorius Müll. 224, confusorius Gr. 225, Coque- berti Wesm. 224, corruscator L., crassifemur Thms., defrau- dator Koch, disparis Poda, extensorius L., fabricator F. 225, ferreus Gr., fusorius L. 224, gracilentus Wesm., gra- darius Wesm., latrator F., le- pidus Grv. 225, leucocerus Gr., lineator F. 224, luteiventris Gr., molitorius Gr., nigrarius Gr. 225, patruelis Hlgr. 89, piceatorius Gr. 224, raptorius Gr., ridibundus Gr. 225, rufi- cauda Wesm. 224, ruficeps Gr., sarcitorius L., saturatorius L. 225, scutellator Gr. 224, si- carius Gr., stramentarius Gr.	L		
		Kolpochthebius, siehe Ochthebius	173
		L	
		Labidostomis, siehe Clythra	209
		Laccobius alutaceus Thms., bi- punctatus F., minutus L., ni- griceps Thms., Col.	172
		Laccophilus interruptus Pzr., obscurus Pz., variegatus Germ., Col.	171
		Lachnaea, siehe Clythra	209
		Lacon murinus L., Col.	189
		Laemophloeus clematidis Er., duplicatus Wtl., monilis F., pusillus F., testaceus F., Col.	184
		Lagarus vernalis Pzr., Col.	169

	Seite		Seite
Lagria atripes Muls., hirta L., Col.	194	Lema cyanella L., flavipes Suffr., melanopa L., Col.	209
Lamia textor L., Col.	207	Lepidopterenfauna von Estland	70, 71
Lamoria anella S.-V., Lep.	317	Lepidostoma hirtum, Trich.	11, 65
Lamprinus, siehe Tachyporus	175	Leptacinus batychrus Gyll., linearis Gr., Col.	176
Lampronota nigra Grv., Hym.	228	Leptobatus rufipes Gr., Hym.	228
Lamprosoma concolor Sturm, Col.	210	Leptocerus albifrons 64, cinereus, Trich.	11
Lamprotafus splendens Thms., Hym.	53	Leptocryptus ruficaudatus Bridgm., Hym.	226
Lampyrus noctiluca L., Col.	191	Leptothorax emersoni Wheeler, serviculus Ruzsky, Hym.	88
Larentia alaudaria Fcr. 157, alpicolaria 142, corylata, hastata 313, literata 142, luteata, miata 313, picata 143, siterata 312, sordidata 313, taeniata 142, trifasciata, turbata, variata, Lep.	313	Leptura fulva de G. 207, hybrida Rey. 393, livida F., maculicornis de G. 207, var. simplonica Fairm. 393, rufipes Schall., sanguinolenta L., sexguttata Schall., testacea L., virens L., Col.	207
Lareynia aeneus Müll., obscurus Müll., Col.	173	Lepyrus binotatus F., colon F., Col.	198
Laria L. nigrum, Lep.	313	Lesteva obscura Payk., pubescens Mannh., punctata Er., v. riparia Heer, Col.	179
Larinus carlinae Ol., jaceae F., obtusus Schh., planus F., senilis F., sturnus Schill., Col.	198	Leucania albipuncta, ab. argyritis, conigera, ab. ectypa, impura, L.-album, lithargyrea, obsoleta, pallens, straminea, turca, vitellina, Lep.	293
Lasiocephala basalis, Trich.	65	Leucodonta bicoloria, Lep.	313
Lasiocampa pini montana, potatoria, pruni, quercifolia, Lep.	291	Leucoma salicis, Lep.	291
Lasioderma haemorrhoidalis Ill., Col.	193	Leucoparyphus silphoides L., Col.	175
Lasioptera picta, Dipt.	49	Leucophasia sinapis, Lep.	314
Lasiorrhynchites, siehe Rhynchites	204	Libellula, Orth.	165
Lasius 382, niger L., Hym.	338	Licinus cassideus F., depressus Payk., Hoffmannseggii Pzr., Col.	170, 389
Lathridius alternans Mannh., angusticollis Gyll., constrictus Gyll., lardarius de G., rugicollis Ol., Col.	185	Ligniperda, siehe Bostrychus	193
Lathrimaeum atrocephalum Gyll., fusculum Er., melanocephalum Ill., Col.	179	Limacodes testudo, Lep.	291
Lathrobium brunnipes F., elongatum L., fulvipenne Gr., lactipenne Heer, longulum Heer, multipunctatum Gr., rufipenne Gyll., scabricolle Er., Col.	178	Limnaeciaphragmitella Stt., Lep.	349
Lebia chlorocephala Hoffm., crux-minor L., cyanocephala L., Col.	170	Limnebius papposus Muls., picinus Mrsh., truncatellus Thbg., Col.	172
Leiophron muricatus Hal., Hym.	223	Limneria albida Grv., geniculata Hlgr., Hym.	229
Leiopus nebulosus L., Col.	208	Limnichus incanus Ksw. 186, pygmaeus Sturm 185, sericeus Dft., Col.	186
Leistotrophus fossor Scop., lactebicola Gr., murinus L., nebulosus F., pubescens de G., stercorarius Ol., Col.	177	Limnius tuberculatus Müll., Col.	173
Leistus ferrugineus Schaum. 167. nitidus Duft., Col.	389	Limnobaris T. album L., Col.	202
		Limnophilus centralis 7, flavospinosus 7, 12, griseus 64, ignavus 7, lunatus 7, 64, nigriceps 64, rhombicus, sparsus, Trich.	7

	Seite		Seite
<i>Limobius dissimilis</i> Herbst., Col.	198	<i>Litodactylus leucogaster</i> Msh., Col.	201
<i>Limonius Bructeri</i> Pzr., cylindrical Gyll., lythrodes Germ., minutus L., nigripes Gyll., parvulus Pzr., Col.	189	<i>Litomastix auricolis</i> Thms., Hym.	53
<i>Lina aenea</i> L. 211, populi 97, 211, saliceti Weise, tremulae F., Col.	211	<i>Lixotropa antennata</i> Nees, Hym.	52
<i>Liocryptus</i> , siehe <i>Idiolispa</i>	226	<i>Lixus ascanii</i> L., bardanae F., bicolor Ol., ferrugatus Ol., filiformis F., myagri Ol., sanguineus Rossi, turbatus Schh., Col.	198
<i>Liodes castanea</i> Herbst., orbicularis Herbst., Col.	181	<i>Lobophora sexalata</i> 294, halterata, Lep.	313
<i>Liogluta brunnea</i> Fbr., circellaris Gr., scapularis Sahlb., Col.	174	<i>Lobrathium</i> , siehe <i>Lathrobium</i>	178
<i>Lionotus tomentosus</i> Th., v. nipanicus Schulth. 287, micado Kirsch., Hym.	288	<i>Lochmaea capreae</i> L., sanguinea F., suturalis Thms., Col.	211
<i>Liophiloeus lentus</i> Boh., nubilus F. et var., Col.	197	Locustodeen, neue, von Ceylon und Borneo	299 ff.
<i>Liopterus ruficollis</i> Schall., Col.	171	<i>Lomechusa</i> 69, 70, paradoxa 174, strumosa Gr., Col.	175
<i>Liosoma ovatum</i> Clairv., Col.	188	<i>Longitarsus abdominalis</i> All., atricillus L., brunneus Dft., curtus All., echii Koch., holsaticus L., luridus Scop., melanocephalus Deg., membranaceus Foudr., nasturtii F., ochroleucus Msh., parvulus Pk., pellucidus Foudr., pratensis Pzr., quadriguttatus Pont., rubellus Foudr., rubiginosus Foudr., succineus Foudr., suturalis Msh., suturellus Dft., tabidus F., tantalus Foudr., verbasci Pzr., Col.	214
<i>Liotrichus</i> , siehe <i>Corymbites</i>	189	<i>Lopha quadrimaculata</i> L., Col.	168
<i>Lipara lucens</i> , Dipt.	97	<i>Lophopteryx camelina</i> 312, cuculla, Lep.	311, 312
<i>Liparis chrysorrhoea</i> , Lep.	383	Lordithon, siehe <i>Bolitobius</i>	175
<i>Lissonota argiola</i> Gr., bellator Gr., biguttata Hlgr., culiciformis Gr., cylindrator Vill., deversor Gr., dubia Hlgr., segmentator Gr., sulphurifera Gr., Hym.	228	<i>Lozopera flagellana</i> Dup., Lep.	328
<i>Listrodomus lapidator</i> Först., Hym.	233	<i>Lucanus cervus</i> L., v. capreolus Sulz., Col.	186
<i>Lita atriplicella</i> F.-R., chrysanthemella Hofm., halonella H.-S., kiningerella H.-S., knaggsiella Stt., leucomelanella Z., maculiferella Dgl., marmorea Hw., moritzella Hb. rougemonti Rbl., samadensis Pffz., tischeriella Z., valesiella Stgr., vicinella Dgl., Lep.	344	<i>Luceria virens</i> , Lep.	143
<i>Lithax niger</i> , Trich.	65	<i>Lucilia flaviceps</i> Mg., Dipt.	241
<i>Lithocampa ramosa</i> , Lep.	293	<i>Lucilien</i> als Mumienbewohner	p. 239 ff.
<i>Lithocharis brunnea</i> Er., fuscula Mannh., melanocephala F., ripicola Kr., Col.	178	<i>Ludius ferrugineus</i> L., Col.	190
<i>Lithocolletis froehlichii</i> Z., geniculella Raj., kleemannella F., nicellii Z., platani Stgr., pseudoplataniella Rog., sylvella Hw., tristrigella Hw., Lep.	352	<i>Luperina texta</i> (matura), Lep.	292
<i>Lithosia aureola</i> 291, cereola Hb. 146, complana, depressa, lurideola, muscerda 291, unita Lep.	143	<i>Luperus flavipes</i> L., niger Goeze 212, nigrofasciatus Goeze 211, pinicola Dft. 212, xanthopoda Schk., Col.	211
		<i>Lycaena admetus</i> 25, aegidion 19, 20, 21, 24, amanda 24, amor 19, 24, anteros, arcas 24, arcuata 20, argiades 23, 24, argiolus 19, 314, argus 19, 20, 21, 22, 23, argyrognomon 23,	

	Seite
arion 20, 22, 24, astrarche 24,	
baetica 23, 143, 364, 365, ba-	
ton 22—24, bellargus 20—25,	
145, ab. arcuata 243, caeca 28,	
cinnides Stgr. 25, cinnus Hüb.	
25, corydon 19—25, ab. ar-	
cuata 243, cyllarus 23, 24, da-	
mon 20, 23—25, dolus 25, don-	
zelii 21, 145, eroides 19, 21, 22,	
eros 21, 23, 24, ab. arcuata 243,	
escheri 20, eumedon 23, 25, eu-	
phemus 24,	
forma angustimargo 25	
„ crassipuncta 19	
„ impuncta, latefasciata 24	
„ latimargo, lunulata 23	
„ parvipuncta 24	
„ punctifera 23	
„ quadripuncta 22	
„ quinquepuncta 22	
„ stigmatifera, transparentis 23	
„ tripuncta 22, unipuncta 24	
formae confluentes multiplices 21	
„ simplices 20	
elongatae 19	
luxuriantes s. str. 22	
multiconfluentes 21	
privatae 24	
privatissimae 25	
radiatae 22	
fylgia, hadjina, hopfferi 25,	
hylas 22—24, icarinus 24, ica-	
rus 19, 21—24, ab. arcuata 243,	
immaculata 25, iphis 24, lyc-	
idas 19—22, lysimon 19, ma-	
loyensis 25, melanops 19, mi-	
nima 24, 25, optilete 19, 21, 145,	
orbitulus 17, 22—24, orion 21,	
22, pheretes 23, 25, privata,	
ripartii 25, sebrus 24, semi-	
arcuata 20, semiargus 19, 24, 25,	
sohni, speyeri 25, tancrei 19,	
telicanus 365, thersites 24,	
vittata, Lep. 52	
Lycoperdina bovistae F., Col. 182	
Lyctus canaliculatus F. 193, pu-	
cescens Pzr., Col. 184	
Lymantria dispar, Lep. 312	
Lygris populata 148, prunata 294	
pyropata 143, testata, Lep. 294	
Lype reducta, Trich. 15	
Lipoptycha albigenana Hein.,	
bugnioniana Dup., saturnana	
Gn., Lep. 334	
Lyprus cylindrus Payk., Col. 199	
Lytta vesicatoria, L., Col. 195	

M

Macaria alternata 294, notata,	
Lep. 313	
Macrocentrus abdominalis F.,	
v. tenuis Ratz., marginator	
Nees, Hym. 223	
Macroglossa stellatarum, Lep. 291	
Macrothylacia rubi, Lep. 314	
Madopa salicalis, Lep. 294, 311, 313	
Magdalis barbicornis Latr., ce-	
rasi L., duplicata Germ., fron-	
talis Gyll., memnonia Fall., ni-	
tida Gyll., phlegmatica Hrbst.,	
pruni L., violacea L., Col. 199	
Malachius aeneus L., bipustu-	
latus L., elegans Ol., genicu-	
latus Germ., marginellus Ol.	
192, ruber 291, viridis F., Col. 192	
Malthinus balteatus Suffr., fas-	
ciatus Ol. 192, flaveolus Pk.,	
frontalis Msh. 191, glabellus	
Ksw., Col. 192	
Malthodes atramentarius Ksw. 391	
brevicollis Ksw., dispar Ksw.,	
guttifer Ksw., marginatus	
Ksw., misellus Ksw., mysticus	
Ksw. 192, neglectus Muls. 392,	
nigellus Ksw., pellucidus Ksw.,	
sanguinolentus Fall. 192, tri-	
furcatus Ksw. 391, v. penni-	
nus Baudi, Col. 392	
Mamestra brassicae, ab. ca-	
duca ? 292, cavernosa Ev. 39,	
306—309, dentina 147, 292,	
dissimilis, dysodea, v. extinc-	
ta 292, genistae 192, glauca,	
var. hispana 143, ab. latenai,	
ab. leuconota, leucophaea, ne-	
bulosa, oleracea 292, persica-	
riae 55, 292, 314, pisi, reti-	
culata, serene, splendens 292,	
thalassina 292, 314, ab. uni-	
color 292, var. aches, Lep. 314	
Mania maura, Lep. 293	
Mantis religiosa, Orth. 343	
Mantura fuscicornis L., rustica	
L., Col. 213	
Marasmarcha phaeodactyla Hb.,	
Lep. 325	
Mecina polygonalis, v. gilvata F.,	
Lep. 323	
Mecinus collaris Germ., pyra-	
ster Herbst., Col. 200	
Meessia vinculella H.-S., Lep. 356	
Megapenthes tibialis Lac., Col. 189	

	Seite		Seite
Megarthus denticollis Beck., depressus Pk., hemipterus Ill., Col.	180	Mesoleptus cingulatus Grv., ru- ficornis Gr., sulphuratus Gr., typhae Fourc., vulnerator Ztt., Hym.	230
Megasis ilignella Z., Lep.	320	Mesophlebs silacellus Hb., Lep.	345
Megaspilus crassicornis Boh., Hym.	52	Mesophylax impunctatus, Trich.	8
Megasternum boletophagum Marsh., Col.	172	Mesosa curculionoides L., nu- bila Oliv., Col.	208
Megastigmus biguttatus Ol. 48, bipunctatus Boh. 54, dorsalis Boh. 47, Ratz., Hym.	48, 54	Mesostenus gladiator Scop. 226, 233, transfuga Grv., Hym.	226
Megastylus cruentator Sch., me- diator Sch., Hym.	231	Metabletus foveatus Fourcr., truncatellus L., Col.	170
Megatoma	158	Metacoelus femoralis Fourcr., Hym.	231
Melandrya caraboides L., Col.	184	Metallina lampros Herbst, Col.	168
Melanotus brunnipes Germ., ca- stanipes Payk., niger F., Col.	189	Metallites, siehe Polydrusus Germ., Col.	196
Melasina lugubris Hb., Lep.	355	Metanoea flavipennis, Trich.	9
Melasoma, siehe Lina	211	Metaxya, siehe Homalota	174
Meligethes bidentatus Bris., brassicae Scop., brunnicornis Sturm, coracinus Sturm, ery- thropus Gyll., lepidii Mill., lubaris Sturm, maurus Sturm, obscurus Er., pedicularius Gyll., picipes Sturm, rufipes Er., serripes Gyll., subrugos- us Gyll., umbrosus Sturm, viduatus Sturm, viridescens F., Col.	183	Meteorus abdominator Nees, ambiguus Ruthe, ictericus Nees, scutellator Nees, ver- sicolor Wesm., Hym.	224
Melitaea cynthia 146, didyma, Lep.	339	Metopius dissectorius Pzr., mi- cratorius Grv., Hym.	230
Meloboris crassicornis Gr., Hym.	229	Metopsilus porcellus, Lep.	314
Meloë brevicollis Pzr., proscara- baeus L., rugosus Muls., vio- laceus Msh., Col.	195	Metrocampa margaritaria, Lep.	294
Melolontha hippocastani L. 187, 291, vulgaris F., Col. 74, 187, 291		Metzneria aprilella H.-S., pauci- punctella Z., Lep.	343
Melophorus advena Sm., Sau- beri Forel, Hym.	382	Miana literosa, Lep.	143
Meniscus catenator Pzr., muri- nus Grv., Hym.	227	Miarus campanulae L., micros Germ., plantarum Schh., Col.	200
Meotica, siehe Dinaraea	174	Miccotrogus picirostris F., Col.	200
Mermis	67, 68	Micrambe, siehe Cryptophagus	182
Mesochorus anomalus Hlgr. 229, 233, confusus H., nigriceps Ths., semirufus H., strenuus H., velox H., Hym.	229	Micraspis sedecimpunctata L., Col.	215
Mesocoelopus niger Müll., Col.	193	Micrelus, siehe Ceutorrhynchus	202
Mesogona oxalina, Lep.	293	Microcara testacea L., Col.	190
Mesoleius armillatorius Gr., au- licus H., buccatus H., impro- bus H., insolens Gr., melano- cephalus Gr., melanogaster H., multicolor Gr., nigricollis Gr., rufolabris Zett., Hym.	230	Microcryptus abdominator Gr., arridens Gr., brachypterus Thms., erythrinus Thms., gil- vipes Gr., nigricornis Thms., sperator Gr., Hym.	226
		Microctonus conterminus Nees, vernalis Wesm., Hym.	223
		Microdus calculator F., lingu- arius Mees, tumidulus Nees, Hym.	223
		Microgaster amentorum Ratzeb., globatus L., tibialis Nees, Hym.	223
		Micropeplus porcatus F., Col.	180
		Microplitis mediator Hal., sor- dipes Nees, spinolae Nees, tuberculifer Wesm., Hym.	223
		Micropterna fissa 8, 17, sequax, Trich.	8

- | | | | |
|--|----------|---|----------|
| | Seire | | |
| Micropteryx rothenbachii Frey,
Lep. | 357 | Myrmecoxenus Gordiagini 88,
subterraneus Chevr., Col. | 184 |
| Microsaurus, siehe Quedius | 176 | Myrmedonia humeralis Gr., lim-
bata Payk., Col. | 175 |
| Micruria, siehe Micrurula | 183 | Myrmica brevinodis Em. 88, lae-
vinodis Nyl. 338, lobicornis,
mutica Em., myrmicoxena
Hym. | 88 |
| Micrurula melanocephala Msh.,
Col. | 183 | Mysia oblongoguttata L., Col. | 215 |
| Minoa murinata, Lep. | 143 | Mystacides azurea, longicornis
11, monochroa, Trich. | 65 |
| Miselia culta, Lep. | 292 | | |
| Mithymma imbecilla, Lep. | 147 | N | |
| Mniophila muscorum Koch., Col. | 214 | Nabis brevipennis Hem. | 291 |
| Molanna palpata, Trich. | 64 | Nacerdes adusta Panz., azurea
Schmidt, rufiventris Scop.,
ustulata Panz., Col. | 195 |
| Molops elatus F., terricola F.,
v. montanus Heer, Col. | 169 | Naenia typica, Lep. | 293 |
| Molorchus minor L., minimus
Scop., Col. | 206 | Nalassus quisquilius Fr., Col. | 194 |
| Molytes coronatus Latr., germa-
nus Latr., glabratus F., Col. | 198 | Nanophyes lythri F., Col. | 200 |
| Monoblastus laevigatus H., lon-
gicornis H., Hym. | 230 | Narycia monilifera Geoffr., Lep. | 355 |
| Monochammus sutor L., Col. | 207 | Nassipa, siehe Anaspis | 195 |
| Monodontomerus aereus Walk.,
obscurus Westw., Hym. | 50, 54 | Nebria angustata Dej. (chevrieri
Heer), cordicollis Chaud, Ger-
mari Heer, Gyllenhali, Jocki-
schi, laticollis Dej., 389, pici-
cornis F., Col. | 167 |
| Monomorium minutum, Hym. | 382 | Necrobia pilifera Rtrr., rufipes
Col. | 242 |
| Mononychus pseudacori F., Col. | 201 | Necrodes littoralis L., Col. | 181 |
| Monopis monachella Hb.,
Lep. | 297, 356 | Necrophorus germanicus L.,
humator F., interruptus Steph.,
181, nigricornis Fald. (sepul-
chralis Heer) 390, sepultor
Charp., vespillo L., Col. | 181 |
| Monotoma picipes Hbst., qua-
drifoveolata Aubé, Col. | 185 | Necydalis major L., Col. | 207 |
| Mordella aculeata L., bisignata
Redt., fasciata F., Col. | 193 | Nehalennia speciosa Charp.,
Odon. | 159 ff. |
| Mordellistena brevicauda Boh.,
brunnea F., humeralis L., la-
teralis Ol., pumila Gyll., ste-
nidea Muls., Col. | 195 | Neia pygmaeum F., Col. | 168 |
| Mortonia quadrituberculata
Fritze, Orth. | 301 | Neliocarus, siehe Strophosomus | 197 |
| Morychus, siehe Pedilophorus | 186 | Nematopodius formosus Grv.,
Hym. | 226 |
| Mumien, Insekten als Bewohner
derselben | 139 ff. | Nemeritis cremastoides Hlgr.,
Hym. | 229 |
| Mycetaea hirta Mrh., Col. | 185 | Nemonyx lepturoides F., Col. | 204 |
| Mycetochares bipustulata Ill.,
linearis Ill., Col. | 194 | Nemoria aestivaria 294, strigata
312, viridaria, Lep. | 294, 313 |
| Mycetophagus, siehe Tritoma | 184 | Nemotois auricellus Rag. 357
cupriacellus Hb., Lep. | 336 |
| Mycetoporus lepidus Gr., lu-
cidus Er., niger Fairm., pro-
nus Er., splendidus Gr., Col. | 176 | Neocomia setinea, Lep. | 143 |
| Mycota, siehe Homalota | 174 | Neotypus lapidator F., Hym. | 224 |
| Mycterus umbellatarum F., Col. | 196 | Nepha quadriguttata F., Col. | 168 |
| Myelois advenella 296, 322, ce-
ratoniae Z. 322, cribrum 296,
rosella, suavella 296, 322, te-
tricella F., Lep. | 312 | Nephopteryx argyrella 296, ge-
nistella Dup. 321, janthinella,
rhenella Zck. 296, 321, robo-
rella, Lep. | 286 |
| Mylabris, siehe Bruchus | 204 | | |
| Mylacus rotundatus F., Col. | 196 | | |
| Myllaena brevicornis Matth.,
dubia Gr., Col. | 175 | | |

	Seite
<i>Nepticula aeneella</i> Hein. 353,	
<i>aeneofasciella</i> H.-S. 354, var.	
<i>albifasciella</i> Hein. 355, <i>argen-</i>	
<i>tipedella</i> Z. 354, <i>argyropeza</i>	
Z. 355, <i>atricollis</i> Stt., <i>aucu-</i>	
<i>pariae</i> Frey, <i>basalella</i> H.-S.	
354, <i>basigutella</i> Hein. 353,	
<i>betulicola</i> Stt., <i>bollii</i> Frey,	
<i>carpinella</i> Hein., <i>catharticella</i>	
Stt., <i>centifolieella</i> Z., <i>floslac-</i>	
<i>tella</i> Hw., <i>fragariella</i> Hw.,	
<i>gratiosella</i> Stt., <i>intimella</i> Z.,	
<i>luteella</i> Stt., <i>mytillella</i> Stt.,	
<i>obliquella</i> Hein., <i>oxyacanth-</i>	
<i>ella</i> Stt. 354, <i>pygmaeella</i>	
Hw. 353, <i>pyri</i> Glitz, <i>regiella</i>	
H.-S., <i>salicis</i> St. 354, <i>samia-</i>	
<i>tella</i> H.-S. <i>sanguisorbae</i> Wck.	
353, <i>septembrella</i> Stt., <i>sorbi</i>	
Stt., <i>splendidissimella</i> H.-S.	
354, <i>subbimaculella</i> Hw., <i>tri-</i>	
<i>maculella</i> Hw. 355, <i>turbidella</i>	
Z., <i>turicella</i> H.-S. 354, <i>uni-</i>	
<i>formis</i> Hein. 353, <i>vimineticola</i>	
Frey, <i>weaweri</i> Stt. 354, <i>woc-</i>	
<i>ckeella</i> , Hein., Lep. 355	
<i>Nestus</i> , siehe <i>Stenus</i> Latr. 178	
<i>Neureclipsis bimaculata</i> , Trich. 64	
<i>Neuronia cespitis</i> , <i>popularis</i> ,	
Lep. 292	
<i>Neuroterus baccharum</i> , L. 46, 51,	
<i>laeviusculus</i> Schrk. 47, 51, 53,	
<i>lenticularis</i> Ol., Hym. 46, 51, 52, 53	
<i>Neurothemis</i> -Arten, Odon. 164	
<i>Niptus hololeucus</i> Fld., Col. 193	
<i>Nitidula bipustulata</i> L., <i>carnaria</i>	
Schall., <i>obscura</i> F., Col. 183	
<i>Nola cucullatella</i> Lep. 291	
<i>Nomophila noctuella</i> Lep. 295	
<i>Nonagria geminipuncta</i> 143,	
<i>typhae</i> Lep. 293	
<i>Nomada alboguttata</i> H.-S. 360,	
<i>capreae</i> Kby. 359, 360, <i>distin-</i>	
<i>guenda</i> Mor., <i>fabriciana</i> Kby.,	
<i>fabriciella</i> Kby., <i>ferruginata</i>	
L. 360, <i>flava</i> Pz., <i>Frey-Gess-</i>	
<i>neri</i> Schm., <i>fucata</i> Pz., <i>fulvi-</i>	
<i>cornis</i> Lep. 359, <i>furva</i> Pz.,	
<i>germanica</i> Pz., Ol. 360, <i>glab-</i>	
<i>bella</i> Thms. 359, <i>goodeniana</i>	
Kby. 359, 360, <i>haematodes</i>	
Schm. 360, <i>hybrida</i> Schm.,	
<i>jacobaeae</i> Pz. 359, <i>integra</i>	
Imh. 359, 360, <i>intermedia</i> Imh.	
359, 361, <i>lateralis</i> Pz. 360, <i>lin-</i>	
<i>eola</i> Pz. 359, 360, <i>melathora-</i>	
<i>cica</i> Imh. 359, <i>roberjeotiana</i>	
Pz. 360, 361, <i>ruficornis</i> L.	
359, 360, <i>sexfasciata</i> Pz. 360,	
<i>signata</i> Jur. 359, 361, <i>succincta</i>	
Pz. 359, 360, <i>varia</i> Pz., <i>ven-</i>	
<i>tralis</i> Imh., <i>versicolor</i> Pz. 359,	
<i>xanthosticta</i> Illig 360, <i>zonata</i>	
Pz., Hym. 361	
<i>Nosodendron fasciculare</i> Ol.,	
Col. 186	
<i>Notaphus obliquus</i> Sturm, Col. 186	
<i>Notaris</i> , siehe <i>Eirrhinus</i> 198	
<i>Noterus clavicornis</i> de Geer,	
<i>sparsus</i> Msh., Col. 171	
<i>Nothoblatta Wasmani</i> Bol.,	
Orth. 140	
<i>Nothris marginella</i> F., <i>sabinella</i>	
Z., Lep. 346	
<i>Notiophilus aquaticus</i> L., <i>bigut-</i>	
<i>tatus</i> F., <i>palustris</i> Dft., Col. 167	
<i>Notodonta dromedarius</i> 291, 312,	
<i>phoebe</i> 311, 312, <i>torva</i> 311,	
312, <i>trepida</i> 312, <i>tritophus</i> 291,	
<i>ziczac</i> , Lep. 291, 312	
<i>Notopygus emarginatus</i> H., Col.	
<i>resplendens</i> H., Hym. 230	
<i>Notoxus cornutus</i> F., Col. 194	
<i>Nudaria senex</i> Lep. 143	
<i>Nychiodes lividaria</i> Lep. 143	
<i>Nyctegretis achatinella</i> Lep. 296, 314	
O	
<i>Oberea erythrocephala</i> F., <i>linearis</i>	
L., <i>oculata</i> L., <i>pupillata</i> Gyll.,	
Col. 298	
<i>Obrium brunneum</i> F., Col. 206	
<i>Ocalea badia</i> Er., Col. 175	
<i>Ochina hederæ</i> Müll., Col. 193	
<i>Ochrosis salicariae</i> Pk., <i>ventralis</i>	
Ill., Col. 212	
<i>Ochrostigma velitaris</i> , Lep. 312	
<i>Ochsenheimeria bisontella</i> Z.,	
<i>vacculella</i> F.-R., Lep. 355	
<i>Ochthebius exsculptus</i> Germ.,	
<i>punctatus</i> Steph., Col. 173	
<i>Octotemnus glabriculus</i> Gyll.,	
Col. 183	
<i>Ocypus aeneocephalus</i> de Geer.,	
<i>ater</i> Gr., <i>brunnipes</i> F., <i>com-</i>	
<i>pressus</i> Marsh., <i>edentulus</i>	
Block. 177, <i>fuscatus</i> Gr., <i>olens</i>	
Müll., <i>ophthalmicus</i> Scop. 176,	
<i>picipennis</i> F. 177, <i>similis</i> F., Col. 176	
<i>Ocys quinquestriatus</i> Gyll., Col. 168	
<i>Odacantha melanura</i> F., Col. 170	
<i>Odezia chaerophyllata</i> Lep. 294	

	Seite		
Odontaeus armiger Scop., Col.	187	florale Payk., fossulatum Er.,	
Odontia dentalis, Lep.	285	iopterum Steph., minimum Er.,	
Odontocerum albicorne, Trich.	11	pusillum Gr., rivulare Gr., Col.	179
Odontoconus spinipes Fritze,		Omaseus vulgaris L., Col.	169
Orth.	302	Omophlus lepturoides L., Col.	194
Odontogethes hebes Er., Col.	183	Omophron limbatum F., Col.	97, 167
Odontomerus dentipes Gmel.,		Omorga mutabilis Hlgr., Hym.	229
Hym.	228	Omosiphora limbata F., Col.	183
Odontosia carmelita, Lep.	311, 313	Omosita colon L., depressa L.,	
Odynerus-Arten aus Japan	285	discoidea F., Col.	183
—288, callosus, crassicornis,		Onthophagus coenobita Hbst.,	
parietum, Hym.	396	fracticornis F., lemurf., nuchi-	
Oecetis furva 11, 64, notata 63,		cornis L., ovatus L., Schreberi	
65, testacea, Trich.	12, 63, 63	L., taurus L., vacca Er., ver-	
Oecophora oliviella F. 347, pro-		ticicornis Laich., Col.	187
cerella, Lep.	297	Onthophilus striatus Forst., Col.	186
Oecophylla, nid d.'	382	Oodes helopioides F., Col.	170
Oedemera coerulea L., flaves-		Opatrum pygmaeum, v. pedestra	
cens L., flavipes F., lurida		Reiche 97, sabulosum L., Col.	194
Marsh., marginata F., poda-		Ophion luteus L., ventricosus	
grariae L., virescens L., Col.	195	Grv., Hym.	228
Oedipoda coerulea 32, mi-		Opheltes glaucopterus L., Hym.	233
niata, Orth.	33	Ophonus azureus F., calceatus	
Oenophthira pilleriana S.-V.,		Dft., cordatus Dft., griseus Pz.,	
Lep.	327	maculicornis Dft. 170, obscu-	
Oiceptoma, siehe Silpha	181	rus F. 169, pubescens Müll.	
Olesicampa longipes Grv., Hym.	229	170, 290, puncticollis, rotundi-	
Olethreutes achatana 296, anti-		collis 291, rupicola Sturm,	
quana Hb. 296, 330, betulae-		signaticornis Dft., Col.	169
tana Hw., bifasciana Hw.,		Opilo mollis L., Col.	192
boisduvaliana Dup. 330, ce-		Opostega crepusculella Z., sa-	
spitana 296, dimidiana Lod.,		laciella Fr., Lep.	353
doubledayana Barr. 330, hart-		Orchesia fasciata Payk., picea	
manniana 296, inundana S.-V.		Herbst, Col.	194
330, metalliferana H.-S. 148,		Orchestes alni L., avellanae	
nigricostana Hw., noricana		Don. 200, decoratus Germ.	
H.-S. 230, ochroleucana, pru-		201, fagi L., ilicis F., lonice-	
niana 296, v. Remyana H.-S.,		rae Herbst, pratensis Germ.,	
roseomaculana H.-S., rure-		populi L., quercus L. 200, sali-	
strana Dup. 330, salicana 296,		ceti F., salicis L. 201, testa-	
salicella L. 330, scriptana 296,		ceus Müll., Col.	200
semifasciana Hw., sororcula		Orectochilus villosus F., Col.	177
Zett. 330, striana 296, umbro-		Orectognathus Smith, Hym.	382
sana Frr. 330, urtica 296, vales-		Oreina speciosissima 93, tristis	
siana Rbl. 330, variegana, Lep.	296	F., Col. (s. auch Chrysochloa)	210
Olibrus aeneus Ill., affinis Sturm,		Orenaia rupestralis Hb., Lep.	313
bicolor F., corticalis Pzr., li-		Organ, unbekanntes, bei Oecetis,	
quidus Er., millefolii Pk., Col.	182	Trich.	63
Oligomerus brunneus Rdt., Col.	193	Orgyia antiqua, Lep.	291, 313
Oligosthenus (ater) stigma F.,		Ormirus chalybeus Ratz. 48,	
Hym.	49, 54	tubulosus, variolosus Nees,	
Olinx gallarum, Hym.	47, 52	Hym.	47
Olisthopus Sturmi Dft., Col.	168	Ornix alpicola Wck., interrup-	
Omalaspis noricus, Hym.	51	tella Zett., Lep.	352
Omalium brunneum Gr., con-		Orobitis cyaneus L., Col.	201
cinnamum Msh., depressum Gr.,		Orophius, siehe Octotemnus	183
		Orrhodia ab. immaculata, li-	

	Seite		Seite
gula, ab. mixta, ab. polita 293, rubiginea 293, 314, ab. signata, silene, ab. spadicea. ab. sub- spadicea, vaccinii, Lep.	293	Oxyomus porcatus F., Col.	187
Orsodacna cerasi et var., Col.	208	Oxyopoda alternans Gr., haemor- rhoa Märk., longiuscula Er., luteipennis Er., opaca Gr., ruficornis Gyll., Col.	175
Ortholitha bipunctaria, mensu- raria, Lep.	294	Oxyptilus didactylus L., distans Z., teucarii Jord., tristis Z., Lep.	235
Orthopelma luteolator Gr., Hym.	227	Oxytelus complanatus Er., de- pressus Gr., insecatus Gr., montivagus Heer, nitidulus Gr., Col.	179
Orthetrum 165, brunneum, var. cycnos, Odon.	339	Oxythyrea hirta Poda, Col.	188
Orthocentrus fulvipes Gr., san- nio H., Hym.	238	P	
Orthosia ab. canaria 293, cir- cellaris 314, ferruginea, litura, lota, macilenta, nitida 293, pi- stacina 293, 314, ab. rubetra 293, ruticilla 143, rufina, ab. serina, Lep.	293	Pachnephorus arenarius F., Col.	210
Orthotrichia Tetensi Kolbe, Klap., Trich.	17	Pachybrachys fimbriolatus Sffr., hieroglyphicus Laich., picus Weise, tessellatus Oliv., Col.	210
Osmia adunca Pzr. 281—283, caementaria Gerst. 397, Le- peletieri 281—283, loti Mor., Morawitzi Gerst. 397, mucida Dours., var. Stecki 283, spi- nolae Schck., Hym.	397	Pachycnemia hippocastanaria Lep.	294
Osmoderma eremita Scop., Col.	188	Pachylomma buccatum Bréb. Hym.	224
Ostoma ferrugineum L., Col.	392	Pachymerus, siehe Collyria	228
Othius fulvipennis Er., lapidi- cola Ksw., myrmecophilus Ksw., punctipennis Lac., Col.	176	Pachyta quadrimaculata L., Col.	207
Otiorrhynchus amplipennis Fairm. 394, antarcticus Stl. 57, anthracinus Scop. 395, arma- dillo Rossi 394, caucasicus 57, chrysocomus Stl. 395, diffi- lis Stl., griseopunctatus Boh. 394, laevigatus F., ligneus Ol., ligustici L. 196, maurus Gyll. 394, morio F., niger F. et var. 196, var. angustatus Stl. 394, nubilus Boh., var. partialis Boh. 395, ovatus L. 196, por- catus Hbst., pupillatus Gyll., raucus F. 197, rugifrons Gyll., salicis Ström. 395, scabripennis Gyll., scabrosus Marsh., septentrionis Herbst, singu- laris L., sulcatus F., tenebri- cosus Hbst., uncinatus Germ. 196, viridisetosus Strl., Col.	56	Pachytychius haematocephalus Gyll., sparsutus Ol., Col.	199
Otophorus, siehe Aphodius	187	Pachytylus cinerascens F., mi- gratorius, Orth.	34
Oxyethira costalis, Trich.	17	Paederidus, siehe Paederus	177
Oxymirus cursor L., Col.	207	Paederus gemellus Kr., littora- lis Gr., longipennis Er., ripa- rius L., ruficollis F., sanguini- collis Steph., Col.	177
Oxymorpha elongata Först., in- termedia Först., Hym.	49, 52	Pamene argyrana Hb., auran- tiana Stgr., fimbriana Hw., gallicolana Z., juliana Curt., ochsenheimeriana Z., purpu- reana Const., splendidulana Gn., trauniana S.-V., Lep.	333
		Panagaeus crux major L., Col.	170
		Paniscus gracilipes Ths., Hym.	228
		Panolis griseovariegata, Lep.	313
		Panthea coenobita, Lep.	311, 313
		Papilio machaon, podalirius 314, alexanor, Lep.	380, 381
		Parabatus virgatus, Gr., Hym.	228
		Paracercyon anale, Pk, Col.	172
		Paramesius rufipes Westw., Hym.	52
		Paraponix stratiotalis, Lep.	295
		Parnassius delius 145, 383, apol- lo, Lep.	142, 382
		Parnus auriculatus Panz., niti- dulus Heer 173, prolifericor- nis F., Col.	192
		Paromalus flavicornis Herbst, Col.	186

	Seite		Seite
Patrobus assimilis Chaud., Col.	168	Pheosia dictaeoides, tremula	437
Pechipogon barbalis Lep.	294	Lep.	313
Pediacus depressus Hbst., Col.	184	Phibalapteryx aemulata Hb.	
Pediaspis sorbi Tischb., Hym.	51	Lep.	157
Pedilophorus aeneus F., nitens		Phigalia pedaria 313, 315, pilo-	
Pzr., Col.	186	saria Lep.	294
Pelatea festivana Hb., Lep.	331	Philhydrus affinis Kby., melano-	
Pempelia carnella 296, fusca		nocephalus Ol., testaceus F.,	
Haw. 148, var. sanguinella 296,		Col.	172
subornatella Dup., Lep.	320	Philochtus guttata, F., Col.	168
Penthina, siehe Olethreutes		Philonthus aeneus L., albipes Gr.,	
Perapion Standfussi Wagn.,		astutus Gr., atratus Gr., ce-	
Col.	259	phalotes Gr., concinnus, cor-	
Percosia, siehe Amara	169	vinus Er., cruentatus Gmel.,	
Pergesa hybr. irene, elpenor,		cyanipennis F., debilis Gr.,	
Lep.	385	decorus Gr., discoideus Gr.,	
Pericallia syringaria, Lep.	284	ebeninus Gr., fimetarius Gr.,	
Periclistus Brandtii Rtzb., cani-		fulvipes F., fumarius Gr., fu-	
nae Htg., Hym.	49, 51	migatus Er., laminatus Creutz.,	
Perigrapha cinctum, Lep.	143	lepidus Gr., micans Gr., ni-	
Perilampus auriceps Steph., au-		grita Gr., opacus Gyll., poli-	
roviridis Steph., laevifrons		tus F., procerulus Gr., proli-	
Dalm., violaceus Latr., Hym.	54	xus Er., pullus Nordm., sangui-	
Perilissus erythrocephalus Gr.,		nolentus Gr., splendidulus	
filicornis Gr., pallidus Gr.,		Gr., umbratilis Gr., ventralis	
vernalis Gr., Hym.	230	Gr., vernalis Gr., Col.	176
Perilitus aethiops Nees., Hym.	223	Philopotamus ludificatus 11,	
Peritelus griseus Ol., hirticornis		montanus 11, 17, variegatus,	
Hbst., Col.	196	Trich.	12
Perithous mediator Fb., varius		Phloeocharis subtilissima Mannh.,	
Grv., Hym.	227	Col.	180
Peryphum Andreae v. femoratum		Phloeonaeus, siehe Aploderus	179
St., atrocoeruleus Steph., de-		Phloeonomus, siehe Omalium	179
corus Pz., fluviatilis Dej., ni-		Phloeopora corticalis Er., Col.	173
tidulus Msh., rupestris L., ti-		Phloeostiba plana Payk., Col.	179
bialis Dss., ustulatus L., Col.	168	Phl. ctaenodes palealis S.-V.,	
Pezomachus comes Forst., fasci-		sticticalis S.-V., virescalis	
atus Gr., formicarius Gr.,		Gn., Lep.	323
rufulus Först., Stevenii Gr.,		Phobocampa bicingulata Grv.,	
vulpinus Gr., zonatus Först.,		crassiuscula Grv., neglecta	
Hym.	227	Hlgr., Hym.	229
Pezotettix pedestris L., Orth.	36	Phorticolea testacea Bol., Orth.	139
Phaedon armoraciae L., coch-		Phosphuga, siehe Silpha	180
leariae F. et var., laevigatus		Phragmatobia fuliginosa, Lep.	314
Suffr., pyritosus Rossi, Col.	211	Phratora, siehe Phyllodecta	211
Phaeogenes fulvitaris Wesm.,		Phyganea grandis, Trich.	64
melanogonus Grv., stimulator		Phtheochroa rugosana Hb.,	
Grv., Hym.	225	schreibersiana Fröl., sodaliana	
Phalacrus corruscus Pzr., gros-		Hlw., Lep.	329
sus Er., Col.	182	Phycita coronatella Gn., Lep.	321
Phalera bucephala Lep.	291, 313	Phygadeuon cephalotes Grv.,	
Phanerotoma dentata Panz.,		dumetorum Grv., fumator Grv.,	
Hym.	222	pimplarius Thms., semipolitus	
Phasiane clathrata Lep.	294	Taschbg., vagans Grv., varia-	
Pheidole 382, commutata, Hym.	67	bilis Grv., Hym.	226
		Phyla obtusa, Col.	168

	Seite		Seite
Phylax, siehe Zele	223	Pimpla arundinator	97
Phyllobius argentatus L., betulae L., glaucus Scop. et var., incanus Gyll., oblongus L., piri L., pomonae Ol., psittacinus Germ., sinuatus F., viridiaereis Laich., Col.	196	brevicornis Grv., brunnea Br., calobata Grv., curticauda Krb., detrita Hlgr., didyma Grv., examinador F., instigator F., maculator F., oculatoria F., rufata Gmel., turionellae L., varicornis F.	227
Phyllobrotica quadrimaculata L., Col.	211	Pionea decrepitalis H.-S., elutalis S.-V. 324, forficalis 295, fulvalis Hb., inquinatalis Z., institalis Hb., testacealis Z.	324
Phyllodecta viennensis Schrk., vitellinae L., vulgatissima L., Col.	211	Pissodes notatus F., piceae Ill., pini L., Col.	198
Phyllodrepa, siehe Omalium	179	Pityogenes, siehe Tomicus Latr.	205
Phyllopertha horticola L., Col.	188	Placusa complanata Er., pumilio Er., Col.	174
Phyllotreta aerea All. 212, armoraciae H. 213, atra F., consobrina Curt. 212, exclamationis Thbg., flexuosa Ill., nemorum L. 213, nigripes Pzr., nodicornis Mrsh., obscurella Ill., procera Redt. 212, sinuata Redt., tetrastigma Com., undulata Kutsch., vittula Redt. Col.	213	Plagiogonus arenarius Ol., Col.	187
Phylloxera vastatrix Planch., Hem. 154, 383—384	384	Plagionotus, siehe Clytus	206
Phymatodes, siehe Callidium	206	Plastenis retusa, subtusa, Lep.	293
Phytobius canaliculatus Schh., granatus Schh., quadricornis Gyll., quadrinodosus Gyll., quadrituberculatus F., velaris Gyll., Col.	201	Plataraea, siehe Liogluta Thoms.	174
Phytodecta flavicornis Suffr., 211, nivosa Suffr. et var. 394, olivacea Forst. et var., pallida L. et var., rufipes de Geer 211, viminalis L. et var., Col.	210	Plateumaris, siehe Donacia	208
Phytodietus segmentator Grv., Hym.	227	Platycerus caraboides L., Col.	186
Phytoecia affinis Pzr., cylindrica L., ephippium F., nigricornis F. pustulata Schrk., solidaginis Bach., Col.	208	Platydemia violaceum F., Col.	194
Phytonomus denominandus Cap. 197, meles F. 198, murinus F. 197, nigrirostris Fr. 198, plantaginis de Geer, pollux F., polygona F., punctatus F., rumicis L. 197, Stierlini Cap. 198, suspiciosus Herbst. 197, trilineatus Marsh., variabilis Herbst., Col.	198	Platydracus, siehe Leistotrophus	177
Pieris brassicae 155, 314, callidice 145, daplidice var. bellidice 314, napi 155, 314, rapae L., Lep. 154, 155, 232, 314	314	Platygaster Boscii Latr., Hym.	52
		Platylabus dimidiatus Grv., orbitalis Grv., rufus Wesm. 225, serrarius Gr., Hym.	89
		Platylaemus, siehe Cionus	200
		Platymesopus Westwoodi Rtzlb., Hym.	47, 52
		Platynaspis luteorubra Goeze, Col.	216
		Platynus assimilis Payk., dorsalis Pont., gracilipes Gyll., marginatus L., micans Nicol., Mülleri Hbst., obscurus Hbst., ruficornis Goeze, sexpunctatus L., viduus Panz., viridicupreus Goeze, Col.	168
		Platypteryx falcula, unguicula, Lep.	291
		Platyptilia galactodactyla Hb., malacodactyla Z., Metzneri Z., rhododactyla S.-V., xanthodactyla Tr., Lep.	325
		Platypus cylindrus F., Col.	205
		Platyrrhinus latirostris F., Col.	204
		Platysma niger L., Col.	169
		Platysoma angustatum E.-H., compressum Herbst, frontale Payk., oblongum F., Col.	186
		Platystethus cornutus Gr., morsitans Payk., nodifrons Sahlb., Col.	179

	Seite		Seite
Platyarsus, siehe Brachysomus	197	Polyergus rufescens, Hym.	
Platytes alpinellus Hb., cerusel- lus S.-V., Lep.	318	68, 69, 85 u. ff.	
Plecticus clypearis Först., Hym.	231	Polygraphus pubescens F., Col.	205
Plectocryptus arrogans Gr., cur- vus Grv., digitatus Grv., Hym.	226	Polynema ovulum Hlmgr., Hym.	52
Plectrocnemia conspersa 12, praestans, Trich.	12, 17, 18	Polyblastus mutabilis H., vari- tarsus Gr., Hym.	230
Plectroscelis, s. Chaetocnema	212	Polyommatus dorilis, var. mon- tana = subalpina 146, virgau- reae, var. zermattensis, Lep.	145
Plegaderus caesus Herbst, Col.	186	Polyopsia, siehe Tetrops	208
Pleuropachys costalis Ths., Hym.	52	Polyploca diluta 312, flavicor- nis, Lep.	313
Pleurota aristella L., pyropella S.-V., Lep.	346	Polyrhachis, nid de	382
Pleurotropis cribrifrons Thms., Hym.	46, 52	Polysphincta multicolor Grv., Hym.	227
Plinthus caliginosus F., Col.	498	Porizon angustipennis H., ex- haustor F., gravipes Gr., har- purus Grv., Hym.	229
Plusia ain 147, chrysitis, circum- flexa 293, deaureta 143, 147, devergens, divergens 147, gam- ma 293, gutta Gr. 40, illu- stris 147, ab. 257, interroga- tionis 147, jota, ab. juncta, moneta, pulchrina, triplasia, urticae 293, v. argenteum, Lep.	147	Porthesia auriflua, chrysorrhoea, Lep.	291
Plutella annulatella Curt. 242, var. bicingulata Z., senilella Zett., Lep.	343	Potamorites biguttatus, Trich.	10, 65
Pocadius ferrugineus F., Col.	183	Potosia, siehe Cetonia	188
Podabrus alpinus et var., Col.	191	Pria dulcamarae Ill., Col.	183
Podagrica, siehe Mantura	212	Prionocyphon serricornis Müll., Col.	190
Podalirius bimaculatus Pz. pu- bescens F., Hym.	38	Prionomitus chlorinus Dalm., Hym.	52
Podistrina Chobauti Bourg. 391, Peyerimhoffi Bourg., Villardi Bourg., Col.	271	Prionopoda xanthopsana Gr., Hym.	230
Poecilium, siehe Callidium	206	Prionus coriarius L., Col.	206
Poecilus cupreus L., lepidus Leske, Col.	169	Pristicerus serrarius, Hym.	39
Pogonochaeus bidentatus Ths., fasciculatus De Geer, ovatus Goeze, Col.	208	Pristonychus terricola Herbst, Col.	169
Pogonus riparius Dej., Col.	168	Probolus alticola Grv., Hym.	225
Polemon liparae, Hym.	97	Procrustes coriaceus L., Col.	167
Polistes gallicus 232, margina- lis, Hym.	396	Proctotrupes emarciator F., gra- vidator L., niger Pzr., pal- lipes Jur., Hym.	52
Pollenia rudis, Dipt.	383	Promethus areolatus H., festi- vus Gr., pulchellus H., Hym.	230
Polycentropus flavomaculatus, multiguttatus, Trich.	12	Prosopis Kriechbaameri, Hym.	97
Polychrosis bicinctana Dup., Lep.	330	Prostomis mandibularis F., Col.	184
Polydorus atomarius Ol., cer- vinus L., confluens Steph., cor- ruscus Germ., impressifrons Gyll., iris Ol., micans F., mol- lis Germ., pterygomalis Pick., sericeus Sch., tereticollis Dej., Col.	196	Proteinus atomarius Er., bra- chypterus Fr., macropterus Gr., Col.	180
		Prothymia aenea, Lep.	293
		Psammotis pulveralis, Lep.	295
		Psecadia auriflua Hb. 346, bi- punctella 296, decemguttella Hb. 388, 346, pusiella Röm. 377, sexpunctella Hb., Lep.	345
		Pselaphus Heisei Herbst, Col.	180
		Pseudocypus, siehe Ocypus	177
		Pseudomaseus anthracinus Ill., gracilis Dej., minor Gyll., ni- grita L., Col.	169

	Seite		Seite
Pseudomorphus, siehe Brady-		Pygidia denticollis Schumm.,	
batus Gerst.	199	Col.	191
Pseudophia lunaris, Lep.	312	Pygostenini	66
Pseudoptinus, siehe Ptinus	193	Pygostolus falcatus Nees.,	
Psilomastax lapidator Fb.,		Hym.	223
Hym.	224, 233	Pygmaena fusca Thbg., Lep.	148
Psilophrys longicornis Walk.,		Pyracmon xoridiformis, Hlgr.,	
Hym.	53	Hym.	229
Psilopteryx Zimmeri, Trich.	10	Pyralis regalis S.-V., Lep.	322
Psilothrix smaragdinus Luc.,		Pyrausta (Botys) accolalis Z.,	
Col.	192	albofascialis Tr., asinalis Hb.	
Psilura monacha, Lep.	291	324, cespitalis 295, ciliaris Hb.	
Psodos alpinata Sc. 148, alti-		324, cingulata, crocealis 295,	
colaria v. faucium Favre 147,		diffusalis Gn., falcatalis Gn.,	
coracina Esp., quadrifaria		fascialis Hb. 324, ferrugalis	
Sulz., trepidaria Hb., Lep.	148	295, flavalis S. V. 324, hyali-	
Psophus stridulus L., Orth.	35	nalis 295, inquinatalis Z. 148,	
Psoricoptera gibbosella Z., Lep.	343	lutealis Dup., manualis Hb.	
Psorosa dahliella Tr., Lep.	310	324, nebulalis Hb. 148, ob-	
Psyche calvella 291, plumifera		fuscata Sc. 324, pandalis, pru-	
Och., Lep.	147	nalis, punicealis, purpuralis	
Psylliodes affinis Pk., attenuata		295, repandalis S. V. 295, 324.	
E. H., chrysocephala L., dul-		ruralis, sambucalis, stachy-	
camarae E. H., hyoscami L.,		dalis, verbascalis, Lep.	295
luteola Müll., napi F., Col.	212	Pyrochroa coccinea, L., pur-	
Psyra marginata Fritze, Orth.	299	purata Müll., Col.	195
Psyralonge stilata Brunn., Orth.	300	Pythidae	196
Ptenidium apicale Er., Col.	181	Pytho depressus L., Col.	393
Pteromalus fasciventris Westw.			
48, glechomae Först., musca-			
rum L., puparum L., suspen-			
sus Ratzb., Hym.	53		
Pterophorus Rogenhoferi Mn.,			
Lep.	325		
Pterostichus cristatus Dft. 169,			
Jurinei Pz. 389, melas Creutz.,			
metallicus F. 169, spinolae			
Dej., Col.	389		
Pterostoma palpina, Lep.	291, 313		
Pterothrix contectella Z., rufella			
Dup., Lep.	321		
Ptilinus pectinicornis L., Col.	193		
Ptilium minutissimum Heer, Col.	181		
Ptilocolepus granulatus Trich.	16		
Ptinus bicinctus Sturm., brun-			
neus Dft., dubius Sturm., fur			
L., latro F., lichenum Msh.,			
pusillus Sturm., rufipes F.,			
sexpunctatus Pzr., Col.	193		
Ptomaphagus, siehe Catops	181		
Pycnocryptus peregrinator Grv.,			
Hym.	226		
Pycrocraerus, siehe Platystethus	179		
Pygaera anachoreta 291, curtula			
L., 255, 291, pigra Hufn.,			
Lep.	147, 255		

Q

Quedius attenuatus Gyll., fuli-	
ginosus Gr., laevigatus Er.,	
modestus Ksw., molochinus	
Gr., peltatus Er., picipes	
Mannh., suturalis Ksw., xan-	
thopus Er., Col.	177

R

Rabigus, siehe Philonthus	176
Raphirus, siehe Quedius	177
Reduvius personatus, Hem.	291
Reichenbachia impressa Panz.	
juncorum Leach, Col.	180
Rhagium bifasciatum F. 207,	
var. unifasciatum Muls. 393,	
inquisitor L. mordax De G.,	
sycophanta Schrk., Col.	207
Rhagonycha, siehe Cantharis	191
Rhagonycha atra L. var. glaci-	
alis Bourg., maculicollis Märk.,	
Col.	391
Rhamnusium bicolor Schrk.,	
Col.	207
Rhamphus flavicornis Clairv.,	
Col.	201

	Seite		Seite
Rhantus adpersus F., conspersus Gyll., notatus F., Col.	171	bescens F., sericeus Hbst., tomentosus Schh., tristis F., Col.	204
Rhinocyllus conicus Fröhl., Col.	198	Rhyncolus truncorum Germ., Col.	202
Rhinomacer attelaboides F., Col.	204	Rhyparia purpurata, Lep.	314
Rhinoncus albicinctus Gyll., denticollis Gyll., inconspiculus Hbst., subfasciatus Gyll., Col.	201	Rhyssa persuasoria Grv., Hym.	227, 233
Rhinosia formosella Hb., Lep.	345	Rhyssenus germanus L., Col.	187
Rhinosimus planicollis F., ruficollis L., Col.	196	Rhytidosomes globulus Herbst, Col.	201
Rhipiphoriden	232	Riolus cupreus Müll., nitens Müll., subviolaceus Müll., Col.	173
Rhizobius litura F., Col.	286	Rivula sericealis, Lep.	294
Rhizophagus bipustulatus F., depressus F., dispar Pk., grandis Gyll., parallelocollis Gyll., politus Hellw., Col.	184	Rosalia alpina L., Col.	206
Rhizotrogus aestivus Ol., maculicollis Vill. 187, ruficornis F., Col.	99	Rumina crataegata, Lep.	292
Rhodinia fugax Butl., Lep.	155	Rusina tenebrosa, Lep.	293
Rhodites eglanteriae Hart. 49, 51, rosae L. 49, 51, 53, rosarum Gir., Hym.	49, 51		
Rhodocera cleopatra, Lep.	380	S	
Rhodophaea advenella Zck., marmorea Kw., rosella Sc., suavella Zck., Lep.	322	Sagaserrata Fabr., Orth. 274, 275,	381
Rhogas circumscriptus Nees., cruentus Nees., dimidiatus Spin., gastrator Jur., irregularis Wesm., pulchripes Wesm., testaceus Spin., tristis Wesm., Hym.	222	Sagaritis ebenina Grv., Hym.	229
Rhopalicus brevicornis, Thms., Hym.	53	Salebria adelphella F.-R. 296, 321, betulae Göze 321, faecella Z. 296, 321 spec.? 296, formosa Hw., thymiella Z., Lep.	321
Rhopalodontus fronticornis Pz., Col.	19g	Salpingus castaneus Pz., mutilatus Beck, Col.	196
Rhopalopus, siehe Callidium	206	Saperda carcharias L. 208, 291, octopunctata L., perforata Pall., populnea L., scalaris L., Col.	208
Rhopobotanaevana, spec.? , Lep.	296	Saprinus aeneus F., nitidulus F., quadristriatus E.-H., Col.	186
Rhyacophila glareosa, Meyeri 13, oblitterata 64, obtusidens 15, Pascoei 64, persimilis, proxima 15, rectispina 15, 17, stigmatica 16, torrentium 15, tristis 16, vulgaris, Trich.	15	Saropoda rotundata Pzr., Hym.	38
Rhynchites aeneovirens Mss., aequatus L., aethiops Bach., allariae Gyll., auratus Scop., bacchus L., betulae L., betuleti F., comatus Schh., conicus Gyll., cupreus L., germanicus Herbst, megacephalus Germ., nanus Payk., pauxillus Germ., populi L., pu-		Saturnia pavonia 313, pyri, Lep.	147, 312

	Seite		Seite
Schuppen von Käfern	158	Semasia aemulana Schläg., aspidiscana Hb., citrana Hb., conterminana H.-S., incana Z., pupillana Cl., Lep.	331
Sciaphila Wahlbomiana ab., Lep.	296	Semiadalia undecimnotata Schneid. et var., Col.	215
Sciaphilus barbatulus Germ., muricatus F., scitulus Germ., Col.	197	Senta maritima, Lep.	293
Sciodrepa, siehe Catops	181	Serica brunnea L. 187, 291, holosericea Scop., Col.	187
Scirtopoda herrichiella H.-S., Lep.	352	Sericosomus, siehe Sericus	190
Scleroderma rufescens Nees., Hym.	52	Sericostoma pedemontanum, Trich.	10, 65
Scolia quadripunctata F., Hym.	29	Sericus brunneus L. 190, subaeneus Redt., Col.	199
Scoliopteryx libatrix, Lep.	293	Serropalpus barbatus Koll., Col.	194
Scolytus pruni Ratz., pygmaeus Herbst., Ratzeburgi Thms., rugulosus Ratz., Col.	205	Sesia tenthrediniformis Lasp. (empiformis Ep.) 146, tipuliformis, Lep.	291
Scopaeus didymus Er., Erichsoni Kol., minimus Er., Col.	177	Setina eborina ab. pallidior impunctata, irrorea, Lep.	291
Scoparia ambigualis 195, conturiella S. V. 148, 323, crataegella, dubitalis 295, ingrattella Z., phaeoleuca Z. 323, resinosa 295, sudetica Z., valesialis Dup. 148, Zelleri, Lep.	295, 323	Setode sargentipunctella, Trich.	11
Scopelosoma satellitia, ab. brunnea, ab. concolor Rätz., ab. obscurata, ab. variata, Lep.	293	Sibynes canus L., fugax Germ., primitus Hbst., viscariae F., Col.	200
Scotosia badiata, rhamnata, ventulata, Lep.	294	Sigalphus antennalis Thoms, obscurus Nees., flavicola Wesm., Hym.	222
Scydmaenus collaris M. & K., pusillus M. & K., scutellaris M. & K., Col.	180	Silaria, siehe Anaspis	195
Scymnus abietis Muls., Apetzi Muls., ater Kug., capitatus F., ferrugatus Mell., haemorrhoidalis Hbst., interruptus Goetze, minimus Rossi, nigrinus Kug., pulchellus Hbst., Redtenbacheri Muls., suturalis Thunb., Col.	216	Silo nigricornis 10, 65, pallipes, Trich.	10
Scyrtes hemisphaericus L., orbicularis Pzr., Col.	190	Silpha atrata L. 180, dispar Herbst. 181, laevigata Sulz. 180, littoralis L. 181, obscura L., quadripunctata L. 180, rugosa L., sinuata F., thoracica L., undata Müll., Col.	181
Scythris acanthella God., chenopodiella Hb., disparella Tgstr., dissimilella H.-S. 349, fusco-aenea Hw. 348, fusco-cuprea Hw., noricella Z. 349, obscurrella Sc. 348, palustris Z., restigerella Z., scopolella Hb. 349, seliniella Z. 348, senescens Stt. 349, speyeri Hein., Lep.	348	Silvanus bidentatus F., similis Wesm., unidentatus F., Col.	184
Selenia v. aestiva, illunaria, illustraria, v. juliaria 294, tetrallunaria, Lep.	313	Simaethis diana Hb., Lep.	341
Selenophora lunigera, Lep.	142	Sinodendron cylindricum L., Col.	186
		Sipalia ruficollis Er., Col.	174
		Sirex gigas, Hym.	233
		Sitaris muralis Forster, Col.	195
		Sitones crinitus Ol., flavescens Msh., griseus F., hispidulus Germ., humeralis Steph., inops Schh., lineatus Schh., sulcifrons Schh., tibialis Germ., Col.	197
		Smerinthus hybrida fringsi Stdfs. 248, hybrida Westw. 247 ff., neopalaeartica Stdfs. 250, operosa Stdfs., varians Stdfs. 246 ff., rothschildi Stdfs. 248, jankowskii Oberth., maackii Brem. 251, ocellata L. 156,	

	Seite		Seite
246 ff., 312, 314, 338, var. atlantica Aust. 249, 338, var. austauti Stdfs. 249, populi L. 156, 245 ff., 291, 312, 314, 338, var. darwiniana Stdfs., var. langi Stdfs., Lep.	252	Stenancystrocerus shinto Schh., Hym.	285
Smicronyx cicur Gyll., politus Schh., Reichei Schh., Col.	199	Stenia punctalis S. V., Lep.	322
Solenobia inconspicuella Stt., Lep.	355	Stenocarus cardui Hbst., Col.	201
Soronia grisea L., punctatissima Ill., Col.	183	Stenodontus marginellus Grv., Hym.	225
Spalangua nigra Latr., Hym.	52	Stenolophus teutonus Schrk., Col.	170
Sparasion frontale Latr., Hym.	52	Stenomalus muscarum Walk., Hym.	53
Spathius exarator L. (clavator Pzr.), Hym.	222, 223	Stenomax lanipes L., Col.	193
Spermophagus cardui Stev., Col.	294	Stenophylax concentricus, latipennis, mucronatus 8, picicornis, Trich.	7
Sphaeopyx irrorator F., Hym.	222	Stenopogon spec.?, Dip.	383
Sphaeridium bipunctulatum F., scarabaeoides L., Col.	172	Stenopterus rufus L., Col.	207
Sphaeroderma rubidum All., testaceum F., Col.	214	Stenoptilia graphodactylus Tr., lutescens H.-S., pelidnodactyla Stein, pneumonanthus Schl. 326, pterodactylus, serotinus 297, stigmatodactyla Z., zophodactylus Dup., Lep.	326
Sphaleria(?) alpicolana, Lep.	116, 148	Stenostola ferrea Schrk., Col.	208
Sphecodes pilifrons, Hym.	98	Stenus argus Gr., ater Mnh., bifoveolatus Gyll., biguttatus L., bimaculatus Gyll., boops Gyll., buphthalmus Gr., canaliculatus Gyll., cicindeloides Gr., contractus Er., declaratus Er., filum Er., flavipes Er., fuscipes Gr., guttula Müll., impressus Germ., junio F., latifrons Er., longipes Heer, morio Gr., oculatus Gr., opticus Gr., plantaris Er., pusillus Er., ruralis Er., rusticus Er., stigmula Er., subimpressus Er., tarsalis Ljungh., Col.	178
Sphenophorus mutilatus Laich., Col.	202	Stereonychus, siehe Cionus	200
Sphindus hispidus Payk., Col.	183	Steropus concinnus Sturm, Col.	169
Sphingonotus coeruleus, Orth.	32	Stilbus atomarius L., oblongus Er., Col.	182
Sphinx convolvuli 291, ligustri 314, pinastri, Lep.	291, 313	Stilicus affinis Er., rufipes Germ., similis Er., subtilis Er., Col.	177
Sphodrus leucophthalmus L., Col.	169	Stilpnus gagates Grv., pavoniae Grv., Hym.	227
Spilocryptus fumipennis Grv., pygoleucus Grv., tibialis Thms., Hym.	226	Stomis pumicatus Pzr., Col.	169
Spilomicrus nigripes Nees., Hym.	51	Strangalia arcuata Pzr., atra Laich., attenuata L., maculata Poda, melanura L., nigra L., quadrifasciata L., revestita L., Col.	207
Spilosoma fuliginosa, lubricipeda 291, menthastri, Lep. 291, 312,	313	Strongylognathus Christophi, Huberi 86 ff., testaceus, Hym. 85 ff.	
Spondylis buprestoides L., Col.	206	Strophosomus coryli F., faber Hbst., obesus Marsh., Col.	197
Spudastica petiolaris Thms., Hym.	229, 233		
Stactobia fuscicornis, Trich.	17		
Stagmatophora serratella Tr., Lep.	349		
Staphylinus caesareus Cederh., Col.	177		
Stauropus fagi, Lep.	313		
Steganoptycha ericetana H.-S., var. languentana Stgr., minutana Hb., obtusana Hw., oppressana Fr., pauperana Dup., ramella L., resupinatana Kenn., rufimitrana H.-S., ustomaculana Curt., Lep.	334		
Stelis breviscula Nyl., Hym.	103		
Stenamma fulvum Roger, Hym.	88		

	Seite		Seite
<i>Stylocryptus brevis</i> Grv., senilis Grv., vagabundus Grv., Hym.	226	<i>Tachysphex lativalvis</i> Thms., pectinipes L., Hym.	39
<i>Subcoccinella 24-punctata</i> L. et var., Col.	214	<i>Tachyura parvula</i> Dej., quadrisignata Dft., Col.	168
<i>Sunius angustatus</i> Payk., filiformis Latr., neglectus Märk., Lep.	177	<i>Tachyusa atra</i> Gr., balteata Er., coarctata Er., constricta Er., Col.	173
<i>Swammerdamia alpicella</i> H.-S., Lep.	342	<i>Tactocomus tessellatus</i> L., Col.	190
<i>Symmoca albicanella</i> Z., Lep.	346	<i>Taeniocampa cruda</i> , ab. fuscata 293, gothica 293, 313, incerta 313, instabilis 293, munda, populeti 313, pulverulenta 312, stabilis, Lep.	293, 313
<i>Symmyrmica Chamberlini</i> , Hym.	88	<i>Talis quercella</i> S. V., Lep.	318
<i>Sympheidole</i> , Hym.	38	<i>Tanymecus palliatus</i> F., Col.	197
<i>Synaptus filiformis</i> F., Col.	190	<i>Tanysphyrus lemnae</i> F., Col.	199
<i>Syncalypta setosa</i> Waltl., Col.	186	<i>Tapinostola fulva</i> , ab. fluxa, Lep.	293
<i>Synechostictus elongatus</i> Dej., Col.	168	<i>Tapinotus sellatus</i> F., Col.	202
<i>Synergus albipes</i> Htg. 47, 48, apicalis Htg. 51, evanescens Mayr. 48, 51, facialis Htg. 47, 48, 54, melanopus Htg. 51, nervosus Htg. 47, 51, pallicornis Htg. 48, 51, pallipes Htg. 51, radiatus Mayr. 47, 51, Reinhardi Mayr. 51, thau-matocera Dalm. 48, 51, Tschekii Mayr. 47, 51, varius Htg., Hym.	48, 51	<i>Tasgius ater</i> Gr., Col.	177
<i>Syntomaspis caudatus</i> Nees., Hym.	47	<i>Teinodactyla</i> , siehe Longitarsus	213
<i>Syntomis phegea</i> , Lep.	314	<i>Teleia fugitivella</i> Z., luculella Hb., saltuum Z. 345, scriptella Hb. 344, triparella Z. 345, vulgella Hb. 344, Wagaenow., Lep.	345
<i>Syntomium</i> Er.?, Col.	178	<i>Telephorus</i> , siehe Cantharis	
<i>Syntomopus incisus</i> Thms., Hym.	53	<i>Telephorus assimilis</i> Col.	97
<i>Synuchus nivalis</i> Pzr., Col.	168	<i>Telmatophilus caricis</i> Ol., sparganii Ahr., Col.	182
<i>Syrichthus cacaliae</i> , Lep.	136	<i>Tenebrio molitor</i> L., Col.	194
<i>Systasis longicornis</i> Htg., Hym.	53	<i>Teras</i> , siehe unter Acalla	
<i>Systematik der Schmetterlinge</i> , Bemerkungen zur	70	<i>Termitodiscini</i>	66
<i>Systole albipennis</i> Walk., Hym.	53	<i>Termitodiscus</i>	66, 67
<i>Syzeuctus maculatorius</i> F., Hym.	227	<i>Tesnus</i> , siehe Stenus	178
T			
<i>Tachinus collaris</i> Gr., fimetarius Gr., flavipes Er., humeralis Gr., proximus Kr., rufipes Er., subterraneus Gr., Col.	175	<i>Tetracnemus diversicornis</i> Westw., Hym.	53
<i>Tachyporus abdominalis</i> Gyll., brunneus F., chrysomelinus L., haemopterus Kr., hypnorum F., obtusus L., Col.	175	<i>Tetramelus</i> , siehe Euconus Thms.	180
<i>Tachyptilia populella</i> 297, scintillella F. R., Lep.	345	<i>Tetramorium caespitum</i> L., Hym.	85 ff.
<i>Tachypus caraboides</i> Schrk., flavipes L., pallipes Dft., Col.	168	<i>Tetastrichus flavovarius</i> Nees., Hym.	52
<i>Tachys bistriatus</i> Dft., Col.	168	<i>Tetropium luridum</i> L. et var., Col.	206
		<i>Tetropla</i> , siehe Homalota	174
		<i>Tetrops praeusta</i> L., Col.	208
		<i>Teuchestes</i> , siehe Aphodius	187
		<i>Thalassophilus longicornis</i> Sturm., Col.	168
		<i>Thalessa leucographa</i> Grv., superba Schrk., Hym.	227
		<i>Thalycra fervida</i> Gyll., Col.	183
		<i>Thamiocolus</i> , siehe Ceuthorrhynchus	201
		<i>Thamnostrizon apterus</i> Tb., Orth.	38

	Seite		Seite
Thanatophilus, siehe Silpha	181	Torymus abdominalis Boh. (medialis)	48, 49, 54,
Thaumetopoea pithyocampa, Lep.	313	Mayr., 50, 54, auratus Fonsc.	47, 54, azureus Boh. 50, 54,
Theocolax cornigera Westw., Hym.	52	bedeguaris L. 49, 53, caudatus Nees.	47, 53, congener Först. 54,
Thephroclystia, siehe Eupithecia		Först. 54, cultriventris Rtzb. 49, 53,	cyaneus Boh. 48, 53, cyanimus Boh. 49, 53,
Theronia flavicans F., Hym.	227	dauci Curt. 53, eglantariae 49, flavipes Walk. 47, 54,	fulgens F. 53, glechomae 50, hibernans Mayr. 47, 54.
Theroscopus pedestris Fb., subzonatus Grv., Hym.	227	hieracii Mayr. 54, juniperi L. 53, longicaudis Rtzb. 54,	macropterus Walk 49, 54, medius Först. 54,
Thinonoma, siehe Tachyusa	173	militaris Boh. 54, muscarum Nees 54,	nobilis Boh. 54, regius Nees 47, 48, 53,
Thyamis, siehe Longitarsus	213	socius Mayr. 50, 53, sodalis Mayr. 47,	speciosus Boh. 49, 54, tipulae Zett. 49, 53,
Thyatira batis, Lep.	291	viridis Först., Hym. 49, 50, 54	
Thymalus limbatus F., Col.	392	Tournieria, siehe Otiorrhynchus	196
Thymaris compressus Thms., Hym.	230	Tournier'sche Sammlung	101
Tillus elongatus L., unifasciatus F., Col.	192	Toxocampa craccae, Lep.	294
Timandra amata, Lep.	294	Toxotus meridianus L., quercus Goeze, Col.	207
Timarcha coriaria Laich., metallica Laich., tenebricosa L., Col.	210	Trachea atriplicis, Lep.	292
Tinea albipunctella Hw., fulvimitrella Sod., lapella Hb., parasitella Hb., roesslerella Heyd., semifulvella Hw., simplicella H.-S., Lep.	356	Trachodes hispidus L., Col.	198
Tinodes aureola 15, 17, dives 12, luscina 14, 17, sylvia 22, 17, Waeneri, Lep.	12	Trachynotus foliator Fb., Hym.	228
Tischeria decidua Wck., dodonaea Stt., Lep.	353	Trachyploeus alternans Boh., aristatus Gyll., scaber L., scabriculus L., squamulatus Ol., Col.	197
Titanio pollinalis S. V., pyrenaalis Dup., Lep.	323	Trachys minuta L., nana Hbst., pumila Ill., troglodytes Schh., Col.	188
Tmetocera ericetana, ocellana, Lep.	296	Trechus minutus 291, quadri-stiatus Schrk., secalis Payk., Col.	168
Tomicus acuminatus Gyll. 205, autographus Ratz. 206, bidentatus Hbst., bispinus Ratz., 205, curvidens Germ., dactyliperda J., dispar F., dryographus Er., laricis F. 206, Lichtensteini Ratz. 205, monographus F. 206, quadridens Hart. 205, saxesenii Ratz. 206, sexdentatus Boerner 205, typographus Zett., villosus F., Col.	206	Trematopygus procurator Grv., Hym.	230
Tomoxia biguttata Gyll., Col.	195	Trepanes articulatus Gyll., Col.	168
Tortrix Bergmanniana 50, 53, 296, cerasana, conwayana, corylana, crataegana, croceana Hb.? 296, v. Dohrniana H.-S. 148, dumetana, heparana, histrionana, piceana, pilleriana, podana, ribeana 296, rigana Sod. 148, rosana, Lep.	296	Triaena, siehe Amara	169

	Seite		Seite
Triclistus spiracularis Thms., Hym	230	Urodon rufipes Ol., suturalis F., Col.	2b4
Trigonalys Hahni 90, 246, 257, nevadensis, Hym.	257	V	
Trigonaspis crustalis Htg. 48, 51, renum Htg., Hym.	48—51	Vadonia, siehe Leptura L.	207
Trigonoderus Lichtensteini Rtzb., vittiger Thms., Hym.	53	Valgus hemipterus L., Col.	188
Trimium brevicorne Reichb., Col.	180	Vanessa cardui 105, io 314, po- lychloros, Lep.	382
Trinodes hirtus F., Col.	185	Vellejus dilatatus F., Col. 177,	232
Triphosa certata, dubitata, sa- baudiata, Lep.	294	Vespa crabro 232, germanica, media, Hym.	231
Triplax russica L., Col.	182	Vipio castrator F., Hym.	222
Triptognathus uniguttatus Grv., Hym.	225	W	
Tritoma, siehe Cyrtotriplax	182	Wormaldia occipitalis, Trich.	12
Trixacus carinifrons Bouv., der- mestoides L., Col.	189	X	
Trixagus fumatus F., tomentosus de Geer, Col.	184	Xanthia aurago, ab. fucata, fla- vago, fulvago, gilvago, palle- ago, Lep.	293
Troglops albicans L., Col.	192	Xantholinus atratus Heer., ful- gidus F., glabratus Grv., line- aris Ol., ochraceus Gyll., punc- tulatus Payk., tricolor F., Col.	176
Trogoderma versicolor Creutz., Col.	185	Xenacis caligata Grv., Hym.	227
Trogophloeus bilineatus Er., corticinus Grv., fuliginosus Gr., punctatellus Er., Col.	178	Xestobium plumbeum Ill., rufo- villosum de Geer, Col.	193
Trogus exaltatorius Pzr., lutorius F., Hym.	224	Xorides collaris Grv., Hym.	228
Tropideres albirostris Herbst., niveirostris F., sepicola F., Col.	204	Xya variegata, Orth.	97
Tropiphorus obtusus Bonsel., Col.	197	Xyleborus, siehe Tomicus	206
Trox sabulosus L., scaber L., Col.	189	Xyletinus ater Panz., pectinatus F., Col.	193
Tryphon bicornutus H., brachya- canthus Gmel., elongator Grv., ephippium H., incestus H., rutilator L., signator Gr., vul- garis H., Hym.	229	Xylina conformis, petrificata, rhizolitha, semibrunnea 293, socia, Lep.	314
Tychius albovittatus Bris., cur- tus Bris., genistae Schh., jun- ceus Reiche, medicaginis Bris., picirostris F., planicollis Steph., polylineatus Germ., quinque- punctatus L., tomentosus Hbst., venustus F., Col.	200	Xylocleptes, siehe Tomicus	205
Tylodrusus, siehe Polydrusus	196	Xylocopa violacea Fb., Hym. 109 ff.	
Typhaea fumata L., Col.	184, 291	Xylonomus irrigator F., pili- cornis Grv., praecatorius F., Hym.	228
U		Xyloterus domesticus L., lineatus Ol., signatus F., Col.	206
Uloma culinaris L., Col.	194	Xylotrechus, siehe Clytus	206
Urapteryx sambucaria, Lep.	294, 213	Xystophora suffusella Dgl., Lep.	345
Urocryptus excavatus Dalm., Hym.	53	Y	
		Yponomeuta evonymellus 50, 96, mahalebella Gn. 341, padellus 50, 296, plumbellus 296, stanellus Thbg. 341, vigin- tipunctatus Rtzb., Lep.	296, 344
		Ypsolophus schmidiellus Heyd., Lep.	346

		447
		Seite
Z	Seite	
Zabrus tenebrioides Goeze, Col.	169	Zonabris flexuosa Ol., floralis Pall. (Fuesslini Pz.), var. qua- drifaria Mars., variabilis Pall., Col. 393
Zanclognatha emortualis, grise- alis, tarsicrinalis, tarsipennalis, Lep.	294	Zonitis praeusta F., Col. 195
Zele testaceator Curt., Hym.	223	Zonosoma albiocellaria 143, li- nearia strabon., omicronaria, orbicularia, porata 294, punc- taria g. a. 294, 312, querci- montaria, Lep. 143
Zelleria hepariella Stt., Lep.	342	Zophodia convolutella Hb., Lep. 320
Zeugophora flavicollis Marsh., subspinosa Lec., Col.	209	Zygaena trifolii, Lep. 382
Zeuzera aesculi, Lep.	291	
