

Zeitschrift: Mitteilungen der Schweizerischen Entomologischen Gesellschaft = Bulletin de la Société Entomologique Suisse = Journal of the Swiss Entomological Society

Herausgeber: Schweizerische Entomologische Gesellschaft

Band: 72 (1999)

Heft: 3-4

Artikel: On homonymies in Bembidion Latreille, 1802 (Coleoptera, Carabidae)

Autor: Marggi, Werner A. / Huber, Charles

DOI: <https://doi.org/10.5169/seals-402759>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 10.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

On homonymies in *Bembidion* LATREILLE, 1802 (Coleoptera, Carabidae)

WERNER A. MARGGI¹ & CHARLES HUBER²

¹ Rüttiweg 3A, CH-3608 Thun

² Naturhistorisches Museum, Bernastrasse 15, CH-3005 Bern

Seven species or subspecies of *Bembidion* are renamed because of homonymy. Following replacement names are given: *Bembidion (Neja) torosum* nom. nov. for *Bembidion (Neja) anatolicum* JEDLIČKA, 1968; *Bembidion (Metallina) ovoideum* nom. nov. for *Metallina colasi* MORVAN, 1971; *Bembidion (Peryphanes) farsense* nom. nov. for *Peryphus depressus* MORVAN, 1972; *Bembidion (Ocydromus) siculum durudense* nom. nov. for *Peryphus (Ocydromus) zagrosensis* MORVAN, 1973; *Bembidion (Testedium) bipunctatum alii* nom. nov. for *Peryphus (Testedium) bipunctatum zagrosensis* MORVAN, 1973; *Bembidion (Testediolum) tizianoi* nom. nov. for *Testediolum zagrosensis* MORVAN, 1973; *Bembidion (Testediolum) armeniacum damavandense* nom. nov. for *Peryphidium davatchii* MORVAN, 1971.

Keywords: Coleoptera, Carabidae, *Bembidion*, systematics, homonyms.

INTRODUCTION

The genus *Bembidion* LATREILLE is distributed world-wide except for the Neotropical region. It includes a large number of species with more than a thousand valid species and subspecies known in the Palearctic region alone. Several subgenera are currently recognized and they are believed to improve the taxonomic treatment of the group.

JEANNEL (1941) proposed seven “phyletic lineages” for the ancient *Bembidion* and closely related taxa, each being a group of suprageneric rank (*Ocys*, *Cillenus*, *Notaphus*, *Bembidion*, *Peryphus*, *Odontium*, *Asaphidion*), and he upgraded 18 of the previous subgenera to genus level. NETOLITZKY (1942, 1943) agreed only with two of JEANNEL's lineages (*Notaphus*, *Peryphus*). The characters used by JEANNEL include numerous homoplasies and therefore can not indicate relationships. Nevertheless, JEANNEL's concept was followed by many authors (e.g. SCHULER, 1961; JEANNE, 1972; PERRAULT, 1981; VIGNA TAGLIANTI, 1993; BONAVITA & VIGNA TAGLIANTI, 1993; ZABALLOS & JEANNE, 1994; MORITA, 1996).

Many specialists on *Bembidion* such as NETOLITZKY, LINDROTH, DE MONTE, FASSATI, MADDISON, MÜLLER-MOTZFELD and BELOUSOV follow the traditional concept of a single large genus. Also in the latest studies *Bembidion* is handled as one genus (BOUSQUET & LAROCHELLE, 1993; TOLEDANO, 1998; LORENZ, 1998a, b), or even includes *Hoquedela* MÜLLER-MOTZFELD, 1988, downgraded to a subgenus of *Bembidion* (TOLEDANO & SCIAKY, 1998). HURKA (1996) refused the upgrading of subgeneric taxa in absence of phylogeny.

We face two opposite tendencies in the taxonomic treatment of *Bembidion*, as in that of some other groups of carabids. “Splitters” raise the ancient subgenera to genera and tend to provide for each supposed species group a separate name. “Traditionalists” rather keep the previous rank of taxa, unless they feel obliged to undertake a taxonomic action because of recognized paraphyly, polyphyly or asymmetry

in the classification of the higher taxon. Splitters place more importance on differences and less on phylogeny. It results an inflation of new names making classification less comprehensible. An additional problem is that it is a potential source of homonyms.

While working on a catalogue of Palearctic species of *Bembidion*, in which the traditional concept is followed, seven homonyms were found. Because of the great number of *Bembidion* species a phylogenetic analysis is unlikely to appear in the near future, we propose the replacement names below.

REPLACEMENT NAMES

1. The homonyms of the name *anatolicum*

The name *anatolicum* has been used twice. KORGE's (1964) subspecific name is the older and valid homonym.

Bembidion (Pseudolimnaeum) lederi anatolicum KORGE, 1964; valid name.

Bembidion (Neja) torosum nom. nov.

for *Bembidion (Neja) anatolicum* JEDLIČKA, 1968, preoccupied by *Bembidion (Pseudolimnaeum) lederi anatolicum* KORGE, 1964.

Etymology: The new name refers to the locus typicus, the Toros Mountains in South-western Turkey.

We do not agree with LORENZ (1998a) who places this Turkish species in synonymy of the Western Mediterranean species *B. ambiguum* DEJEAN, 1831. According to MÜLLER-MOTZFELD (pers. comm.) it is possibly a synonym of the Eastern Mediterranean *B. sporadicum* SAHLBERG, 1903. However, no revision of the subgenus *Neja* exists and therefore a replacement name for JEDLIČKA's homonym is given.

2. The homonyms of the name *colasi*

It was SCHULER (1961) who for the first time used the specific name *colasi* in *Peryphus (Testediolum)*. MORVAN (1971) gave the same name to another species in *Metallina*, despite the close relationship of the two "genera". Regarding *Bembidion* as a genus, the younger name of MORVAN has to be replaced.

Bembidion (Nepha) colasi (SCHULER, 1961); valid name.

Described as *Peryphus (Testediolum) colasi* SCHULER, 1961.

Bembidion (Metallina) ovoideum nom. nov.

for *Metallina colasi* MORVAN, 1971, preoccupied by *Bembidion (Testediolum) colasi* SCHULER, 1961.

Etymology: The new name refers to the oviform elytra.

3. The homonyms of the name *depressum*

The older homonym *depressum* MÉNÉTRIÉS, 1832 remains valid. Regarding *Bembidion* as a genus, the younger homonym *Peryphus depressus* MORVAN, 1972 is a junior secondary homonym and has to be replaced.

Bembidion (Bembidionetolitzky) depressum MÉNÉTRIÉS, 1832; valid name.

Described as *Bembidium depressum* MÉNÉTRIÉS, 1832.

Bembidion (Peryphanes) farsense nom. nov.

for *Bembidion (Peryphanes) depressum* (MORVAN, 1972) sensu LORENZ (1998a), described as *Peryphus depressus*, preoccupied by *Bembidion (Bembidionetolitzkya) depressum* MÉNÉTRIÉS, 1832.

Etymology: The new name refers to the Iranian province Fars.

4. The homonyms of the name *zagrosense*

MORVAN (1972, 1973) used the name *zagrosensis* – referring to the Iranian Zagros Mountains – five times for species and subspecies in *Emphanes*, *Peryphus* (*Ocydromus*), *Peryphus* (*Testedium*), *Peryphanes* and *Testediolum*. MÜLLER-MOTZFELD (1986) realised this multiple homonymy and fixed *Bembidion (Emphanes) zagrosense* MORVAN, 1972 as valid name. Also, VYSOKÝ (1986) pointed to the discrepancies in MORVAN's paper without proposing any solutions.

Bembidion (Emphanes) zagrosense (MORVAN, 1972); valid name.

Described as *Emphanes zagrosensis* MORVAN, 1972.

Bembidion (Ocydromus) siculum durudense nom. nov.

for *Bembidion (Ocydromus) siculum zagrosense* (MORVAN, 1973) sensu KRYZHANOVSKIJ *et al.* (1995), described as *Peryphus (Ocydromus)¹ zagrosensis* MORVAN, 1973.

Although MÜLLER-MOTZFELD (1986) realized that the name *Peryphus (Ocydromus) zagrosensis* MORVAN, 1973 is preoccupied by *Bembidion (Emphanes) zagrosense* MORVAN, 1972, he did not replace it. KRYZHANOVSKIJ *et al.* (1995) downgraded MORVAN's taxon to the subspecific level of *Bembidion (Ocydromus) siculum* without mentioning the homonymy and the preoccupation by *Bembidion (Emphanes) zagrosense* MORVAN, 1972.

Etymology: The new name refers to the locus typicus: Iran, Zagros Mountains, Durud.

Bembidion (Testedium) bipunctatum alii nom. nov.

for *Bembidion (Testedium) bipunctatum zagrosense* (MORVAN, 1973), described as *Peryphus (Testedium) bipunctatum zagrosensis* MORVAN, 1973.

MORVAN (1973) used the name *zagrosensis* twice in one paper within *Peryphus* for a new species *Peryphus (Ocydromus) zagrosensis* (see above) and for a subspecies of *Peryphus bipunctatum* constituting an objective primary homonym. Both names are preoccupied by *Bembidion (Emphanes) zagrosense* MORVAN, 1972.

Etymology: The new name refers to the oriental first name Ali.

Bembidion (Testediolum) tizianoi nom. nov.

for *Bembidion (Testediolum) zagrosense* (MORVAN, 1973), described as *Testediolum zagrosensis* MORVAN, 1973, preoccupied by *Bembidion (Emphanes) zagrosense* MORVAN, 1972.

¹ Spelling mistake of MORVAN.

MORVAN (1973) pointed to the relationship between *Testediolum zagrosensis* and *Testediolum turcicum* («proche de *T. turcicum* GEMMINGER & HAROLD, 1868²»). *Bembidion turcicum* belongs to the subgenus *Nepha* and not to *Testediolum* as MORVAN mentioned. Because of the lack of a systematic revision of the subgenera *Nepha* and *Testediolum*, we do not remove *Bembidion tizianoi* from the subgenus *Testediolum*.

Etymology: The new name is dedicated to the Italian specialist on *Bembidion* Tiziano DE MONTE.

The homonymy of *Peryphanes zagrosensis* MORVAN, 1973 (also preoccupied by *Bembidion (Emphanes) zagrosense* MORVAN, 1972) was treated by MÜLLER-MOTZFELD (1986), who renamed the species as *Bembidion (Peryphanes) morvanianum*.

5. The homonyms of the name *davatchii*

In 1971 MORVAN described two species in different nominal genera with the identical name *davatchii*.

Bembidion (Ocyturanes) culminicola davatchii MORVAN, 1971 sensu KRYZHANOVSKIJ et al. (1995); valid name.

Described as *Bembidion (Peryphus) davatchii* MORVAN, 1971.

Bembidion (Testediolum) armeniacum damavandense nom. nov.

for *Peryphidium davatchii* MORVAN, 1971, preoccupied by *Bembidion (Ocyturanes) culminicola davatchii* MORVAN, 1971.

We follow KIRSCHENHOFER (1989) who downgrades *Peryphidium davatchii* to subspecies of *Bembidion (Testediolum) armeniacum* CHAUDOIR.

Etymology: The new name refers to the locus typicus: Iran, Elburz Mountains, Mount Damavand.

ACKNOWLEDGEMENTS

We are indebted to G. MÜLLER-MOTZFELD, Greifswald D, for his help with systematics, to I. LÖBL, Geneva, for constructive comments and for the translation of a paper in Czech language, to M. GOSTELI HUBER and E. OBRECHT for their help with our English.

ZUSAMMENFASSUNG

Über Homonymien bei *Bembidion* LATREILLE, 1802 (Coleoptera, Carabidae). – Sieben Namen von Arten bzw. Unterarten der Gattung *Bembidion* sind aus Gründen von Homonymie zu ersetzen. Folgende Taxa werden umbenannt: *Bembidion (Neja) torosum* nom. nov. für *Bembidion (Neja) anatolicum* JEDLIČKA, 1968; *Bembidion (Metallina) ovoideum* nom. nov. für *Metallina colasi* MORVAN, 1971; *Bembidion (Peryphanes) farsense* nom. nov. für *Peryphus depressus* MORVAN, 1972; *Bembidion (Ocydromus) siculum durudense* nom. nov. für *Peryphus (Ocydromus) zagrosensis* MORVAN, 1973; *Bembidion (Testedium) bipunctatum* alii nom. nov. für *Peryphus (Testedium) bipunctatum* *zagrosensis* MORVAN, 1973; *Bembidion (Testediolum) tizianoi* nom. nov. für *Testediolum* *zagrosensis* MORVAN, 1973; *Bembidion (Testediolum) armeniacum damavandense* nom. nov. für *Peryphidium davatchii* MORVAN, 1971.

REFERENCES

- BONAVITA, P. & VIGNA TAGLIANTI, A. 1993. Note sulle specie di *Ocydromus* (*Bembidionetolitzkyi*) del gruppo *fasciolatus* (Coleoptera, Carabidae). *Fragm. ent.*, Roma 25: 67–90.

² Erroneously, the author in MORVAN (1973) is «H. DE GEMMINGER 1868».

- BOUSQUET, Y. & LAROCHELLE, A. 1993. Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Carabidae including Cicindelini) of America North of Mexico. *Mem. Ent. Soc. Canada* 167: 397 pp.
- HURKA, K. 1996. *Carabidae of the Czech and Slovak Republics*. Kabourek, Zlin, 1996, 565 pp.
- JEANNE, C. 1972. Carabiques nouveaux (4e note) (Col., Caraboidea). *Bull. Soc. ent. France* 77: 78–86.
- JEANNEL, R. 1941. *Faune de France 39, Coléoptères Carabiques I*. Paris, 571 pp.
- JEDLIČKA, A. 1968. Contribution à la faune de l'Iran. 11. Nouveaux coléoptères Carabidae. *Ann. Soc. ent. France (N.S.)* 4: 989–996.
- KIRSCHENHOFER, E. 1989. Neue *Bembidion*-Arten aus Asien, vorwiegend aus dem Himalaya. *Entomofauna* 10: 397–423.
- KORGE, H. 1964. Carabiden- und Staphylinidenfunde in den Pontischen Gebirgen Kleinasiens und in Mazedonien (Coleoptera). *Reichenbachia* 4: 105–126.
- KRYZHANOVSKIJ, O.L., BELOUsov, I.A., KABAK, I.I., MAKAROV, K.V., & SHILENKOV, V.G. 1995. *Checklist of the Ground Beetles of Russia and Adjacent Lands*. Pensoft Publishers, Sofia-Moscow. 271 pp.
- LORENZ, W. 1998a. *Systematic list of extant ground beetles of the world*. Tutzing, 503 pp.
- LORENZ, W. 1998b. *Nomina carabidarum. A directory of the scientific names of ground beetles (Insecta, Coleoptera "Geadephaga": Trachypachidae and Carabidae incl. Paussinae, Cicindelinae, Rhysodinae)*. Tutzing, 937 pp.
- MÉNÉTRIÉS, E. 1832. *Catalogue raisonné des objets de Zoologie, recueillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse*. St. Pétersbourg, 271 pp.
- MORITA, S. 1996. Notes on the Bembidiinae (Carabidae) of Japan IX. Five new species of the subgenus *Plataphus*. *Jap. J. Entomol.* 64: 255–266.
- MORVAN, P. 1971. Nouveaux Coléoptères Carabiques d'Iran. *Ann. Soc. ent. France (N.S.)* 7: 231–239.
- MORVAN, P. 1972. Descriptions de nouveaux Coléoptères Carabiques d'Iran. *Bull. Soc. ent. France* 77: 26–28.
- MORVAN, P. 1973. Nouveaux Coléoptères Carabiques d'Iran. *Bull. Mus. Nat. Hist. Nat. 3. Ser. No. 110*: 169–186.
- MÜLLER-MOTZFELD, G. 1986. Zur Taxonomie und Phylogenie im *Bembidion*-Subgenus *Ocydromus* CLAIRVILLE (Col., Carabidae). *Entomol. Nachr. Ber.* 30: 31–40.
- NETOLITZKY, F. 1942. Bestimmungs-Tabellen europäischer Käfer. II. Fam. Carabidae. Subfam. Bembiinae. 66. Gattung: *Bembidion* LATREILLE Bestimmungstabellen der *Bembidion*-Arten des paläarktischen Gebietes. *Koleopt. Rundschau* 28: 29–124.
- NETOLITZKY, F. 1943. Bestimmungs-Tabellen europäischer Käfer. II. Fam. Carabidae. Subfam. Bembiinae. 66. Gattung: *Bembidion* LATREILLE Bestimmungstabellen der *Bembidion*-Arten des paläarktischen Gebietes. *Koleopt. Rundschau* 29: 1–70.
- PERRAULT, G.G. 1981. Etudes sur la tribu des Bembidiini (Coleoptera, Carabidae) I: Notes sur la classification supraspécifique. *Nouv. Rev. Ent.* 11: 237–250.
- SCHULER, L. 1961. Quelques Bembidiini de Turquie et de Perse. *L'Entomologiste* 17: 23–24.
- TOLEDANO, L. 1998. Microsinocys, a new subgenus of *Bembidion* LATREILLE from western and southwestern China (Coleoptera: Carabidae). *Koleopt. Rundschau* 68: 27–45.
- TOLEDANO, L. & SCIACY, R. 1998. Three subgenera of *Bembidion* new to China, with description of a new species (Coleoptera, Carabidae). *Boll. Mus. civ. Storia nat. Venezia* 48 (1997): 97–114.
- VIGNA TAGLIANTI, A. 1993. Coleoptera, Archostemata, Adephaga 1 (Carabidae). In: MINELLI, A., RUFFO, S. & LA POSTA, S. (eds.), *Checklist delle specie della fauna italiana*, 44. Calderini, Bologna, 51 pp.
- VYSOKÝ, V. 1986. Contribution to the knowledge of genus *Bembidion* LATREILLE, 1802 (Coleoptera, Carabidae) [in Czech]. *Fauna bohem. septentr. usti nad labem* 11: 91–103.
- ZABALLOS, J.P. & JEANNE, C. 1994. Nuevo Catalogo de los Carabidos (Coleoptera) de la Peninsula Iberica. *Monogr. Soc. Entomol. Aragonesa* 1: 159 pp.

(received August 18, 1999; accepted September 16, 1999)