

Zeitschrift:	Mitteilungen der Schweizerischen Entomologischen Gesellschaft = Bulletin de la Société Entomologique Suisse = Journal of the Swiss Entomological Society
Herausgeber:	Schweizerische Entomologische Gesellschaft
Band:	73 (2000)
Heft:	3-4
Artikel:	On Drosophilidae (Diptera) species collected in Andorra
Autor:	Bächli, Gerhard / Serra, Luis
DOI:	https://doi.org/10.5169/seals-402789

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 09.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

On Drosophilidae (Diptera) species collected in Andorra

Gerhard Bächli¹ & Luis Serra²

For 16 species of Drosophilidae, records from Andorra are given. The results are discussed in the context of regional distributions.

Keywords: Drosophilidae, distribution, Andorra

INTRODUCTION

With some exceptions, the fauna of Drosophilidae within Europe is insufficiently known. For most countries, only sporadic records have been published, e.g. of species like *Drosophila melanogaster* or *D. subobscura* used for population genetic purposes. Some more comprehensive species-lists have been published, e.g. by HADORN *et al.* (1952) for some areas of France, Spain, and Portugal, including the western Pyrenees, by MONCLÚS (1972) for the Province of Catalunya, or by ROCHA PITÉ & TSACAS (1979) for France. For many small countries, however, reliable faunistic knowledge is scarce.

One of the till now virtually overlooked countries is Andorra. To our knowledge, only two drosophilid species have been found there (unpubl.). We therefore want to report data on drosophilids collected in this country.

METHODS

A Malaise trap was operated by Juli Pujade Villar in Santa Coloma, Andorra, 1050 m a.s.l.. The accumulating container was emptied at regular intervals twice a month from January to December, 1993 (Tab. 1); for additional details see PUJADE VILLAR (1996). Drosophilidae were found from January to September. The flies were stored in alcohol and identified, partly by E. SAGARRA.

RESULTS AND DISCUSSION

A total of 739 flies of 15 species were recorded (Tab. 2). This result seems small, as compared with many other drosophilid collections (e.g., BURLA & BÄCHLI, 1991; BÄCHLI & BURLA, 1992); however, those collections were made using baits of fermenting fruit and it is well known that the recorded species composition is strongly influenced by methodical and behavioral aspects (e.g. BÄCHLI *et al.*, 1991). A direct comparison is therefore not very useful. Whereas by baiting the number of males collected usually exceeds the number of females, the Malaise trap yielded significantly more females than males of *D. subobscura*, but about twice as many males than females of *D. camreraria*. Sex ratios were more even in the other species.

¹ Zoologisches Museum, Universität Zürich-Irchel, Winterthurerstrasse 190, CH-8057 Zürich

² Departament de Genètica, Facultat de Biologia, Universitat de Barcelona, Diagonal 645, E-08071 Barcelona

Tab. 1. Collecting periods in 1993.

Period	Month	Days
1/I	January	1-15
1/II	January	16-31
2/I	February	1-15
2/II	February	16-28
3/I	March	1-15
3/II	March	16-31
4/I	April	1-15
4/II	April	16-30
5/I	May	1-15
5/II	May	15-31
6/I	June	1-15
6/II	June	16-30
7/I	July	1-15
7/II	July	16-31
8/I	August	1-15
8/II	August	16-31
9/I	September	1-15
9/II	September	16-30
10/I	October	1-15

The dominant species was *D. subobscura*; *Scaptomyza pallida*, *D. cameraria*, *Amiota alboguttata* and *D. nigrosparsa* were also found in larger numbers. That *A. alboguttata*, *Acletoxenus formosus*, *Cacoxenus indagator*, *Amiota variegata*, and some of the rarer *Drosophila* species were recorded at all is rather uncommon; we are convinced that this is also an effect of the collecting method.

D. nigrosparsa is usually found at higher altitudes in central and western European mountains. The species has been collected in the "Massif Central" in France (ROCHA PITÉ & TSACAS, 1979) and in Asturias in Spain (MÁCA & LAŠTOVKA, 1985). *A. alboguttata* is known from Spain (Puerto do Galiz, unpublished) and France (Rhône valley around Lyon, unpublished). *A. formosus*, a parasitoid of white flies (Aleyrodidae) is known from France (e.g. GAUTIER, 1923) but not from Spain. *C. indagator*, associated with solitary bees of the genus *Osmia*, has been found in Spain

Tab. 2. Number of specimens collected.

Period Species	1/I	1/II	2/I	2/II	3/I	3/II	4/I	4/II	5/I	5/II	6/I	6/II	7/I	7/II	8/I	8/II	9/I	9/II	total
<i>D. subobscura</i>	3	2	3	2	-	3	19	101	122	189	44	20	8	2	8	5	-	-	531
<i>S. pallida</i>	-	-	-	-	-	-	3	7	2	12	20	-	1	2	2	-	8	2	59
<i>A. alboguttata</i>	-	-	-	-	-	-	1	-	2	10	3	4	5	9	6	7	3	2	52
<i>D. cameraria</i>	-	-	-	-	-	-	2	8	19	9	3	-	-	-	-	-	-	-	41
<i>D. nigrosparsa</i>	-	1	2	3	13	8	-	-	-	-	-	-	-	-	-	-	-	-	27
<i>C. indagator</i>	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	9
<i>S. graminum</i>	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	5
<i>D. andalusiaca</i>	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	4
<i>L. maculata</i>	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	3
<i>S. furta</i>	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	3
<i>D. fenestrarum</i>	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<i>D. phalerata</i>	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
<i>D. obscura</i>	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
<i>A. variegata</i>	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
<i>A. formosus</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
total	3	3	6	6	13	11	25	116	147	232	77	25	17	13	17	13	11	4	739

(HACKMAN, 1969) and France (e.g. COUTIN & DESMIER DE CHENON, 1983). *A. formosus*, *A. alboguttata*, *A. variegata*, *C. indagator*, and *D. nigrosparsa* are new for the Pyrenees; they are most probably widespread in the area.

Seasonal differences in the numbers of flies collected are obvious. Most of the flies were recorded from mid April to mid June. Numbers for the other months are distinctly smaller. It is known that drosophilids are active and can be collected even during the cold season, as shown by WALTER (1990) and ARGEMÍ *et al.* (1999). We have no explanation why the malaise trap yielded no drosophilids from October to December, but, as shown by PUJADE VILLAR (1996), the total number of flies collected during these months was generally smaller than in the periods before.

One additional species, *Drosophila transversa*, was recorded by B. MERZ in Llorts ($1^{\circ} 32'$ E, $42^{\circ} 36'$ N, 1450–1850 m a.s.l) and in the collection of the Zoological Museum Berlin there are specimens of the widespread *S. pallida* from Andorra and Lago de Egolasters.

ACKNOWLEDGMENTS

We want to thank Bernhard MERZ for informing us about the specimen collected in Llorts, Miguel CARLES-TOLRÀ and Elisabet SAGARRA for separating of the specimens, and Elsa OBRECHT for smoothing the English.

REFERENCES

- ARGEMÍ, M., MONCLÚS, M., MESTRES, F., & SERRA, L. 1999. Comparative analysis of a community of Drosophilids (Drosophilidae; Diptera) sampled in two periods widely separated in time. *J. Zool. Syst. Evol. Res.* 37: 203–210.
- BÄCHLI, G. & BURLA, H. 1992. Altitudinal effects in assemblages of Drosophilidae (Diptera) in the Ticino, Switzerland. *Mitt. schweiz. ent. Ges.* 65: 177–185.
- BÄCHLI, G., BURLA, H., & ERNI, S. 1991. Über die Heterogenität der Fangerträge an Drosophiliden (Diptera) mit Obst und Wildfrüchten als Köder. *Mitt. schweiz. ent. Ges.* 64: 33–43.
- BURLA, H. & BÄCHLI, G. 1991. A search for pattern in faunistic records of drosophilid species in Switzerland. *Z. zool. Syst. u. Evolut.-Forsch.* 29: 176–200.
- COUTIN, R. & DESMIER DE CHENON, R. 1983. Biologie et comportement de *Cacoxenus indagator* LOEW (Dipt., Drosophilidae) cleptoparasite d'*Osmia cornuta* LATR. (Hym., Megachilidae). *Apidologie* 14: 233–240.
- GAUTIER, C. 1923. Un aleurode parasite du poirier et du frêne *Trialeurodes inaequalis*, n.sp. (Hem. Aleurodidae). *Annls Soc. ent. Fr.* 91(1922): 337–350.
- HACKMAN, W. 1969. Some Heleomyzidae, Opomyzidae, Sphaeroceridae, Diastatidae, Drosophilidae, Scatophagidae and Hippoboscidae (Diptera) collected in Southern Spain, with description of a new species of *Acantholeria*. *Ent. Medd.* 37: 161–181.
- HADORN, E., BURLA, H., GLOOR, H., & ERNST, F. 1952. Beitrag zur Kenntnis der *Drosophila*-Fauna von Südwest-Europa. *Z. indukt. Abstamm.- u. VererbLehre* 84: 133–163.
- MÁCA, J. & LAŠTOVKA, P. 1985. Notes on the faunistics and zoogeography of the family Drosophilidae in Czechoslovakia. In: PACUTA, M. & STOLLAR, S., (eds), Organizmy a prostředí, pp. 273–287. Pedag. Fakulta Nitra.
- MONCLÚS, M. 1964. Distribucion y ecología de Drosophilidos en España. I. Especies de *Drosophila* de la region catalana. *Genet. iber.* 16: 143–165.
- PUJADE VILLAR, J. 1996. Resultados preliminares obtenidos a partir de una trampa Malaise situado en una zona mediterránea pirenaica. *Pirineos* 147–148: 61–80.
- ROCHA PITÉ, M.T. & TSACAS, L. 1979. Nouvelles données sur la répartition des Drosophiles en France (Diptera Drosophilidae). *Revue fr. Ent.* 1(N. Ser.): 135–140.
- WALTER, T. 1990. Über den Nachweis von *Drosophila*-Arten während des Winters im schweizerischen Mittelland. *Mitt. schweiz. ent. Ges.* 63: 115–120.

(received September 9, 2000; accepted October 6, 2000)

