

Zeitschrift: Mitteilungen der Schweizerischen Entomologischen Gesellschaft =
Bulletin de la Société Entomologique Suisse = Journal of the Swiss
Entomological Society

Herausgeber: Schweizerische Entomologische Gesellschaft

Band: 78 (2005)

Heft: 1-2

Artikel: A new synonym of *Leptogaster subtilis* Loew, 1847 (Diptera, Asilidae)

Autor: Weinberg, Medeea / Bächli, Gerhard

DOI: <https://doi.org/10.5169/seals-402882>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 13.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

A new synonym of *Leptogaster subtilis* Loew, 1847 (Diptera, Asilidae)

MEDEEA WEINBERG¹ & GERHARD BÄCHLI²

¹ Musée d'Histoire naturelle "Grigore Antipa", 1, Chaussée Kisseleff, R-79744 Bucaresti, Romania

² Zoologisches Museum, Universität Zürich-Irchel, Winterthurerstrasse 190, CH-8057 Zürich, Switzerland; baechli@zoolmus.unizh.ch

The synonyms of the nominal species *Leptogaster subtilis* Loew, 1847 are reviewed. *Leptogaster fragilissima* Frey, 1954 is established as a new synonym of *Leptogaster subtilis* Loew, 1847.

Keywords: Asilidae, *Leptogaster subtilis*, *Leptogaster fragilissima*, new synonym

INTRODUCTION

In the genus *Leptogaster*, more than 120 species have been described from almost all biogeographic regions. The Palearctic fauna contains 49 species, the majority of them recorded from the Asian part (Lehr 1988). In Europe, 12 species are known; three of them, *L. cylindrica* (De Geer, 1776), *L. guttiventris* Zetterstedt, 1842 and *L. pubicornis* Loew, 1847 are widespread, whereas most other species are found predominantly in the Mediterranean area.

As the descriptions are insufficient for many species and illustrations of terminalia are partly inadequate or missing, their identification is often difficult. In addition, the range of variation is very large. No wonder that many species were described under different names which were synonymized afterwards (Oldroyd 1972). A revision of the genus is badly needed.

SYSTEMATICS

Leptogaster subtilis was described by Loew (1847) based on a single female collected near Naples (Schumann 1973). A first key entry and redescription was given by Engel (1930) who also mentioned its distribution in Austria.

L. subtilis was next recorded by Tsacas (1960) who had captured one female on 9 September 1958 at Valldemosa, Mallorca Island. While trying to identify it, he found in the collections of the Paris Museum two males from Spain, previously wrongly determined as *L. pumila* (Macquart, 1834): one from Panticosa (Huesca), 24.09.1934 and one from Ribera, 25.07.1929 (Spanish Pyrenees). He cleared up the correct identity of these three specimens as *L. subtilis*, described the male and illustrated the hypopygium in lateral view, the wing and the antenna.

The drawing given by Tsacas (1960) shows that the hypopygium of *L. subtilis* is very characteristic and clearly different from other *Leptogaster* species. Theodor (1976) also mentioned that the hypopygium of many *Leptogaster* species is markedly modified. We want to emphasize here that such illustrations of details of

the hypopygium are mandatory for the identification of *L. subtilis*, because the specimens are subject to variability, particularly regarding the coloration of the basis of the third antennal joint (the shape remaining the same), the spots on the femora, and the pilosity of the hypopygium.

The next redescription of *L. subtilis* was made by Straka (1979), based on a male collected in 1978 at Lamač near Bratislava (Slovakia). He included a drawing of the hypopygium in lateral view which corresponds with that of Tsacas (1960). This record was marked as very rare in the checklist of the Slovak Diptera (Straka 1985) and was also mentioned by Bosák (1997).

Additional German records are given by Miksch *et al.* (1993) for Baden-Württemberg and by Geller-Grimm (1996) for Hessen.

Data for the distribution of 10 specimens in Switzerland were published by Weinberg & Bächli (1994, 1995, 1998) and Weinberg *et al.* (1995, 1996). In addition, the following four Swiss specimens were found in the collection of the second author, labelled: 1 ♂, CH: Pfynwald VS, 19.7.-7.8.1993/C [= canopy trap], leg. G. Bächli; 1 ♀, CH: Leuk VS, 27.-29.7.1993, leg. G. Bächli; 1 ♀, CH: Ronco s/Ascona, 1997 / 480-860 m, leg. M. Moretti; 1 ♂, CH: Locarno TI, 1997 / 460-920 m, leg. M. Moretti. The latter two specimens were collected during a study of the effects of forest fires on the local fauna.

These new Swiss records prompted us to analyze the data published in the Palearctic Catalogue of Lehr (1988) regarding the Palearctic distribution of *L. subtilis*, adding the presence in Switzerland which was not given in this Catalogue.

Lehr (1961) reported on the distribution of the Leptogastrinae species in the USSR; he mentioned *L. subtilis* from Tadshikistan, including a drawing of its hypopygium. Hradsky & Hüttinger (1983) made a comparison between this “*L. subtilis*” from Tadshikistan (Lehr 1961) and *L. subtilis* from Slovakia (Straka 1979). They found that Lehr’s specimen is not *L. subtilis*, but is identical to a species from Afghanistan. For this species they proposed the new name *L. lehri* and provided a clear description with several aspects of the hypopygium, which is far different from that of *L. subtilis*. Unfortunately, this publication was overlooked by Lehr (1988).

The individual variability mentioned above had lead Frey (1936) to describe, in comparison with *L. subtilis* Loew, *L. helvola* Loew and *L. calceata* Engel, a new species *L. fragilissima*, known from three localities of the Canary Islands. Baez (1987) provided a redescription in Spanish, including illustrations of the hypopygium in ventral, dorsal and lateral views. He considered this species as being endemic to the Canary Islands.

In 1957 Janssens described *L. gallica* from a male specimen collected near Paris, of which he figured the hypopygium in lateral and dorsal views. This nominal species was overlooked by Lehr (1988). Tomasovic (1995) reported it as new to Belgium, but later on compared his specimens with those of *L. subtilis* from Slovenia stored in the Amsterdam Museum as well as with the type specimen of *L. subtilis* kept in the Berlin Museum. He decided that *L. gallica* is a synonym of *L. subtilis* (Tomasovic 1996). Additional data on its distribution in France, including a short history of the research regarding *L. subtilis* and also some morphological data, are given by Tomasovic (1999). He also refers to specimens captured with Malaise traps in two forests where chestnut trees predominate, and gave some comments regarding their number.

The illustrations of the hypopygium published by Tsacas (1960) and Straka (1979) for *L. subtilis*, by Baez (1979) for *L. fragilissima* and by Janssens (1957) for *L. gallica* as well as the data we have from the Swiss specimens do not show any important differences. This enables us to establish that *L. fragilissima* is a new synonym of *L. subtilis*.

In addition to the former descriptions, we want to mention that females exhibit, laterally on the 7th tergite, one round spot on each side thinly covered with white setulae; also, in most specimens the legs of the females are darker than those of the male.

CONCLUSIONS

Based on the facts mentioned above, we establish here the following synonymy:

- Leptogaster subtilis* Loew, 1847: 401
 = *Leptogaster fragilissima* Frey, 1936: 58 (new synonymy)
 = *Leptogaster gallica* Janssens, 1957: 11 (Tomasovic 1996)

REFERENCES

- Baez, M. 1987. Notas sobre *Leptogaster fragilissima* Frey, 1936 (Dip. Asilidae). — Boletín de la Asociación española de Entomología 11: 259–261.
- Bosák, J. 1997. Asilidae. — In: Chvála, M. (ed.), Check List of Diptera (Insecta) of the Czech and Slovak Republics, pp. 46–48. Prague, Karolinum.
- Engel, O. 1930. 24. Asilidae. — In: Lindner, E. (ed.) Die Fliegen der Palaearktischen Region. Vol. 4(2), pp. 1–491. Stuttgart.
- Frey, R. 1936. Die Dipterenfauna der Kanarischen Inseln und ihre Probleme. — Commentationes Biologicae 6(1): 1–237.
- Geller-Grimm, F. 1996. Faunistische Bearbeitung der Raubfliegen Hessens (Diptera: Asilidae). — Mitteilungen Pollichia 83: 243–282.
- Hradsky, M. & Hüttinger, E. 1983. Eine neue *Leptogaster*-Art aus Afghanistan (Diptera, Asilidae). — Reichenbachia 21(9): 63–64.
- Janssens, E. 1957. Contribution à l'étude des Leptogastrinae (Diptera Asilidae). — Bulletin de l'Institut royal des Sciences naturelles de Belgique 33(49): 1–12.
- Lehr, P.A. 1961. Robber Flies of the subfamily Leptogastrinae (Diptera, Asilidae) in the Fauna of the U.S.S.R. (in Russian). — Entomologicheskoe obozrenie 40(3): 686–703.
- Lehr, P.A. 1988. Family Asilidae. — In: Soós, A. & Papp, L. (eds.), Catalogue of Palaearctic Diptera. Vol. 5, pp. 197–326. Budapest.
- Loew, H. 1847. Ueber die europäischen Raubfliegen (Diptera asilica). — Linnaeana entomologica 2: 384–568.
- Miksch, G., Doczkal, D. & Schmid-Egger, C. 1993. Faunistische Bearbeitung der Raubfliegen Baden-Württembergs (Diptera: Asilidae). — Jahresheft der Gesellschaft für Naturkunde in Württemberg 148: 159–191.
- Oldroyd, H. 1972. Robber flies (Diptera: Asilidae) of the Philippine Islands. — Pacific Insects 14(2): 201–337. Bishop Museum Honolulu Hawaii USA.
- Schumann, H. 1973. Die Asiliden-Typen der Dipteren-Sammlung des Zoologischen Museums in Berlin. — Mitteilungen aus dem Zoologischen Museum in Berlin 49: 1–174.
- Straka, V. 1979. Prvý nález Muchárky *Leptogaster subtilis* Loew (Diptera, Asilidae) v ČSSR. — Biologia, Bratislava 34(11): 901–903.
- Straka, V. 1984. Cel'ad' Asilidae. — In: J. Čepelák *et al.* (eds), Diptera Slovenska. Vol. I (Nematocera, Brachycera-Orthorrhapha), pp. 166–175. Bratislava.
- Theodor, O. 1976. On the Structure of the Spermathecae and Aedeagus in the Asilidae and their Importance in the Systematics of the family. 175 pp. — Jerusalem.
- Tomasovic, G. 1995. Données sur la faune entomologique de la réserve naturelle de la Montagne Saint-Pierre. 1. Asilidae (Diptera, Brachycera). — Bulletin et Annales de la Société royale belge d'Entomologie 131: 445–454.
- Tomasovic, G. 1996. Notes sur les Asilidae paléarctiques (Diptera, Brachycera, Asilidae (1–3)). — Bulletin et Annales de la Société royale belge d'Entomologie 132: 161–163.

- Tomasovic, G. 1999. Notes sur les Asilidae paléarctiques (Diptera Brachycera) (12 et 13) *Andrenosoma cornuta* Oldroyd, 1972, *Leptogaster subtilis* Loew, 1847 et *Satanas gigas* (Eversmann, 1855). — Bulletin de la Société royale belge d'Entomologie 135: 221–222.
- Tsacas, L. 1960. Sur quelques Diptères de l'Ile Majorque. — Eos, Revista española de Entomologia 36: 237–239.
- Weinberg, M. & Bächli, G. 1994. Additional data on Asilidae (Diptera) from Switzerland. — Travaux du Musée d'Histoire naturelle «Grigore Antipa» 34: 133–140.
- Weinberg, M. & Bächli, G. 1995. Diptera Asilidae. — Insecta Helvetica Fauna. Vol. 11, 124 pp.
- Weinberg, M. & Bächli, G. 1998. 38. Asilidae. — In: Merz, B., Bächli, G., Haenni, J.-P. & Gonseth, Y. (eds), Diptera-Checklist. Fauna Helvetica. Vol. 1, pp. 169–172.
- Weinberg, M., Bächli, G. & Merz, B. 1995. Schweizer Raubfliegen (Diptera: Asilidae) in der Entomologischen Sammlung der ETH Zürich. — Mitteilungen der Entomologischen Gesellschaft Basel 45: 162–178.
- Weinberg, M., Hofmann, C. & Bächli, G. 1996. Les asilides suisses (Diptera: Asilidae) de la collection du Musée de zoologie de Lausanne (Suisse). — Bulletin romand d'Entomologie 14: 51–71.

(received November 12, 2004; accepted April 7, 2005)