

**Zeitschrift:** Mitteilungen der Schweizerischen Entomologischen Gesellschaft =  
Bulletin de la Société Entomologique Suisse = Journal of the Swiss  
Entomological Society

**Herausgeber:** Schweizerische Entomologische Gesellschaft

**Band:** 79 (2006)

**Heft:** 1-2

  

**Artikel:** New records of Agromyzidae (Diptera) from the Palaearctic region

**Autor:** erný, Miloš / Merz, Bernhard

**DOI:** <https://doi.org/10.5169/seals-402914>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 12.03.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## New records of Agromyzidae (Diptera) from the Palaearctic Region

MILOŠ ČERNÝ<sup>1</sup> & BERNHARD MERZ<sup>2</sup>

<sup>1</sup> CZ-763 63 Halenkovice 1, Czech Republic. E-mail: cerny.milos@centrum.cz

<sup>2</sup> Muséum d'histoire naturelle, C.P. 6434, CH-1211 Genève, Switzerland.

E-mail: bernhard.merz@ville-ge.ch

New faunistic records for 149 palaearctic species of Agromyzidae are given for 22 European, 4 African and 4 Asian countries.

Keywords: Diptera, Agromyzidae, new records, Palaearctic Region.

### INTRODUCTION

The distribution of most species of the large dipteran family Agromyzidae is still only insufficiently known for most parts of Europe, North Africa and the Asian part of the Palaearctic Region. This contribution completes the knowledge of the agromyzid fauna in Europe summarized recently by Martínez (2004) and added to by Černý (2005a–e, in press), Černý & Merz (2005) and Černý & Vála (in press). New faunistic data from Europe, Canary Islands, North Africa (Egypt, Morocco and Tunisia) and Asia (Iraq, Kyrgyzstan, Turkey and Uzbekistan) are also presented.

### MATERIAL AND METHODS

This study is based on specimens deposited in the following collections:  
CMBP – private collection Miroslav Barták, Praha, Czech Republic  
CMCH – private collection Miloš Černý, Halenkovice, Czech Republic  
CPGM – private collection Paul Gatt, Rabat, Malta  
IZBA – Institute of Zoology, Bulgarian Academy of Sciences, Bulgaria (Venelin Beschovski)  
IZSB – Institute of Zoology, Slovak Academy of Science Bratislava, Slovakia (Milan Kozánek)  
MEB – Museum of East Bohemia, Hradec Králové, Czech Republic (Bohuslav Mocek)  
MHNG – Muséum d'histoire naturelle, Genève, Switzerland (Bernhard Merz)  
MMB – Entomological Department of the Moravian Museum, Brno, Czech Republic (Igor Malenovský)  
MZH – Museum Zoologici Helsinki, Finland (Pekka Vilkkamaa)  
MZLU – Museum of Zoology, Lund University, Sweden (Roy Danielsson)  
NHML – The Natural History Museum London, England (Nigel Wyatt)  
TAU – Tel Aviv University, Israel (Amnon Freidberg)  
ZMUC – Zoological Museum, University Copenhagen, Denmark (Rudolf Meier)

Genera and species are arranged alphabetically in the two subfamilies Agromyzinae and Phytomyzinae. All material examined was identified by the first author.

Distribution of species in Europe is well documented in the database “Fauna Europaea” which is available on the internet (Martinez 2004). Therefore we give here only records which are not listed in this database.

## LIST OF SPECIES

**Subfamily Agromyzinae***Agromyza abiens* Zetterstedt, 1848

Material examined: Portugal: Guarda, Estrela Mts, Manteigas env., valley of Mondego river, 1000 m a.s.l., 1 ♂, 12.vi.1997, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004); Africa: Morocco (Spencer 1967). New to the fauna of Portugal.

*Agromyza anthracina* Meigen, 1830

Material examined: Yugoslavia: Serbia, Djiči (Ljig), 1 ♂, 30.v.1967, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004); Asia: China (Sasakawa 1986). New to the fauna of Yugoslavia.

*Agromyza bicaudata* (Hendel, 1920)

Material examined: Morocco: Azrou, Ifrane area, 1400–2000 m a.s.l., 1 ♂, 17.–19.iv.1989, Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: Russia. New to the fauna of Morocco.

*Agromyza bromi* Spencer, 1966

Material examined: Bulgaria: Arda valley NE Madzharovo, 160 m a.s.l., 1 ♂, 26.ix.–14.x.2000, H. Eturska leg. (IZBA).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria.

*Agromyza flavipennis* Hendel, 1920

Material examined: Uzbekistan: Aman-Kutan, pasture, 39.19N/66.55E, 1300 m a.s.l., 1 ♂, 23.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Israel (Spencer 1974). New to the fauna of Uzbekistan.

*Agromyza frontella* (Rondani, 1875)

Material examined: Morocco: Azrou, Ifrane area, 1400–2000 m a.s.l., 2 ♀♀, 17.–19.iv.1989, Mus. Copenh. Exp. leg. (ZMUC). Norway: STi: Kongsvoll, 900–1100 m a.s.l., 1 ♂, 20.–28.vii.1983, O. Karsholt & V. Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: Afghanistan (Spencer 1976b), Israel (Spencer 1974), Turkey (Civelek 2003); North America: Canada, United States. New to the fauna of Morocco and Norway.

*Agromyza frontosa* (Becker, 1908)

Material examined: Morocco: Azrou, Ifrane area, 1400–2000 m a.s.l., 2 ♂♂, 1 ♀, 17.–19.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004); Africa: Canary Islands, Egypt (Steyskal & El-Bialy 1968). New to the fauna of Morocco.

*Agromyza graminicola* Hendel, 1931

Material examined: Iraq: Baghdad, Sci. Res. Cent. – Garden, 1 ♂, 11.iv.1988, J. Olejníček leg. (CMBP). Tunisia: Jendouba, Oued Mellegue, 1 ♂, 11.v.1995, P. Gatt leg. (CMCH).

Distribution: Europe (Martinez 2004), Czech Republic (Černý 1999); Africa: Egypt (Steyskal & El-Bialy 1968); Asia: Cyprus (Černý & Vála in press). New to the fauna of Iraq and Tunisia.

*Agromyza marionnae* Griffiths, 1963

Material examined: Sweden: TLpm, Abisko Reg., Research Stat, 68.21N/18.48E, 380 m a.s.l., 1 ♂, 2.viii.2001, B. Merz leg. (MHNG).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Sweden.

*Agromyza megalopsis* Hering, 1933

Material examined: Egypt: Cairo, El-Marg, orange orchard, 30.16N/31.23E, 2 ♂♂, 22.iii.1996, M. Barták leg. (CMBP). Turkey: Hatay, Harbiye, near Antakya, river valley, 1 ♂, 21.v.1997, V. Vrabec leg. (CMB); Mahmatlar near Ergidir lake, 30 km NO, Isparta, 1 ♂, 7.v.1991, B. Mocek leg. (CMCH); Nur Daglari Mts, 30 km E, Osmayiye Hasanbeyli, 1200 m a.s.l., 2 ♂♂, 5.v.1996, B. Mocek leg. (CMCH, MEB). Uzbekistan: Chingan, damp valley, 41.38N/70.02E, 1200 m a.s.l., 2 ♂♂, 18.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004); Asia: Cyprus (Černý & Vála in press). New to the fauna of Egypt, Turkey and Uzbekistan.

*Agromyza mobilis* Meigen, 1830

Material examined: Greece: Pelopónnisos, Taiyetos Mts, 950–1800 m a.s.l., 3 ♂♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004); Asia: China (Yang 1996), Japan. New to the fauna of Greece.

*Agromyza myosotidis* Kaltenbach, 1864

Material examined: Uzbekistan: Tashkent, damp meadow, 41.24N/69.28E, 1 ♂, 16.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b); Africa: Ethiopia. New to the fauna of Uzbekistan.

*Agromyza nana* Meigen, 1830

Material examined: Corsica: 20 km N, Corte Haut Asco, alpine zone, 1500 m a.s.l., 2 ♂♂, 7.v.1993, B. Mocek leg. (CMCH, MEB).

Distribution: Europe (Martinez 2004); Africa: Canary Islands, Egypt (Steyskal & El-Bialy 1968), Morocco (Spencer 1967), Tunisia; Asia: Cyprus (Černý & Vála in press), India, Israel (Spencer 1974), Russia, Turkey (Civelek 2003). New to the fauna of Corsica.

*Agromyza nigrescens* Hendel, 1920

Material examined: Turkey: Nemrut Daglari Mts, 5 km E Adiyaman, garden, pasture, 1 ♂, 9.v.1996, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004); Africa: Canary Islands; Asia: Uzbekistan. New to the fauna of Turkey.

*Agromyza nigripes* Meigen, 1830

Material examined: Bulgaria: Tazha, 1400 m a.s.l., 1 ♂, 26.vii.1996, V. Beschovski leg. (IZBA). Turkey: Göre, 2 km S, Nevsehir, 1 ♂, 29.iv.1991, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004); Asia: India, Syria; North America: Canada. New to the fauna of Bulgaria and Turkey.

*Agromyza nigrociliata* Hendel, 1931

Material examined: Russia: Moscow, Orechovo, sweeping vegetation, 55.48N/37.45E, 1 ♂, 23.vi.1987, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Italy (Černý in press); Asia: Russia (Kuril Islands) (Iwasaki 2000). New to the fauna of the European part of Russia.

*Agromyza phragmitidis* Hendel, 1920

Material examined: Austria: Attersee, edge of mixed wood, 47.50N/13.31E, 1 ♂, 30.vii.1988, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: China (Sasakawa 1988), India, Japan, South Korea (Suh & Kwon 1998a). New to the fauna of Austria.

*Agromyza pittodes* Hendel, 1931

Material examined: Slovakia: Roháče Mts, Roháčská plesa, 1700 m a.s.l., 1 ♂, 24.vi.1971, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004); Asia: Japan, Russia. New to the fauna of Slovakia.

*Agromyza prespana* Spencer, 1957

Material examined: Turkey: Nemrut Daglari Mts, 5 km E, Adiyaman, garden, pasture, 1 ♂, 9.v.1996, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Turkey.

*Agromyza pseudoreptans* Nowakowski, 1967

Material examined: Greece: Macedonia, Florina Pissoderi, wood, meadow, stream, 1200 m a.s.l., 1 ♂, 13.v.1998, P. Gatt leg. (CMCH). Russia: Moscow, Izmailovo, park vegetation, 55.49N/37.45E, 1 ♂, 1.ix.1988, M. Barták leg. (CMBP). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 24.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994), Switzerland (Černý 2005e); Africa: Canary Islands; North America: Alaska, Canada, United States. New to the fauna of Greece, Russia and Uzbekistan.

*Agromyza rondensis* Strobl, 1900

Material examined: Egypt: Cairo, El-Marg, orange orchard, 30.16N/31.23E, 5 ♂♂, 22.iii.1996; Tanta, 12 km SE, orchard, 30.41N/31.02E, yellow pan traps, 1 ♂, 27.–28.iii.1996, all M. Barták leg. (CMBP). Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 7.xii.1983, G. Christensen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: Cyprus (Černý & Vála in press), Israel (Spencer 1974), South Korea (Suh & Kwon 1998a), Turkey (Civelek 2003). New to the fauna of Egypt and Greece.

*Agromyza spenceri* Griffiths, 1963

Material examined: Morocco: Asni area, 1100–1400 m a.s.l., 1 ♂, 8.–10.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC). Uzbekistan: Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Italy (Černý in press), Maltese Islands (Černý 2005b). New to the fauna of Morocco and Uzbekistan.

*Agromyza woerzi* Groschke, 1957

Material examined: Norway: STi: Kongsvoll, 900–1100 m a.s.l., 1 ♂, 20.–28.vii.1983, O. Karsholt & V. Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Norway.

*Hexomyza centaureae* Spencer, 1966

Material examined: Greece: Pelopónnisos, Taiyotos Mts, 950–1800 m a.s.l., 2 ♂♂, 1 ♀, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Greece.

*Hexomyza sarothramni* (Hendel, 1923)

Material examined: Greece: Pelopónnisos, Taiyotos Mts, 950–1800 m a.s.l., 1 ♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC). Portugal: Guarda, Estrela Mts, Manteigas env., valley of Mondego river, 1000 m a.s.l., 4 ♂♂, 12.vi.1997, B. Mocek leg. (CMCH, MEB).

Distribution: Europe (Martinez 2004); Asia: Cyprus (Černý & Vála in press). New to the fauna of Greece and Portugal.

*Hexomyza simplex* (Loew, 1869)

Material examined: Albania: Nat. park Karavastas, coast on Adriatic Sea, pine forest, 1 ♂, 18.vi.1994, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004); Asia: Hawaiian Islands; North America: United States. New to the fauna of Albania.

*Melanagromyza aeneoventris* (Fallén, 1823)

Material examined: Bulgaria: Kiten, oak wood, pig farm, 42.14N/27.48E, 1 ♂, 17.vii.1987; Sliven, 15 km N, pasture, 42.50N/26.15E, 900 m a.s.l., 1 ♂, 21.vii.1987, all M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Slovakia (Černý *et al.* in press B); Asia: Japan, Pakistan, Russia. New to the fauna of Bulgaria.

*Melanagromyza albocilia* Hendel, 1931

Material examined: Bulgaria: Veliko Tarnovo, 1 ♂, 28.vi.1988, B. Mocek leg. (CMCH). Uzbekistan: Chinaz, along river Syrdarya, 40.53N/68.43E, 1 ♂, 20.v.1989; Samarkand, along river Zeravshan, 39.38N/67.04E, 2 ♂♂, 22.v.1989; Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 24.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b); Africa: Canary Islands, Egypt; Asia: Israel (Spencer 1974), Russia, Uzbekistan. New to the fauna of Uzbekistan.

*Melanagromyza cunctans* (Meigen, 1830)

Material examined: Albania: Nat. park Dajt, 15 km NO, Tirana, deciduous forest, 1100 m a.s.l., 1 ♂, 14.vi.1994, B. Mocek leg. (CMCH). Bulgaria: Kiten, oak wood and pig farm, 42.14N/27.48E, 1 ♂, 17.vii.1987, M. Barták leg. (CMBP); Shabla, meadow, 1 ♂, 26.v.1993, V. Beschovski leg. (IZBA); Sofia, Oranovo, Rozloshko, lawn, 1 ♂, 21.ix.1973, V. Beschovski leg. (IZBA). Uzbekistan: Fergana Valley, Yaz' yavan region, 470 m a.s.l., 1 ♂, 1 ♀, 17.v.1994, B. Merz leg. (MHNG); Karamazar, 41.32N/69.48E, damp meadow, 500 m a.s.l., 2 ♂♂, 18.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b), Sicily (Černý in press); Africa: Canary Islands, Democratic Republic of the Congo, Egypt (Steyskal & El-Bialy 1968), Madagascar, Uganda, South Africa; Asia: Cyprus (Černý & Vála in press), India, Turkey (Civelek 2003), Uzbekistan. New to the fauna of Albania, Bulgaria and Uzbekistan.

*Melanagromyza ferulae* Spencer, 1966

Material examined: Spain: Gerona, Caralps, 1200–1300 m a.s.l., 1 ♂, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Spain.

*Melanagromyza rohdendorfi* Spencer, 1966

Material examined: Yugoslavia: Montenegro, 1850–2000 m a.s.l., 1 ♂, 10.vi.1967, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004), Italy (Černý in press). New to the fauna of Yugoslavia.

*Melanagromyza symphyti* Griffiths, 1963

Material examined: Kyrgyzstan: Kara-Arthsa Tal, 35 km ESE, Dzhambul, 1550 m a.s.l., 1 ♂, 3.v.1994, B. Merz leg. (MHNG). Uzbekistan: Aman-Kutan, pasture, 39.19N/66.55E, 1300 m a.s.l., 4 ♂♂, 1 ♀, 23.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Kyrgyzstan and Uzbekistan.

*Melanagromyza tripolii* Spencer, 1957

Material examined: Ukraine: Zaporožskaja Province, Vasiljevka, 1 ♂, 30.v.1990, Zrazhevsky leg. (CMBP).

Distribution: Europe (Martinez 2004), Italy (Černý in press). New to the fauna of Ukraine.

*Ophiomyia beckeri* (Hendel, 1923)

Material examined: Albania: Prokletije Mts, Boge, meadow, Fagetum, 1500 m a.s.l., 1 ♂, 17.vi.1994, B. Mocek leg. (CMCH). Portugal: Faro, Luz env., 10 km W, Lagos, pasture, 1 ♂, 4.–5.vi.1997, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995), Maltese Islands (Černý 2005b), Switzerland (Černý & Merz 2005); Africa: Canary Islands, Egypt (Steyskal & El-Bialy 1968), Madeira, Morocco (Spencer 1967), South Africa, Tanzania, Tunisia, Zimbabwe; Asia: India (Spencer 1962), Israel (Spencer 1974). New to the fauna of Albania and Portugal.

*Ophiomyia cichorii* Hering, 1949

Material examined: Bulgaria: Jasna Poljana, 25 km SSE, Burgas, pasture, 1 ♂, 7.vii.1988, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Italy (Süss, 1983, Černý in press). New to the fauna of Bulgaria.

*Ophiomyia collini* Spencer, 1971

Material examined: Switzerland: Genève, Corsier-Port, vitre véranda, 1 ♂, 1.–31.vii.2005, C. Besuchet leg. (MHNG).

Distribution: Europe (Martinez 2004). New to the fauna of Switzerland.

*Ophiomyia cunctata* (Hendel, 1920)

Material examined: Croatia: Peljašac peninsula, Orebič, sea coast, 1 ♂, 10.–20.vi.1983, Podhradský leg. (CMBP). Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 30.vi.1984, G. Christensen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Africa: Canary Islands; Asia: Cyprus (Černý & Vála in press), Russia, Turkey (Civelek 2003). New to the fauna of Croatia and Greece.

*Ophiomyia curvipalpis* (Zetterstedt, 1848)

Material examined: Bulgaria: G. Deltshev, Ormana, on luzerne, 1 ♀, 17.v.1973, V. Beschovski leg. (IZBA); Kotel, meadow near wood, 42.55N/26.24E, 1 ♂, 21.vii.1987, M. Barták leg. (CMBP); Pleven, meadow, 1 ♀, 16.vii.1984, Dontchev leg. (IZBA). Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 24.x.1983, 1 ♂, 13.vi.1984, 1 ♀, 23.vi.1984, 1 ♀, 3.vii.1984, 1 ♀, 31.vii.1984, G. Christensen leg. (ZMUC). Romania: Voineasa, pasture near river, 45.28N/23.52E, 23.vii.1987, M. Barták leg. (CMBP). Ukraine: Odessa, park vegetation, 46.28N/30.48E, 200 m a.s.l., 1 ♂, 20.ix.1986, M. Barták leg. (CMCH); Krym, Kalinino, 1 ♂, 7.vi.1990, Zrazhevsky leg. (CMBP).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b), Sardinia and Sicily (Černý & Vála in press); Africa: Canary Islands, Morocco (Spencer 1967); Asia: Cyprus (Černý & Vála in press), Israel (Spencer 1974), Japan, Turkey (Civelek 2003). New to the fauna of Bulgaria, Greece, Romania and Ukraine.

*Ophiomyia galii* Hering, 1937

Material examined: Bulgaria: Alibutusch near Goleschovo, 900–1500 m a.s.l., 1 ♂, 25.vi.1979, Hubenov leg. (IZBA); Veliko Tarnovo, 1 ♂, 28.vi.1988, B. Mocek leg. (CMCH). Sweden: Sm., Söderåkra, Fulvik, 1 ♂, 25.vi.1989; Växjö, N. Åreda, 2 ♂, 20.vi.1987, all R. Danielsson leg. (MZLU).

Distribution: Europe (Martinez 2004), Italy (Černý in press), Switzerland (Černý 2005e). New to the fauna of Bulgaria and Sweden.

*Ophiomyia inaequalis* (Hendel, 1931)

Material examined: Spain: Gerona, Caralps, 1200–1300 m a.s.l., 1 ♂, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: Turkey (Hendel 1931–1936). New to the fauna of Spain.

*Ophiomyia labiatarum* Hering, 1937

Material examined: Sweden: Sk., Dalby, 1 ♂, 18.viii.1988; Sm., Bergkvara, 1 ♂, 9.vi.1985, 1 ♂, 20.viii.1988; Torsås, Siggesbo, swept along road side, 1 ♂, 1.vii.1989, all R. Danielsson leg. (MZLU). Turkey: 2 km S, Nevsehir, Göre, 1 ♂, 29.iv.1991, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1999); Asia: Israel (Spencer 1974); North America: Canada, United States. New to the fauna of Sweden and Turkey.

*Ophiomyia longilingua* (Hendel, 1920)

Material examined: Sweden: Sk., Norr Krankesjön, 1 ♂, 3.vii.1975, H. Andersson leg. (MZLU); Sm., Torsås, Getnabo, 1 ♂, 1 ♀, 24.vi.1992, R. Danielsson leg. (MZLU).

Distribution: Europe (Martinez 2004). New to the fauna of Sweden.

*Ophiomyia melandricaulis* Hering, 1943

Material examined: Sweden: Hall., Enslöv, Årnilt 1 ♀, 21.vi.1971, H. Andersson leg. (MZLU); Sk., Dalby, Ö. Mölla, 1 ♀, 28.v.1989, 1 ♀, 18.vii.1989; Snogeholm, 1 ♀, 21.v.1989; Stensoffa, 1 ♀, 29.vii.1981, H. Andersson leg. (MZLU); Sm., Söderåkra, Ryd, 1 ♂, 23.vi.1987, all R. Danielsson leg. (MZLU); Sk., Kullagarg, 1 ♂, 21.vi.1973, H. Andersson leg. (MZLU).

Distribution: Europe (Martinez 2004). New to the fauna of Sweden.

*Ophiomyia melandryi* de Meijere, 1924

Material examined: Sweden: Sk., Hallands Väderö, Ängslövskog, 1 ♂, 31.v.1977, H. Andersson leg. (MZLU).

Distribution: Europe (Martinez 2004); Africa: Morocco (Spencer 1967); Asia: Cyprus (Černý & Vála in press). New to the fauna of Sweden.

*Ophiomyia memorabilis* Spencer, 1974

Material examined: Turkey: Ortahisar env., 10 km E, Nevşehir, garden, 1 ♂, 11.v.1996, steppe, B. Mocek leg. (CMCH).

Distribution: Israel (Spencer 1974). New to the fauna of Turkey.

*Ophiomyia nasuta* (Melander, 1913)

Material examined: Bulgaria: Georgi Trajkov, edge of oak wood, 43.00N/27.48E, 1 ♂, 15.vii.1987, M. Barták leg. (CMBP); Sliven, 42.50N/26.15E, 15 km N, pasture, 900 m a.s.l., 2 ♂♂, 21.vii.1987, M. Barták leg. (CMBP). Ukraine: Odessa, park vegetation, 46.28N/30.48E, 200 m a.s.l., 2 ♂♂, 18.ix.1986, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Italy (Süss 1999, Černý in press); Asia: Japan; North America: Canada, United States. New to the fauna of Bulgaria and Ukraine.

*Ophiomyia orbiculata* (Hendel, 1931)

Material examined: Bulgaria: General-Toshevo, on *Medicago*, 1 ♂, 5.vi.1974; Montana, Knezha, courtyard, 1 ♂, 16.vii.2003; Pleven, Grivitza, on *Triticum*, 1 ♂, 7.iv.1982, on *Medicago*, 1 ♂, 22.vii.1982, all V. Beschovski leg. (IZBA). Greece: Macedonia, Thessaloniki, Limni, Volvi, Langadikia, meadow, 1 ♂, 10.v.1998, P. Gatt leg. (CMCH); Halastro, Axios riverbank, 1 ♂, 12.v.1998, P. Gatt leg. (CPGM); Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 28.viii.1983, 1 ♂, 10.ix.1984, G. Christensen leg. (ZMUC). Romania: Banat, Sf. Helena env., pasture, 2 ♂♂, 25.vi.1994, B. Mocek leg. (CMCH, MEB). Uzbekistan: Chimgan, alpine meadow, 41.38N/70.06E, 1800 m a.s.l., 1 ♂, 23.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Italy incl. Sicily (Černý in press); Asia: Turkey (Civelek 2003). New to the fauna of Bulgaria, Greece, Romania and Uzbekistan.

*Ophiomyia pinguis* (Fallén, 1820)

Material examined: Bulgaria: Kovatchevtzi, pasture, 800 m a.s.l., 1 ♂, 3.vii.1983, B. Dimitrova leg. (IZBA); Montana, Vidin, Bela Rada, 1 ♂, 1 ♀, 9.viii.1986, V. Beschovski leg. (IZBA); East Rhodope Mts, Madzarovo, 1 ♀, 24.ix.1995, Manassieva leg. (IZBA); Shabla, 1 ♂, 26.v.1993, V. Beschovski leg. (IZBA). Romania: Voineasa, pasture near river, 45.28N/23.52E, 2 ♂♂, 1 ♀, 23.vii.1987, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004); Africa: Egypt (Steyskal & El-Bialy 1968); Asia: China (Sasakawa 1986), Israel (Spencer 1974), Tajikistan, Turkey (Civelek 2003), Uzbekistan. New to the fauna of Bulgaria and Romania.

*Ophiomyia rostrata* (Hendel, 1920)

Material examined: Bulgaria: Bjala Slatina, 1 ♂, 6.v.1983, V. Beschovski leg. (IZBA); Tolbukhin, grass, 1 ♂, 6.vi.1974, V. Beschovski leg. (IZBA). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 2 ♂♂, 24.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria and Uzbekistan.

*Ophiomyia subheracleivora* Černý, 1994

Material examined: Bulgaria: Strandja, Kacula, grass, 1 ♂, 20.vi.1985, V. Beschovski leg. (IZBA).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria.

*Ophiomyia submaura* Hering, 1926

Material examined: Sweden: Nb., Råneå, Högsön, 1 ♀, 9.vii.1975, H. Andersson leg. (MZLU).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: Turkey (Civelek 2003). New to the fauna of Sweden.

*Ophiomyia vimmeri* Černý, 1994

Material examined: Morocco: Rabat, Forêt de Mamora, 100 m a.s.l., 1 ♂, 25.–26.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC). Spain: Gerona, Caralps, 1200–1300 m a.s.l., 1 ♂, 1 ♀, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Morocco and Spain.

### Subfamily Phytomyzinae

*Amauromyza (Amauromyza) elaeagni* (Rohdendorf-Holmanová, 1959)

Material examined: Ukraine: Zaporožskaja Province, Vasiljevka, 1 ♂, 30.v.1990, Zrazhevsky leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Russia. New to the fauna of Ukraine.

*Amauromyza (Amauromyza) morionella* (Zetterstedt, 1848)

Material examined: Macedonia: Katlanovo, 1 ♂, 14.vi.1967, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004), the Czech Republic (Černý 2005a); Africa: Morocco (Spencer 1967); Asia: Turkey (Civelek 2003). New to the fauna of Macedonia.

*Amauromyza (Cephalomyza) karli* (Hendel, 1927)

Material examined: Romania: Stoenesti, pasture near river, 44.08N/24.30E, 200 m a.s.l., 2 ♂♂, 14.vii.1987, M. Barták leg. (CMBP, CMCH). Spain: Figueres, deciduous wood, 42.18N/02.58E, 1 ♂, 4.vii.1990, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Mongolia (Spencer 1977a). New to the fauna of Romania and Spain.

*Amauromyza (Cephalomyza) luteiceps* (Hendel, 1920)

Material examined: Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 23.v.1984, 1 ♂, 2.vi.1984, 1 ♂, 18.vi.1984, 1 ♂, 19.vi.1984, 1 ♀, 4.vii.1984, G. Christensen leg. (ZMUC). Spain: Figueres, deciduous wood, 42.18N/02.58E, 1 ♂, 4.vii.1990, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Czech Republic (Černý & Vála 1999), Norway (Andersen & Jonassen 1994); Maltese Islands (Černý 2005b); Asia: Turkey (Civelek 2003). New to the fauna of Greece and Spain.

*Amauromyza (Cephalomyza) monfalconensis* (Strobl, 1909)

Material examined: Uzbekistan: Aman-Kutan, pasture, 39.19N/66.55E, 1300 m a.s.l., 1 ♂, 23.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004). New to the fauna of Uzbekistan.

*Aulagromyza anteposita* (Strobl, 1898)

Material examined: Bulgaria: Lovech, Karandili, meadow, 1000 m a.s.l., 6 ♂♂, 12.v.1974, V. Beschovksi leg. (IZBA).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria.

*Aulagromyza orphana* (Hendel, 1920)

Material examined: Bulgaria: Lovech, Karandili, meadow, 1000 m a.s.l., 2 ♂♂, 12.v.1974, V. Beschovksi leg. (IZBA). Greece: Macedonia, Florina, Andartiko, meadow, stream, 1000 m a.s.l., 1 ♂, 13.v.1998; Pissoderi, wood, meadow, stream, 1200 m a.s.l., 1 ♂, 15.v.1998, all P. Gatt leg. (CMCH, CPGM).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1999), Switzerland (Černý 2005e); Asia: Turkey (Civelek 2003). New to the fauna of Bulgaria and Greece.

*Aulagromyza trivittata* (Loew, 1873)

Material examined: Greece: Macedonia, Florina, Pissoderi, wood, meadow, stream, 1200 m a.s.l., 1 ♂, 15.v.1998, P. Gatt leg. (CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Greece.

*Calycomyza artemisiae* (Kaltenbach, 1856)

Material examined: Uzbekistan: Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989; Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 24.v.1989, all M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); North America: Canada, United States; Central and South America: Colombia, Guatemala; Asia: China (Yang 1996), India, Japan, Nepal, Taiwan, Viet Nam (Sasakawa 2005). New to the fauna of Uzbekistan.

*Calycomyza humeralis* (von Roser, 1840)

Material examined: Uzbekistan: Samarkand, along river Zeravshan, 39.38N/67.04E, 1 ♂, 22.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b); Africa: Cameroun, Ethiopia, South Africa; North America: Canada; Central and South America: Argentina, Brazil, Chile; Asia: China (Yang 1996), Cyprus (Černý & Vála in press), Hawaiian Islands, Iraq (Spencer 1981), Japan, Turkey (Civelek 2003); Australia (Spencer 1977b). New to the fauna of Uzbekistan.

*Cerodontha (Cerodontha) affinis* (Fallén, 1823)

Material examined: Bulgaria: Rhodopi Mts, Zabardo env., 40 km S, Plovdiv, pasture near brook, 1200–1500 m a.s.l., 1 ♂, 3.vii.1988, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria.

*Cerodontha (Cerodontha) denticornis* (Panzer, 1806)

Material examined: Albania: Nat. park Karavastas, coast o. Adrait. sea and pine forest, 1 ♂, 1 ♀, 18.vi.1994, B. Mocek leg. (CMCH); Prokletije Mts, Boge, meadow, Fagetum, 1500 m a.s.l., 9 ♂♂, 5 ♀♀, 17.vi.1994, B. Mocek leg. (CMCH, MEB). Corsica: 20 km N Corte Haut Asco, alpine zone, 1500 m a.s.l., 5 ♀♀, 7.v.1993, B. Mocek leg. (CMCH, MEB); Valdo Nello Mts, 10 km W Corte, Calacuccia env., 700 m a.s.l., 1 ♂, 9.v.1993, B. Mocek leg. (CMCH). Egypt: Cairo, garden near river, 30.02N/31.14E, 1 ♂, 19.–20.iii.1996; Cairo, El-Marg, margin of field, 30.16N/31.23E, 1 ♂, 22.iii.1996, 2 ♂♂, 29.iii.1996, M. Barták leg. (CMBP). Portugal: Guarda, Estrela Mts, Manteigas env., valley of river Mondego, 1000 m a.s.l., 3 ♂♂, 4 ♀♀, 12.vi.1997, B. Mocek leg. (CMCH, MEB). Romania: Stoenesti, pasture near river, 44.08N/24.30E, 1 ♀, 14.vii.1987; Voineasa, pasture near river, 45.28N/23.52E, 5 ♂♂, 23.vii.1987, all M. Barták leg. (CMBP). Ukraine: Odessa, park vegetation, 46.28N/30.48E, 5 ♀♀, 19.ix.1986, 3 ♀♀, 20.ix.1986, M. Barták leg. (CMBP, CMCH). Zaporozhskaja Province, Vasiljevka, 1 ♂, 30.v.1990, Zrazhevsky leg. (CMBP).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b); Africa: Azores (Spencer 1965b), Canary Islands, Madeira (Spencer 1965b), Morocco

(Spencer 1967), Asia: Afghanistan (Spencer 1976b), China (Yang 1996), Cyprus (Černý & Vála in press), India, Iraq (Spencer 1981), Israel (Spencer 1974), Japan, Nepal, South Korea, Taiwan, Turkey (Civelek 2003). New to the fauna of Albania, Corsica, Egypt, Portugal, Romania and Ukraine.

*Cerodontha (Cerodontha) flavicornis* (Egger, 1862)

Material examined: Albania: Nat. park Drenova, 5 km S, Korçë, mixed forest, 1 ♂, 22.vi.1994, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Albania.

*Cerodontha (Cerodontha) phragmitophila* Hering, 1935

Material examined: Canary Islands: Tenerife, Playa de Socorro, 1 ♂, 23.ix.1998, B. Merz leg. (MHNG). Egypt: Cairo, El-Marg, orange orchard, 30.16N/31.23E, 1 ♂, 22.iii.1996, M. Barták leg. (CMBP). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 24.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Croatia (Nowakowski, 1973); Asia: Cyprus (Černý & Vála in press), Pakistan. New to the fauna of Canary Islands, Egypt and Uzbekistan.

*Cerodontha (Cerodontha) stackelbergi* Nowakowski, 1972

Material examined: Sweden: Örebro Län, Laxå cca 50 km SW, of Örebro, 1 ♀, 10.vii.1974, Th. Munk & C. Thaarup leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Sweden.

*Cerodontha (Dizygomyza) brisiaca* Nowakowski, 1973

Material examined: Morocco: Azrou, Ifrane area, 1400–2000 m a.s.l., 1 ♂, 17.–19.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Morocco.

*Cerodontha (Dizygomyza) fasciata* (Strobl, 1880)

Material examined: Spain: Bellver, meadow, 42.22N/01.47E, 900 m a.s.l., 1 ♂, 7.vii.1990, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995), Italy (Černý in press), Switzerland (Černý 2005e); North America: United States. New to the fauna of Spain.

*Cerodontha (Dizygomyza) hirtae* Nowakowski, 1967

Material examined: Austria: Attersee, edge of mixed wood, 47.50N/13.31E, 1 ♂, 30.vii.1988, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1999); North America: United States. New to the fauna of Austria.

*Cerodontha (Dizygomyza) iraeos* (Robineau-Desvoidy, 1851)

Material examined: Albania: Nat. park Karavastas, coast o. Adriat. sea and pine forest, 1 ♂, 18.vi.1994, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004); Asia: South Korea (Suh 2000). New to the fauna of Albania.

*Cerodontha (Dizygomyza) luctuosa* (Meigen, 1830)

Material examined: Albania: Nat. park Drenova, 5 km S, Korçe, mixed forest, 1 ♂, 22.vi.1994, B. Mocek leg. (CMCH). Uzbekistan: Chirchik, along river, 42.32N/69.38E, 3 ♂♂, 19.v.1989; Samarkand, along river Zeravshan, 39.38N/67.04E, 150 m a.s.l., 2 ♂♂, 22.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Asia: China (Sasakawa 1986), Japan; North America: Canada, United States. New to the fauna of Albania and Uzbekistan.

*Cerodontha (Dizygomyza) suturalis* (Hendel, 1931)

Material examined: Albania: Prokletije Mts, Bogë, meadow, Fagetum, 1500 m a.s.l., 9 ♂♂, 5 ♀♀, 17.vi.1994, B. Mocek leg. (CMCH, MEB). France: Port-la-Nouvelle, seashore, 43.01N/03.04E, 1 ♂, 3.vii.1990, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: China (Chen & Zlobin 2005), Cyprus (Černý & Vála in press), Japan. New to the fauna of Albania and France.

*Cerodontha (Icteromyza) capitata* (Zetterstedt, 1848)

Material examined: Morocco: Chechaouèn, 600 m a.s.l., 1 ♂, 22.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004); Asia: Kyrgyzstan; North America: Alaska, Canada, United States. New to the fauna of Morocco.

*Cerodontha (Phytagomyza) flavocingulata* (Strobl, 1909)

Material examined: Bulgaria: Vitosha National Park, v. Kladnitsa, lawn, 900 m a.s.l., 1 ♂, 5.vii.1983, B. Dimitrova leg. (IZBA).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994); North America: Canada. New to the fauna of Bulgaria.

*Cerodontha (Poemyza) atra* (Meigen, 1830)

Material examined: Bulgaria: Kotel, meadow near wood, 42.55N/26.24E, 3 ♂♂, 1 ♀, 21.vii.1987, M. Barták leg. (CMCP, CMCH). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 24.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Japan. New to the fauna of Bulgaria and Uzbekistan.

*Cerodontha (Poemyza) lateralis* (Macquart, 1835)

Material examined: Uzbekistan: Chinaz, along river Syrdarya, 40.53N/68.43E, 1 ♂, 20.v.1989; Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989, all M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Africa: Tunisia; Asia: China (Sasakawa 1986), Japan, Turkey. New to the fauna of Uzbekistan.

*Cerodontha (Poemyza) lyneborghi* Spencer, 1972

Material examined: Uzbekistan: Chirchik, along river, 42.32N/69.38E, 1 ♂, 19.v.1989; Tashkent, along brook, 41.15N/69.28E, 3 ♂♂, 19.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Uzbekistan.

*Cerodontha (Poemyza) muscina* (Meigen, 1830)

Material examined: Romania: Stoenesti, pasture near river, 44.08N/24.30E, 1 ♀, 14.vii.1987, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995, 1999), Sicily (Süss 1999); Asia: Afghanistan; North America: Canada, United States. New to the fauna of Romania.

*Cerodontha (Poemyza) pygmaea* (Meigen, 1830)

Material examined: Turkey: 20 km W Antakya Cevlik, undeciduous forest, 1 ♂, 3.v.1996, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Africa: Canary Islands, Madeira; Asia: Pakistan; North America: Alaska, Canada, United States. New to the fauna of Turkey.

*Cerodontha (Xenophytomyza) atronitens* (Hendel, 1920)

Material examined: Albania: Nat. park Drenova, 5 km S Korçë, mixed forest, 1 ♂, 22.vi.1994, B. Mocek leg. (CMCH). Portugal: Guarda, Estrela Mts, Manteigas env., valley of river Mondego, 1000 m a.s.l., 1 ♂, 12.vi.1997, B. Mocek leg. (CMCH). Spain: Gerona, Caralps, 1200–1300 m a.s.l., 2 ♂♂, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995), Norway (Andersen & Jonassen 1994), Switzerland (Černý 2005e). New to the fauna of Albania, Portugal and Spain.

*Chromatomyia isicae* (Hering, 1962)

Material examined: Russia: Moscow, Orechovo, sweeping vegetation, 55.48N/37.45E, 1 ♂, 23.vi.1987, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994), Slovakia (Černý *et al.* in press B), Switzerland (Černý 2005e). New to the fauna of Russia.

*Chromatomyia milii* (Kaltenbach, 1864)

Material examined: Bulgaria: Sliven, 13 km N, damp meadow, 42.50N/26.16E, 800 m a.s.l., 1 ♂, 21.vii.1987, M. Barták leg. (CMBP). Corsica: Valdo Nello Mts, 10 km W, Corte, Calacuccia env., 700 m a.s.l., 4 ♂♂, 9.v.1993, B. Mocek leg. (CMCH, MEB); 10 km NO, Vizzavona Canaglia, pine forest, pasture, 700 m a.s.l., 3 ♂♂, 11.v.1993, B. Mocek leg. (CMCH, MEB). Greece: Pelopón-

nisos, Taiyetos Mts, 950–1800 m a.s.l., 5 ♂♂, 4 ♀♀, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004); Africa: Morocco (Spencer 1967); Asia: India, Turkey (Civelek 2003); North America: Canada. New to the fauna of Bulgaria, Corsica and Greece.

*Chromatomyia nigra* (Meigen, 1830)

Material examined: Albania: Prokletije Mts, Bogë, meadow, Fagetum, 1500 m a.s.l., 4 ♂♂, 5 ♀♀, 17.vi.1994, B. Mocek leg. (CMCH, MEB). Bulgaria: Pleven, Grivitsa, on Medicago, 1 ♂, 18.v.1984, K. Dontchev leg. (IZBA).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994); Africa: Madeira (Spencer 1965b); Asia: China (Yang 1996), India, Japan, Nepal, South Korea, Russia (Kamchatka, Kuril Islands), Taiwan, Thailand; North America: Canada, United States. New to the fauna of Albania and Bulgaria.

*Chromatomyia opacella* (Hendel, 1935)

Material examined: Germany: Spiegelau - Bayerischer Wald, 3 km N, 48.57N/13.22E, 760 m a.s.l., pan traps, 2 ♂♂, 8.vi.1995, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994), Switzerland (Černý 2005e); Greenland. New to the fauna of Germany.

*Chromatomyia pseudomilii* Griffiths, 1980

Material examined: Austria: Tauernalm, pasture, 2 ♂♂, 15.vii.1998, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Slovakia (Černý *et al.* in press B), Switzerland (Černý 2005e); North America: Alaska, United States. New to the fauna of Austria.

*Chromatomyia succisae* (Hering, 1922)

Material examined: Turkey: Antalya Prov., Side (Silimye), 1 ♂, 2.v.2000, B. Merz & Senay leg. (MHNG); Konya env. 1 ♂, 6.v.1991, B. Mocek leg. (CMCH); Pinarsbasi, 20 km N Konya, pasture, 1 ♂, 30.iv.1996, B. Mocek leg. (CMCH); Ortahisar env., 10 km E, Nevsehir, garden, steppe, 1 ♂, 11.v.1996, B. Mocek leg. (MEB). Uzbekistan: Chimgan, alpine meadow, 41.38N/70.06E, 1800 m a.s.l., 1 ♂, 18.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Cyprus (Černý & Vála in press). New to the fauna of Turkey and Uzbekistan.

*Chromatomyia vernalis* (Grischke, 1957)

Material examined: Switzerland: Graubünden (= Grisons), Juf-Stallerberg, 2400 m a.s.l., 1 ♂, 18.viii.1991, B. Merz & A. Freidberg leg. (MHNG).

Distribution: Europe (Martinez 2004), Italy (Černý in press). New to the fauna of Switzerland.

*Liriomyza alyssi* (Hering, 1960)

Material examined: Turkey: Ortahisar env., 10 km E, Nevsehir, garden, steppe, 1 ♂, 11.v.1996, B. Mocek leg. (CMCH).

Distribution: Germany (Martinez 2004); Asia: Israel (Spencer 1974). New to the fauna of Turkey.

*Liriomyza brassicae* (Riley, 1884)

Material examined: Portugal: Serra de Arrabida Mts, Setúbal env., 500 m a.s.l., 1 ♂, 8.vi.1997, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b); Africa: Cape Verde Islands, Canary Islands, Egypt, Ethiopia, Kenya (Spencer 1985), South Africa, Zimbabwe; Asia: China (Yang 1996), Hawaiian Islands, India, Sri Lanka, Taiwan, Thailand, Turkey (Civelek 2003); North America: Canada, United States; Australia (Spencer 1977b). New to the fauna of Portugal.

*Liriomyza bryoniae* (Kaltenbach, 1858)

Material examined: Switzerland: Genève, Chancy, La Laire, 350 m a.s.l., 1 ♂, 25.vii.2004, B. Merz leg. (MHNG).

Distribution: Europe (Martinez 2004); Africa: Egypt (Steyskal & El-Bialy 1968), Morocco (Spencer 1967); Asia: Japan, China (Yang 1996), Nepal, Turkey (Civelek 2003), South Korea (Suh & Kwon 1998b), Taiwan, Thailand; North America: Canada, United States. New to the fauna of Switzerland.

*Liriomyza congesta* (Becker, 1903)

Material examined: Greece: Macedonia, Thessaloniki, Halastro, Axios riverbank, 1 ♂, 12.v.1998, P. Gatt leg. (CMCH); Pelopónnisos, Taiyetos Mts, 950–1800 m a.s.l., 1 ♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004); Africa: Canary Islands, Egypt (Steyskal & El-Bialy 1968), Madeira; Asia: China (Yang 1996), India, Israel (Spencer 1974), Japan, South Korea (Suh & Kwon 1998b), Turkey (Civelek 2003). New to the fauna of Greece.

*Liriomyza demeijerei* Hering, 1930

Material examined: Hungary: Budapest, 10 km NW, steppe forest, 47.33N/16.59E, 140 m a.s.l., 1 ♂, 20.viii.1986, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004). New to the fauna of Hungary.

*Liriomyza dianthicola* (Venturi, 1949)

Material examined: Switzerland: Ticino, Biasca, Loderio, 350 m a.s.l., 1 ♂, 28.vi.1991; VS, Leuk, Pfywald, 650 m a.s.l., 1 ♂, 2.v.1993, all B. Merz leg. (MHNG).

Distribution: Europe (Martinez 2004); Asia: Japan. New to the fauna of Switzerland.

*Liriomyza graminivora* Hering, 1949

Material examined: Romania: Timna, env. of village well, 44.36N/23.13E, 1 ♂, 14.vii.1987, M. Barták leg. (CMBP). Uzbekistan: Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989; Zeravshan res., deciduous wood, 39.38N/67.08E, 2 ♂♂, 21.–22.v.1989, 1 ♂, 24.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004). New to the fauna of Romania and Uzbekistan.

*Liriomyza intonsa* Spencer, 1976

Material examined: Bulgaria: Varna, hills above coast, 1 ♂, 12.vii.1970, M. Chvála leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Bulgaria.

*Liriomyza latigenis* (Hendel, 1920)

Material examined: Uzbekistan: Aman-Kutan, pasture, 39.19N/66.55E, 1300 m a.s.l., 1 ♂, 23.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Czech Republic (Černý *et al.* in press B). New to the fauna of Uzbekistan.

*Liriomyza pedestris* Hendel, 1931

Material examined: Corsica: Corte env., vall. of Tavignano river, pasture, 1 ♂, 10.v.1993, B. Mocek leg. (CMCH). Turkey: Antalya Prov., Olympos 25 km S, Kemer, 1 ♂, 26.iv.2000, B. Merz & Senay leg. (MHNG). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 21.–22.v.1989, M. Barták leg. (CMBP).

Notes. Von Tschirnhaus (1981) synonymized *L. pedestris* with *L. richteri* Hering, 1927 but recently Zlobin (2003) separated the two species again on the ground of a detailed analysis of the structure of the male genitalia.

Distribution: Europe: Austria, British Islands, the Czech Republic, Denmark, Finland, Germany, Greece, Hungary, Italy, Maltese Islands (Spencer 1973), Norway, Russia, Sicily (Spencer 1966), Spain (Spencer 1972), Sweden, Ukraine; Africa: Morocco (Spencer 1967); Asia: Cyprus (Černý & Vála in press), Iran, Israel, New to the fauna of Corsica, Turkey and Uzbekistan.

*Liriomyza phryne* Hendel, 1931

Material examined: Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 5.xi.1983, 1 ♂, 10.xi.1983, G. Christensen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995). New to the fauna of Greece.

*Liriomyza pisivora* Hering, 1954

Material examined: Russia: Moscow, Orechovo, sweeping vegetation, 55.48N/37.45E, 1 ♂, 23.vi.1987, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004). New to the fauna of Russia.

*Liriomyza polygalae* Hering, 1927

Material examined: Spain: Gerona, Caralps, 1200–1300 m a.s.l., 1 ♂, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Spain.

*Liriomyza virgo* (Zetterstedt, 1838)

Material examined: Norway/On: Fokstummyrin, 1000 m a.s.l., 1 ♂, 4 ♀♀, 22.vii.1983, O. Karsholt & V. Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1999), Italy (Černý in press). New to the fauna of Norway.

*Liriomyza yasumatsui* Sasakawa, 1972

Material examined: Uzbekistan: Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989; Samarkand, along river Zeravshan, 39.38N/67.04E, 1 ♂, 22.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe: Czech Republic (Černý *et al.* in press A), Switzerland (Černý & Merz 2005); Asia: China (Yang 1996), Japan (Sasakawa 1994), South Korea (Suh & Kwon 1998b), Taiwan (Sasakawa 1972). New to the fauna of Uzbekistan.

*Metopomyza nigriorbita* (Hendel, 1931)

Material examined: Uzbekistan: Chirchik, along river, 42.32N/69.38E, 2 ♂♂, 19.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Uzbekistan.

*Metopomyza scutellata* (Fallén, 1823)

Material examined: Albania: Nat. park Drenova, 5 km S Korçë, mixed forest, 1 ♂, 22.vi.1994, B. Mocek leg. (CMCH). Spain: Begues, vegetation, 41.21N/01.56E, 1 ♂, 6.vii.1990, M. Barták leg. (CMBP); Gerona, Caralps, 1200–1300 m a.s.l., 1 ♂, 13.–17.vi.1982, Andersen, Lyneborg & Michelsen leg. (ZMUC). Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 21.–22.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Italy (Černý in press), Maltese Islands (Černý 2005b), Switzerland (Černý 2005e); Asia: Kazakhstan, Kyrgyzstan, Russia. New to the fauna of Albania, Spain and Uzbekistan.

*Napomyza bellidis* Griffiths, 1967

Material examined: Greece: Pelopónnisos, Taiyetos Mts, 950–1800 m a.s.l., 1 ♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1999), Czech Republic (Černý *et al.* in press B), Italy (Süss 1999), Maltese Islands (Černý 2005b), Switzerland (Černý 2005e); Asia: Kyrgyzstan, Tajikistan and Uzbekistan (Zlobin 1994). New to the fauna of Greece.

*Napomyza cichorii* Spencer, 1966

Material examined: Austria: Hainfeld env., meadow and mixed wood, 48.03N/15.45E, 1 ♂, 11.viii.1988, M. Barták leg. (CMBP). Corsica: Bonifacio-Perthusato, 20–80 m a.s.l., 3 ♂♂, 15.v.1969, B. & O. Tkalců leg. (MMB); 20 km S Sartene Roccapina (reserve), 1 ♂, 13.v.1993, B. Mocek leg. (CMCH). Morocco: Ifrane env., Forêt de Cèdres, 33.31N/05.06W, 1500 m a.s.l., yellow pan traps, 1 ♂, 29.iv.1999, Vrabec & Vrabcová leg. (CMBP).

Distribution: Europe (Martinez 2004); Africa: Tunisia; Asia: Armenia (Zlobin 1994). New to the fauna of Austria, Corsica and Morocco.

*Napomyza lacustris* Zlobin, 1994

Material examined: Uzbekistan: Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 21.–22.v.1989, M. Barták leg. (CMCP).

Distribution: Asia: Kazakhstan and Tajikistan (Zlobin 1994). New to the fauna of Uzbekistan.

*Napomyza lateralis* (Fallén, 1823)

Material examined: Morocco: Ifrane env., Forêt de Cèdres, 33.31N/05.06W, 1500 m a.s.l., yellow pan traps, 2 ♂♂, 29.iv.1999, Vrabec & Vrabcová leg. (CMBP). Portugal: Guarda, Estrela Mts, Manteigas env., valley of river Mondego, 1000 m a.s.l., 1 ♂, 12.vi.1997, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b), Norway (Andersen & Jonassen 1994); Africa: Azores, Canary Islands, Madeira, Morocco; Asia: Afghanistan (Spencer 1976b), China (Sasakawa 1986), Israel (Spencer 1974), Japan, Kazakhstan, Kyrgyzstan, Tajikistan, Turkey (Civelek 2003), Turkmenia, Uzbekistan. New to the fauna of Morocco and Portugal.

*Napomyza minima* Zlobin, 1994

Material examined: Greece: Pelopónnisos, Taiyetos Mts, 950–1800 m a.s.l., 1 ♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC).

Distribution: Europe: Russia (Zlobin 1994). New to the fauna of Greece.

*Napomyza scrophulariae* Spencer, 1966

Material examined: Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 25.vi.1984, G. Christensen leg. (ZMUC); Taiyetos Mts, 950–1800 m a.s.l., 1 ♂, 15.–19.v.1990, Zool. Mus. Copenh. Exp. leg. (ZMUC). Morocco: Ifrane env., Forêt de Cèdres, 33.31N/05.06W, 1500 m a.s.l., yellow pan traps, 1 ♂, 29.iv.1999, Vrabec & Vrabcová leg. (CMBP).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994); Asia: Israel (Spencer 1974: as *N. hermonensis* Spencer 1974), Tajikistan (Zlobin 1994). New to the fauna of Greece and Morocco.

*Phytobia carbonaria* (Zetterstedt, 1848)

Material examined: Sweden: Småland, Hallaryd area, 1 ♂, 26.vi.–8.viii.1983, S. Andersen & V. Michelsen leg. (ZMUC).

Distribution: Europe (Martinez 2004). New to the fauna of Sweden.

*Phytoliriomyza arctica* (Lundbeck, 1901)

Material examined: Albania: Prokletije Mts, Bogë, meadow, Fagetum, 1500 m a.s.l., 2 ♂♂, 17.vi.1994, B. Mocek leg. (CMCH, MEB). Bulgaria: Varna, hills above coast, 1 ♂, 12.vii.1970, M. Chvála leg. (ZMUC). Croatia: Paklenica, 10 km E on shore, 1 ♂, 1.ix.1986, F. Kaplan leg. (TAU). Romania: Brezoi, 45.22N/24.10E, 5 km W, meadow near river, 2 ♂♂, 23.vii.1987, M. Barták leg. (CMBP). Uzbekistan: Chimgan, 41.38N/70.02E, 1200 m a.s.l., 1 ♂, 18.v.1989, damp valley, alpine meadow, 1800 m a.s.l., 2 ♂♂, 18.v.1989; Tashkent, along brook, 41.15N/69.28E, 1 ♂, 19.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Belgium (Scheirs *et al.* 1995), Norway (Andersen & Jonassen 1994); Africa: Azores (Spencer 1965b), Canary Islands, Madeira; Asia: China (Yang 1996), Japan, Nepal, Sri Lanka (Spencer 1975), Taiwan, Thailand, Turkey (Civelek 2003); North America: Canada, United States; South America: Bolivia, Brazil, Chile; Greenland. New to the fauna of Albania, Bulgaria, Croatia, Romania and Uzbekistan.

*Phytoliriomyza bornholmensis* Spencer, 1976

Material examined: Sweden: TLpm, Abisko Reg., N Coast Torneträsk, Jieprensjakk, 345 m a.s.l., 1 ♂, 9.viii.2001, B. Merz leg. (MHNG).

Distribution: Europe (Martinez 2004). New to the fauna of Sweden.

*Phytoliriomyza immoderata* Spencer, 1963

Material examined: Morocco: Azrou Ifrane area, 1400–2000 m a.s.l., 3 ♂♂, 4 ♀♀, 17.–19.iv.1989; Tizi-n-Talrhemt pass, 1900 m a.s.l., 3 ♀♀, 15.iv.1989, all Zool. Mus. Copenh. Exp. leg. (ZMUC). Yugoslavia: Serbia, Kosovo, Metohija, Prevalac, 1550 m a.s.l., 1 ♂, 13.vi.1967, P. Lauterer leg. (MMB). Spain: Sierra Blanca, Benaolan, damp meadow, 1200 m a.s.l., 1 ♂, 29.vi.1989, Špatenka leg. (CMBP).

Distribution: Europe: Sardinia (Černý in press); Africa: South Africa (Spencer 1963). New to the fauna of Morocco, Spain and Yugoslavia.

*Phytoliriomyza oasis* (Becker, 1907)

Material examined: Kyrgyzstan: Bigas, 20 km N, Lugovoj, 670 m a.s.l., 1 ♂, 1.v.1994; Kara-Arthsa Tal, 35 km ESE, Dzhambul, 1220 m a.s.l., 1 ♂, 3.v.1994, all B. Merz leg. (MHNG). Turkey: Nur Daglari Mts, 30 km E, Osmaniye Hasanbeyli, 1200 m a.s.l., 1 ♂, 3 ♀♀, 5.v.1996, B. Mocek leg. (CMCH, MEB). Uzbekistan: Aman-Kutan, alpine meadow, 39.19N/66.55E, 1300–1600 m a.s.l., 3 ♂♂, 23.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004); Africa: Algeria (Becker 1907, Spencer 1965a), Canary Islands, Morocco (Spencer 1967); Asia: Iraq (Spencer 1981). New to the fauna of Kyrgyzstan, Turkey and Uzbekistan.

*Phytomyza albipennis* Fallén, 1823

Material examined: Bulgaria: Geleznitza, pasture, 1 ♂, 9.vi.1981, V. Beschovski leg. (IZBA).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994), Switzerland (Černý 2005e); Africa: Canary Island. New to the fauna of Bulgaria.

*Phytomyza cecidonomia* Hering, 1937

Material examined: Slovakia: Štavnické pohorie, Kozárovce, Skala (Ragočina), 180–250 m a.s.l., 1 ♂, 4.vi.1971, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004). New to the fauna of Slovakia.

*Phytomyza clematidis* Kaltenbach, 1859

Material examined: Corsica: Bonifacio-Pertusato, 20–80 m a.s.l., 2 ♂♂, 15.v.1969, B. & O. Tkalčů leg. (MMB). Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 27.xi.1983, G. Christensen leg. (ZMUC).

Distribution: Europe (Martinez 2004); Africa: Canary Islands; Asia: Cyprus (Černý & Vála in press), Turkey (Civelek 2003). New to the fauna of Corsica and Greece.

*Phytomyza continua* Hendel, 1920

Material examined: Bulgaria: Georgi Trajkov, edge of oak wood, 43.00N/27.48E, 1 ♂, 15.vii.1987, M. Barták leg. (CMBP). Turkey: 2 km S, Nevşehir, Göre, 1 ♂, 29.iv.1991, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994); Asia: China (Sasakawa 1986), Japan, Russia (Kamchatka). New to the fauna of Bulgaria and Turkey.

*Phytomyza crassiseta* Zetterstedt, 1860

Material examined: Croatia: Peljašac peninsula, Orebič, sea coast, 1 ♂, 10.–20.vi.1983, Podhradský leg. (CMBP).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); Africa: Canary Islands; Asia: Russia (Kuril Islands); North America: United States. New to the fauna of Croatia.

*Phytomyza fallaciosa* Brischke, 1880

Material examined: Albania: Nat. park Drenova, 5 km S, Korçë, mixed forest, 1 ♂, 22.vi.1994, B. Mocek leg. (CMCH).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Albania.

*Phytomyza flavicornis* Fallén, 1823

Material examined: Turkey: Göre, 2 km S, Nevşehir, 2 ♀♀, 29.iv.1991, B. Mocek leg. (CMCH, MEB).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); North America: Canada, United States. New to the fauna of Turkey.

*Phytomyza hellebori* Kaltenbach, 1872

Material examined: Spain: Begues, vegetation, 41.21N/01.56E, 1 ♂, 6.vii.1990, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Asia: Japan. New to the fauna of Spain.

*Phytomyza hendeli* Hering, 1923

Material examined: Croatia: Peljašac peninsula, Orebič, sea coast, 1 ♂, 10.–20.vi.1983, Podhradský leg. (CMBP).

Distribution: Europe (Martinez 2004), Slovakia (Černý *et al.* in press B); Asia: India. New to the fauna of Croatia.

*Phytomyza isais* Hering, 1936

Material examined: Hungary: Lake Velence, West, 1 ♂, 23.viii.1986, F. Kaplan leg. (TAU).

Distribution: Europe (Martinez 2004), Czech Republic (Černý *et al.* 2001), Slovakia (Černý *et al.* in press B). New to the fauna of Hungary.

*Phytomyza montana* Groschke, 1957

Material examined: Uzbekistan: Tashkent, damp meadow, 41.24N/69.28E, 1 ♂, 16.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004). New to the fauna of Uzbekistan.

*Phytomyza notata* Meigen, 1830

Material examined: Yugoslavia: Serbia, Kosovo, Metohija, Prevalac, 1550 m a.s.l., 2 ♂♂, 13.vi.1967, P. Lauterer leg. (MMB).

Distribution: Europe (Martinez 2004), Czech Republic (Černý 1999), Slovakia (Černý & Vála 2005). New to the fauna of Yugoslavia.

*Phytomyza obscura* Hendel, 1920

Material examined: Portugal: Guarda, Estrela Mts, Manteigas env., valley of river Mondego, 1000 m a.s.l., 1 ♂, 12.vi.1997, B. Mocek leg (CMCH).

Distribution: Europe (Martinez 2004); Africa: Azores, Canary Islands, Madeira. New to the fauna of Portugal.

*Phytomyza origani* Hering, 1931

Material examined: Egypt: Cairo, El-Marg, orange orchard, 30.16N/31.23E, 13 ♂♂, 22.iii.1996, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Czech Republic (Černý *et al.* 2001), Italy (Černý in press), Switzerland (Černý 2005e). New to the fauna of Egypt.

*Phytomyza petoei* Hering, 1924

Material examined: Uzbekistan: Samarkand, along river Zeravshan, 39.38N/67.04E, 150 m a.s.l., 3 ♂♂, 22.v.1989; Zeravshan res., deciduous wood, 39.38N/67.08E, 2 ♂♂, 24.v.1989, 1 ♂, 21.–22.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Czech Republic (Černý *et al.* 2001), Slovakia (Černý *et al.* in press B); Asia: Cyprus (Černý & Vála in press), India, Turkey (Civelek 2003). New to the fauna of Uzbekistan.

*Phytomyza phillyreae* Hering in Buhr, 1930

Material examined: Turkey: Antalya Prov., Olympos, 25 km S, Kemer, 0 m a.s.l., 1 ♂, 26.iv.2000, B. Merz & Senay leg. (MHNG).

Distribution: Europe (Martinez 2004); Africa: Morocco (Spencer 1967). New to the fauna of Turkey.

*Phytomyza plantaginis* Robineau-Desvoidy, 1851

Material examined: Bulgaria: Achtopol, seashore, 42.09N/27.52E, 1 ♂, 18.vii.1987, pasture, 2 ♂♂, 19.vii.1987, M. Barták leg. (CMCP); Georgi Trajkov, edge of oak wood, 43.00N/27.48E, 1 ♂, 15.vii.1987; Rabiša, Belogradčik, meadow, 1 ♂, 10.vi.1985, V. Beschovski leg. (IZBA); Kotel, meadow near wood, 42.55N/26.24E, 1 ♂, 21.vii.1987, M. Barták leg. (CMBP); Sliven, 15 km N, pasture, 42.50N/26.15E, 800 m a.s.l., 1 ♂, 21.vii.1987, M. Barták leg. (CMBP). Croatia: Peljašac peninsula, Orebič, sea coast, 1 ♂, 10.–20.vi.1983, Podhradský leg. (CMBP). Egypt: Cairo, garden near river, 30.02N/31.14E, 2 ♂♂, 19.–20.iii.1996, M. Barták leg. (CMBP). Greece: Sterea Elada, Fthiotida, Thermopiles, hot spring & marsh, 1 ♂, 14.v.1998; Itea, coastal garrigue, 1 ♂, 17.v.1998, all P. Gatt leg. (CMCH, CPGM). Portugal: Guarda, Estrela Mts, Manteigas env., valley of river Mondego, 1000 m a.s.l., 1 ♂, 12.vi.1997, B. Mocek leg. (CMCH). Tunisia: Tabarka, Nefza-Zouaraa, dunes, 1 ♂, 22.iv.2000, P. Gatt leg. (CMCH); Jendouba, Femana pine forest, 1 ♂, 14.v.1995, P. Gatt leg. (CPGM). Uzbekistan: Chimgan, alpine meadow, 41.38N/70.06E, 1800 m a.s.l., 4 ♂♂, 18.v.1989; Chinaz, along river Syrdarya, 40.53N/68.43E, 2 ♂♂, 20.v.1989; Samarkand, along river Zeravshan, 39.38N/67.04E, 1 ♂, 22.v.1989; Tashkent, damp meadow, 41.24N/69.28E, 3 ♂♂, 16.v.1989; Zeravshan res., deciduous wood, 39.38N/67.08E, 1 ♂, 21.–22.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Sardinia (Černý in press); Africa: Azores (Spencer 1965b), Canary Islands, South Africa; Asia: Cyprus (Černý & Vála in press), Hawaiian Islands, Israel (Spencer 1974), Japan, Kyrgyzstan, New Zealand (Spencer 1976a), Taiwan, Thailand, Turkey (Civelek 2003), Uzbekistan; Australia (Spencer 1977b); North America: Canada, United States. New to the fauna of Bulgaria, Croatia, Egypt, Greece, Portugal, Tunisia and Uzbekistan.

*Phytomyza pubicornis* Hendel, 1920

Material examined: Russia: Moscow, Izmailovo, 55.48N/37.45E, park vegetation, 1 ♂, 17.ix.1986; Orechovo, 55.48N/37.45E, sweeping vegetation, 2 ♂♂, 23.vi.1987, all M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e). New to the fauna of Russia.

*Phytomyza pullula* Zetterstedt, 1848

Material examined: Bulgaria: Tzerni Osam, hygrophiti, 1 ♂, 29.vii.1973, V. Beschovski leg. (IZBA).

Distribution: Europe (Martinez 2004), Switzerland (Černý 2005e); North America: Canada, United States. New to the fauna of Bulgaria.

*Phytomyza ranunculi* (Schrank, 1803)

Material examined: Uzbekistan: Chinaz, along river Syrdarya, 40.53N/68.43E, 1 ♂, 20.v.1989; Tashkent, damp meadow, 41.24N/69.28E, 1 ♂, 16.v.1989, all M. Barták leg. (CMBP, CMCH).

Distribution: Europe (Martinez 2004), Sicily (Černý in press); Africa: Canary Islands, Madeira, Morocco (Spencer 1967); Asia: China (Yang 1996), Russia (Kamchatka, Kuril Islands) (Iwasaki 2000), Kyrgyzstan, India, Iraq (Spencer 1981), Japan, Turkey; North America: Canada, United States; Greenland (Griffiths 1966). New to the fauna of Uzbekistan.

*Phytomyza rhabdophora* Griffiths, 1964

Material examined: Albania: Prokletije Mts, Bogë, meadow, 1500 m a.s.l., 1 ♂, 17.vi.1994, Fagetum, B. Mocek leg. (CMCH). Russia: Zagorskij reg., Chot'kovo, mixed wood, 56.14N/37.53E, 1 ♂, 31.viii.1988, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Czech Republic (Černý 1999), Italy (Černý in press), Switzerland (Černý 2005e). New to the fauna of Albania and Russia.

*Phytomyza vitalbae* Kaltenbach, 1872

Material examined: Bulgaria: Sliven, damp meadow, 42.50N/26.16E, 800 m a.s.l., 13 km N, 1 ♂, 21.vii.1987, M. Barták leg. (CMBP). Uzbekistan: Chirchik, along river 42.32N/69.38E, 1 ♂, 19.v.1989; Samarkand, along river Zeravshan, 39.38N/67.04E, 1 ♂, 22.v.1989, all M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004); Africa: South Africa; Asia: Cyprus (Černý & Vála in press), Nepal, Taiwan; Australia (Spencer 1977b). New to the fauna of Bulgaria and Uzbekistan.

*Phytomyza wahlgreni* Rydén, 1944

Material examined: Morocco: Azrou, Ifrane area, 1400–2000 m a.s.l., 2 ♀♀, 17.–19.iv.1989, Zool. Mus. Copenh. Exp. leg. (ZMUC). Uzbekistan: Aman-Kutan, alpine meadow, 39.17N/66.54E, 1600 m a.s.l., 1 ♂, 23.v.1989, M. Barták leg. (CMBP).

Distribution: Europe (Martinez 2004), Slovakia (Černý *et al.* in press B); Asia: China (Sasakawa 1986), Russia (Kuril Islands); North America: United States. New to the fauna of Morocco and Uzbekistan.

*Pseudonapomyza atra* (Meigen, 1830)

Material examined: Corsica: Calviani, by river Tavignano, 42.06N/09.29E, 1 ♂, 27.iv.1978, A. E. Stubbs leg. (NHML). Greece: Corfu: Parama-Gastouri, 39.33N/19.53E, 1 ♂, 1 ♀, 10.v.1980, I. F. G. McLean leg. (NHML); Sidari, 39.47N/19.42E, 1 ♀, 2.v.1980, I. F.G. McLean leg. (NHML); Agios Spiridon,

39.48N/19.51E, 1 ♂, iv.1984, I. M. White leg. (NHML). Portugal: Porto, 41.09N/08.36W, 1 ♀, 12.viii.1962, J. Abraham & L. Horacsek leg. (NHML).

Distribution: Europe (Martinez 2004), Maltese Islands (Černý 2005b), Norway (Andersen & Jonassen 1994), Sardinia (Černý in press), Switzerland (Černý 2005e); Africa: Azores, Canary Islands, Cape Verde Islands, Egypt (Steyskal & El-Bialy 1968), Madeira; Asia: Cyprus (Černý & Vála in press), India, Mongolia, Turkey, Uzbekistan; North America: Canada, United States. New to the fauna of Corsica, Greece and Portugal.

*Pseudonapomyza europaea* Spencer, 1973

Material examined: Bulgaria: Kovatcevtzi, pasture, 900 m a.s.l., 1 ♀, 3.vii.1983, B. Dimitrova leg.; Oreshaka, 1 ♀, 29.vii.1973, meadow, V. Beschovski leg.; Pirdop, agrop., 1 ♂, 24.ix.1975, V. Beschovski leg.; Pirin, Banderica, meadow, 1 ♂, 9.viii.1982, V. Beschovski leg.; Vitoscha, Palakarja, lawn, 1200 m a.s.l., 1 ♂, 3.vii.1983, B. Dimitrova leg. (IZBA). Finland: Löporö, 1 ♀, no data, R. Frey leg., labelled as No. 1592 (MZH).

Distribution: Europe (Martinez 2004), Norway (Andersen & Jonassen 1994), Slovakia (Černý 2005c); Asia: Japan (Černý 2005c), Turkey (Černý 2005c); North America: Canada, United States (Boucher 2004). New to the fauna of Bulgaria and Finland.

*Pseudonapomyza eurasiatica* Zlobin, 2003

Material examined: Uzbekistan: Tashkent, damp meadow, 41.24N/69.28E, 3 ♂♂, 16.v.1989, M. Barták leg. (CMBP, CMCH).

Distribution: Europe: Greece, Switzerland (Černý 2005e), Ukraine; Asia: Kazakhstan, Tajikistan, Turkmenistan. New to the fauna of Uzbekistan.

*Pseudonapomyza lacteipennis* Malloch, 1913

Material examined: Greece: Corfu: Sidari, 39.47N/19.42E, 1 ♂, 2.v.1980, I. F. G. McLean leg. (NHML).

Distribution: Europe (Martinez 2004), Italy (Černý in press), Maltese Islands (Černý 2005b); North America: Canada, United States. New to the fauna of Greece.

*Pseudonapomyza palliditarsis* Černý, 1998

Material examined: Bulgaria: Varna, Shabla, grass, 1 ♀, 4.v.1992, 1 ♀, 26.v.1993, V. Beschovski leg. (IZBA).

Distribution: Europe (Martinez 2004), Russia (Černý 1998); Asia: Uzbekistan (Černý 2005c). New to the fauna of Bulgaria.

*Pseudonapomyza pollicicornis* Zlobin, 2003

Material examined: Uzbekistan: Samarkand, along river Zeravshan, 39.38N/67.04E, 1 ♂, 22.v.1989, M. Barták leg. (CMBP).

Distribution: Asia: Azerbaijan, Mongolia, Tajikistan, Turkmenistan. New to the fauna of Uzbekistan.

*Pseudonapomyza siciformis* Zlobin, 2003

Material examined: Czech Republic: Bohemia centr., Nymburk region, Hradčany, “Báň” Nature Monument, Malaise trap, 1 ♂, 9.–30.vii.2003, B. Mocek leg. (MEB). France: Vaucluse Caromb, Lac de Paty, 1 ♂, 30.v.1995, B. Merz & Eggenberger leg. (MHNG).

Distribution: Asia: Mongolia (Zlobin 2003). New to the fauna of the Czech Republic and France.

*Pseudonapomyza spicata* (Malloch, 1914)

Material examined: Canary Islands: Grand Canaria, Tafira, 1 ♂, no data, R. Frey leg., labelled as *Ps. atra* Mg. (MZH); Tenerife, Gulmar, 1 ♂, no data, R. Storá leg., labelled as No. 1758 and as *Ps. atra* Mg. (MZH).

Distribution: Europe (Martinez 2004); Asia: China (Yang 1996), Hawaiian Islands, India, Israel (Spencer 1974), Micronesia, Polynesia, Taiwan, Thailand (Spencer 1962), Turkey (Civelek 2003). New to the fauna of Canary Islands.

*Pseudonapomyza spinosa* Spencer, 1973

Material examined: Greece: Pelopónnisos, Monemvasia, 5 km S, 1 ♂, 27.viii.1983, 1 ♂, 28.viii.1983, G. Christensen leg. (ZMUC).

Distribution: Europe (Martinez 2004); Africa: Canary Islands, Egypt, Kenya (Spencer 1985), Lesotho, Nigeria, South Africa; Asia: Cyprus, Fiji, India, Israel (Spencer 1974), Turkey (Civelek 2003); Australia (Spencer 1977b). New to the fauna of Greece.

*Pseudonapomyza vota* Spencer, 1973

Material examined: Greece: Pelopónnisos, Monemvasia, 5 km S, 4 ♂♂, 27.viii.1983, 1 ♂, 4.x.1984, G. Christensen leg. (ZMUC). Hungary: Tihany, lawn, 1 ♂, 1.vii.1983, V. Beschovski leg. (IZBA). Portugal: Lisbon, 38.43N/09.11W, Parque Florestal de Monsanto, 1 ♂, 1 ♀, 23.vii.1962, 1 ♂, 1 ♀, 25.vii.1962, J. Abraham & L. Horacek leg. (NHML). Yugoslavia: Serbia, E. Beograd, Deliblato Nat. Park, 2 ♂♂, 22.viii.1983, Zool. Mus. Copenh. Exped. leg. (ZMUC).

Distribution: Europe (Martinez 2004), Italy (Černý in press), Maltese Islands (Černý 2005b), Switzerland (Černý 2005e). New to the fauna of Greece, Hungary, Portugal and Yugoslavia.

## ACKNOWLEDGEMENTS

Our sincerest thanks are due to B. Mocek (Hradec Králové) and P. Gatt (Rabat) for donation of excellent material of Agromyzidae originating from some collecting expeditions to several countries of the Mediterranean area. Also, we are very obliged to all the other dipterists who kindly provided mining flies for this study: Miroslav Barták (Praha), Venelin Beschovski (Sofia), Roy Danielsson (Lund), Amnon Freidberg (Tel Aviv), Milan Kozánek (Bratislava), Igor Malenovský (Brno), Rudolf Meier (Copenhagen), Pekka Vilkkamaa (Helsinki) and Nigel Wyatt (London). Vladimir V. Zlobin (St. Petersburg) kindly elucidated the distribution of some Agromyzidae in Russia and Uzbekistan.

## REFERENCES

- Andersen, A. & Jonassen, T. 1994: Faunal records of Agromyzidae (Diptera) from Norway. — *Fauna Norvegica*, Series B, 41: 59–64.
- Becker, T. 1907: Die Ergebnisse meiner dipterologischen Frühjahrsreise nach Algier und Tunis, 1906. — *Zeitschrift für systematische Hymenopterologie und Dipterologie* 7: 369–407.
- Boucher, S. 2004: The New World fauna of the genus *Pseudonapomyza* (Diptera: Agromyzidae). — *The Canadian Entomologist* 136: 781–791.
- Černý, M. 1998: Two new species of *Pseudonapomyza*, with notes on distribution of the European species (Diptera: Agromyzidae). — *Folia Heyrovskyana* 6 (1): 7–14.
- Černý, M. 1999: Faunistic records. Agromyzidae (pp. 200–207). *In: Jedlička, L. (ed.). Dipterologica bohemoslovaca* 9. — Slovak Entomological Society, Bratislava, 214 pp.
- Černý, M. 2005a: Faunistic records from the Czech and Slovak Republics. Agromyzidae (pp. 156–158). *In: Bitušík, P. (ed.). Dipterologica bohemoslovaca* 12. — *Acta Facultatis Ecologiae* 12, Supplement 1: 1–162.
- Černý, M. 2005b: *Amauromyza (Amauromyza) maltensis* sp. n. (Diptera: Agromyzidae) with an account of agromyzid mining flies from the Republic of Malta. — *Folia Heyrovskyana* 12 (2–3): 85–104.
- Černý, M. 2005c: A new species of *Pseudonapomyza* from Egypt, with notes on distribution of some other Palaearctic species of the genus (Diptera: Agromyzidae) (pp. 95–100). *In: Kubík, Š. & Barták, M. (eds). Dipterologica bohemoslovaca* 11. — *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 109 (2004): 1–346.
- Černý, M. 2005d: The first male of *Phytomyza xiphochaeta* Hendel, 1935 (Diptera: Agromyzidae) from Uzbekistan. — *Studia Dipterologica* 12 (1): 193–197.
- Černý, M. 2005e: Additional notes on the fauna of Agromyzidae (Diptera) in Switzerland. — *Revue Suisse de Zoologie* 112 (4): 771–805.
- Černý, M. in press: Additional records of Agromyzidae (Diptera) from Italy. *In: Kinkorová, J. (ed.). Dipterologica bohemoslovaca* 13. — *Acta Universitatis Carolinae Biologica* 50.
- Černý, M., Barták, M. & Kubík, Š. in press A: Agromyzidae. *In: Barták, M. & Kubík, Š. (eds). Diptera of Podyjí National Park and its Environs.* — Česká zemědělská univerzita v Praze.
- Černý, M. & Merz, B. 2005: New records of Agromyzidae (Diptera) from Switzerland. — *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 87: 337–348.
- Černý, M. & Vála, M. 1999: Agromyzidae (pp. 297–310). *In: Rozkošný, R. & Vaňhara, J. (eds). Diptera of the Pálava Biosphere Reserve of UNESCO, II.* — *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 100: 221–458.
- Černý, M. & Vála, M. 2005: Faunistic records. Agromyzidae (pp. 335–343). *In: Kubík, Š. & Barták, M. (eds). Dipterologica bohemoslovaca* 11. — *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 109 (2004): 1–346.
- Černý, M. & Vála, M. in press: New records of Agromyzidae (Diptera) from Cyprus. *In: Kinkorová, J. (ed.). Dipterologica bohemoslovaca* 13. — *Acta Universitatis Carolinae Biologica* 50.
- Černý, M., Vála, M. & Barták, M. 2001: Agromyzidae (pp. 349–364). *In: Barták, M. & Vaňhara, J. (eds). Diptera in an Industrially Affected Region (North-Western Bohemia, Bílina and Duchcov Environs), II.* — *Folia Facultatis Scientiarum Naturalium Universitatis Masarykianae Brunensis, Biologia* 105: 241–514.
- Černý, M., Vála, M. & Vlk, R. in press B: Faunistic records. Agromyzidae. *In: Kinkorová, J. (ed.). Dipterologica bohemoslovaca* 13. — *Acta Universitatis Carolinae Biologica* 50.
- Chen, X. & Zlobin, V.V. 2005: A new record species of *Cerodontha Rondani* (Diptera: Agromyzidae) from China. — *Entomotaxonomia* 27 (1): 37–38. (In Chinese)
- Civelek, H.S. 2003: Checklist of Agromyzidae (Diptera) of Turkey, with a New Record. — *Phytoparasitica* 31 (2): 132–138.
- Griffiths, G.C.D. 1966: The Agromyzidae (Diptera) of Greenland. — *Meddelelser om Grønland*, 170 (4): 1–32.
- Hendel, F. 1931–36: 59. Agromyzidae. *In: Lindner, E. (ed.). Die Fliegen der Palaearktischen Region*, Vol. 6. — Schweizerbart'sche Verlagsbuchhandlung, Stuttgart, 570 pp.
- Iwasaki, A. 2000: Agromyzidae (Insecta: Diptera) of Kuril Islands. — *Natural History Research, Special Issue* 7: 141–162.
- Martinez, M. 2004: Fauna Europaea: Agromyzidae. *In: Pape, T. (ed.): Fauna Europaea: Diptera, Flies.* — Fauna Europaea version 1.5, <http://www.faunaeur.org>.
- Nowakowski, T.J. 1973: Monographie der europäischen Arten der Gattung *Cerodontha* Rond. — *Annales Zoologici* 31 (1): 1–327.
- Sasakawa, M. 1972: Formosan Agromyzidae (Diptera). — *Scientific Reports of the Kyoto Prefectural University Agriculture* 24: 43–82.

- Sasakawa, M. 1986: Chinese Agromyzidae (Diptera) in Institute of Zoology, Academia Sinica. — Entomotaxonomia, 8 (3): 163–171.
- Sasakawa, M. 1988: The Agromyzidae (Diptera) of China (Part 4). — Proceedings of the Japanese Society of systematic Zoology 38: 51–56.
- Sasakawa, M. 1994: Notes on the Japanese Agromyzidae (Diptera). 3. *Liriomyza*-miners on *Artemisia* spp. (Asteraceae). — Japanese Journal of Entomology 62 (1): 55–64.
- Sasakawa, M. 2005: Agromyzidae (Diptera) in Viet Nam. — Japanese Journal of systematic Entomology 11 (1): 55–61.
- Scheirs, J., Bruyn, L. & Tschirnhaus, M. von, 1995: Agromyzidae (Diptera) of the nature reserve “Hobokense polder”: faunistics and life-history aspects. — Bulletin et Annales de la Société royale belge d'Entomologie 131: 191–205.
- Scheirs, J., Bruyn, L. & Tschirnhaus, M. von, 1999: Agromyzidae (Diptera) of the nature reserve “Étang de Virelles”: faunistics and life-history aspects. — Bulletin et Annales de la Société royale belge d'Entomologie 135: 152–158.
- Spencer, K.A. 1962: Notes on the Oriental Agromyzidae - 1. — Pacific Insects 4 (3): 661–680.
- Spencer, K.A. 1963: Notes on the African Agromyzidae (Diptera) - 4. — Journal of the Entomological Society of Southern Africa 26 (1): 94–124.
- Spencer, K.A. 1965a: The genus *Phytoliriomyza* Hendel (Agromyzidae, Diptera): a clarification of the four European species, with a list of eight other species now known in the genus. — Annals and Magazine of Natural History, Series 13 (7): 657–663.
- Spencer, K.A. 1965b: Agromyzidae (Diptera) from the Azores and Madeira. — Boletim do Museum Municipal do Funchal 19 (85): 104–110.
- Spencer, K.A. 1966: Some Agromyzidae from Sicily. — Entomologist's Monthly Magazine 101: 172–177.
- Spencer, K.A. 1967: Some Agromyzidae (Diptera) from Morocco. — Entomologist's Monthly Magazine 103: 126–130.
- Spencer, K.A., 1972: Agromyzidae from southern Spain (Insecta, Diptera). — Steenstrupia 2 (6): 91–104.
- Spencer, K.A. 1973: Some Agromyzidae (Diptera) from the Maltese Islands. — Entomologist's Monthly Magazine 108 (1972): 190–192.
- Spencer, K.A. 1974: Some Agromyzidae (Diptera) from Israel. — Israel Journal of Entomology 9: 141–157.
- Spencer, K.A. 1975: Diptera: Agromyzidae from Ceylon. — Entomologica Scandinavica, Supplement 4: 209–220.
- Spencer, K.A. 1976a: The Agromyzidae of the New Zealand (Insecta: Diptera). — Journal of the Royal Society of New Zealand 6 (2): 153–211.
- Spencer, K.A. 1976b: Beiträge zur Kenntnis der Fauna Afghanistans (Agromyzidae, Diptera). — Acta Musei Moraviae Brno 61: 171–173.
- Spencer, K.A. 1977a: Notes on world Agromyzidae, with the description of 16 new species. — Beiträge zur Entomologie 27 (2): 233–254.
- Spencer, K.A. 1977b: A revision of the Australian Agromyzidae (Diptera). — The Western Australian Museum Perth, Special Publication 8: 1–255.
- Spencer, K.A. 1981: Agromyzidae (Diptera) in Iraq. — Entomologist's Gazette 32: 177–180.
- Spencer, K.A. 1985: East African Agromyzidae (Diptera): further descriptions, revisionary notes and new records. — Journal of Natural History 19: 969–1027.
- Steyskal, G.C. & El-Bialy, S. 1968: A list of Egyptian Diptera with the bibliography and key to families. — Ministry of Agriculture, United Arab Republic, Cairo, Technical Bulletin 3 (1967): 1–87.
- Suh, S.J. 2000: Four Unrecorded Species of the Genus *Cerodontha* Rondani (Diptera: Agromyzidae) from Korea. — Korean Journal of Entomology 30 (2): 121–124.
- Suh, S.J. & Kwon, Y.J. 1998a: Classification of the Genus *Agromyza* Fallén from Korea (Diptera: Agromyzidae). — Korean Journal of Entomology 28 (4): 295–299.
- Suh, S.J. & Kwon, Y.J. 1998b: A Taxonomic Review of the genus *Liriomyza* (Diptera: Agromyzidae) from Korea. — The Korean Journal of Systematic Zoology 14 (4): 311–318.
- Süss, L. 1983: Gli Agromizidi paleartici della Collezione Bezzi nel Museo Civico di Storia Naturale di Milano. — Bollettino di Zoologia agraria e di Bachicoltura, Series II, 17 (1982–83): 137–173.
- Süss, L. 1999: Su alcuni Agromizidi recentemente raccolti in Italia. — Bollettino di Zoologia agraria e di Bachicoltura, Series II, 31 (2): 127–137.
- Tschirnhaus, M. von, 1981: Die Halm- und Minierfliegen im Grenzbereich Land-See der Nordsee. Eine ökologische Studie mit Beschreibung von zwei neuen Arten und neuen Fang- und Konservierungsmethoden (Diptera: Chloropidae et Agromyzidae). — Spixiana, Supplement 6: 1–405 & 11 plates.

- Yang, L. 1996: Agromyzidae (pp. 501–544). *In*: Xue, W. & Chao, C. (eds). Flies of China, Vol. 1. — Liaoning Science and Technology Press, Shenyang, 1365 pp. (In Chinese with English abstract).
- Zlobin, V.V. 1994: Review of mining flies of the genus *Napomyza* Westwood (Diptera: Agromyzidae). IV. Palaeartic species of *lateralis*-group. — International Journal of Dipterological Research 5 (1): 39–78.
- Zlobin, V.V. 2003: Review of mining flies of the genus *Liriomyza* Mik (Diptera: Agromyzidae). I. The Palaeartic *flaveola*-group species. — International Journal of Dipterological Research 13 (3) (2002): 145–178.

(received April 4, 2006, accepted Mai 16, 2006)