

**Zeitschrift:** Schweizerische mineralogische und petrographische Mitteilungen =  
Bulletin suisse de minéralogie et pétrographie

**Band:** 55 (1975)

**Heft:** 3

**Artikel:** Preliminary data on mineral standards Basel-Ib (Biotite) and -Ih  
(Hornblende)

**Autor:** Hügi, Th. / Schwander, H. / Stern, W.

**DOI:** <https://doi.org/10.5169/seals-43078>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 17.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## Preliminary Data on Mineral Standards Basel-1b (Biotite) and -1h (Hornblende)

By *Th. Hügi* \*), *H. Schwander* \*\*) and *W. Stern* \*\*)

With 2 tables

Since the distribution of the famous rock standards G-1 and W-1, some 25 years ago, quite a number of new silicate rock standards became analyzed by laboratories working on geological samples.

Silicate mineral standards are of special interest because of their natural homogeneity, but came into circulation much later—large quantities of pure mineral (with interesting chemical composition) being quite hard available.

1963, the Mineralogical Institutes of Basle and Berne/Switzerland, started the distribution of a standard biotite and hornblende; 1973 an anorthoclase<sup>1</sup>) went under preparation:

standard	mother rock	locality	literature
biotite	monomineralic aggregate	Val Agro	WENK et al.
Basel 1-b	in biotite schist	Ticino	(1963)
hornblende	hornblendite	R. del Motto	WENK et al.
Basel 1-h		Finero	(1974)
anorthoclase	loose crystals from	Mt. Kibo	STERN (1969)
Basel 1-a	Kibo rhombporphyry	Kilimanjaro	

The first two samples were sent – upon request – to nearly 100 laboratories all over the world; by 1974 18 different laboratories had contributed chemical data (see table 1).

For reasons of economy, not all analyses are reported here in detail; tabulated, however, are the evaluation of the main constituents, and the original trace element values. Full data on main constituents may be ordered from the library of the Mineralogical Institute/University of Basle, Switzerland.

\*) Mineralogical Institute, University of Berne, Sahlstr. 6, CH-3012 Berne.

\*\*) Mineralogical Institute, University of Basle, Bernoullistr. 30, CH-4056 Basle.

<sup>1)</sup> Powdered samples are delivered by the Geochemical Laboratory, Bernoullistrasse 30, CH-4056 Basle, Switzerland.

Table 1. *List of participating organizations.*

- Corbett, J. A., Min. Research Lab., North Ryde, NSW Australia.  
 Gilkes, R. J., University Western Australia.  
 Glasser, Dr. F. P., University of Malaya, Kuala Lumpur, Malaysia.  
 Hügi, Prof. Th., Universität Bern, Switzerland.  
 Kleeman, A. W., University Adelaide, Australia.  
 Meisl, Dr. St., Hess. Landesamt für Bodenforschung, BRD.  
 Neiva, Prof. C. J. H., Universidade de Coimbra, Portugal.  
 Otto, Dr. J. and Czygan, Dr. W., Universität Freiburg i. Br., BRD.  
 Poole, Dr. A. B., Queen Mary College, University of London, UK.  
 Randall, B. A. O., University New Castle upon Tyne, UK.  
 Randle, Dr. K., Scott. Research Centre, East Kilbride, Glasgow, UK.  
 Richter, Dr. P., Universität Würzburg, BRD.  
 Schmidt, Prof., Zentr. Geol. Institut, Berlin, DDR.  
 Schwander, Prof. H., Universität Basel, Switzerland.  
 Thompson, Dr. G., Woods Hole Oceanogr. Institute, Woods Hole, Mass., USA.  
 Troll, Dr. G., Universität München, BRD.  
 US Geological Survey, Washington, USA.  
 Weibel, Prof. M., ETH, Zürich, Switzerland.

In a first step all chemical data on main constituents were collected, the averages, standard deviations, and coefficients of variation calculated; in a second step only those values falling in between the  $\pm 1\sigma$  range of the first evaluation became considered. Again, averages, standard deviations, and coefficients of variation were calculated, see table 2a. From these data, the «recommended values» are derived. The second decimal digit is only given in case of sufficiently small coefficients of variation. Less reliable data stand in between brackets.

Especially in case of minerals, informations about the trace elements are of interest: one may assume, that the scattering of data is principally due to analytical error, rather than to natural inhomogeneities of the specimen. The “recommended values” for the reported trace elements have to be regarded as rough estimations only, informations yet being too scarce.

#### Bibliography

- FLANAGAN, F. J. (1974): Reference samples for the earth sciences. *Geochim. Cosmochim. Acta* *38*, 1731.  
 STERN, W. B. (1969): On the Chemical Composition of Anorthoclase from Mt. Kibo/Kilimanjaro (Tanzania). *Contr. Mineral. Petrol.* *20*, 198.  
 WENK, E., SCHWANDER, H., HUNZIKER, J. and STERN, W. (1963): Zur Mineralchemie von Biotit in den Tessiner Alpen. *Schweiz. Mineral. Petrogr. Mitt.* *43*, 435.  
 WENK, E., SCHWANDER, H. and STERN, W. (1974): On Calcic Amphiboles and Amphibolites from the Lepontine Alps. *Schweiz. Mineral. Petrogr. Mitt.* *54*, 97.

Table 2a.

*Evaluation: Mineral Standard Basel-1b (biotite)*

A. All values considered				B. Values in between $I\sigma \pm$ considered				C. Recommended values	
N	Average wt-%	Stand- ard devia- tion	Coeff. of vari- ation	N	Average wt-%	Stand- ard devia- tion	Coeff. of vari- ation	wt-%	
SiO <sub>2</sub>	15	37.36	1.01	5.8	13	37.53	0.41	1.1	37.5
Al <sub>2</sub> O <sub>3</sub>	15	17.28	0.53	3.1	10	17.23	0.27	1.6	17.25
Fe <sub>2</sub> O <sub>3</sub>	10	1.74	0.43	24.7	6	1.76	0.18	10.2	1.75
FeO	9	10.63	0.38	3.6	8	10.52	0.25	2.4	10.5
MnO	17	0.09	0.02	22.1	16	0.09	0.01	11.1	0.09
MgO	14	16.32	0.69	4.2	11	16.23	0.45	2.8	16.2
CaO	14	0.09	0.08	89	11	0.07	0.03	43	(0.07)
Na <sub>2</sub> O	13	0.38	0.09	23.7	9	0.36	0.05	13.9	0.36
K <sub>2</sub> O	17	9.15	0.20	2.2	12	9.11	0.11	1.2	9.1
TiO <sub>2</sub>	13	2.41	0.25	10.4	11	2.50	0.08	3.2	2.50
P <sub>2</sub> O <sub>5</sub>	4	0.04	0.04	100					(0.04)
H <sub>2</sub> O <sup>+</sup>	5	3.62	0.45	12.4	4	3.75	0.38	10.1	3.75
H <sub>2</sub> O <sup>-</sup>	6	0.43	0.24	56	4	0.28	0.12	43	(0.28)
									99.39
Fe <sub>2</sub> O <sub>3</sub> tot	13	13.56	0.22	1.6	9	13.47	0.15	1.1	13.45
H <sub>2</sub> O tot	4	3.47	0.69	19.9	3	3.17	0.40	12.6	3.2

*Mineral Standard Basel-1h (hornblende)*

SiO <sub>2</sub>	11	43.29	0.77	1.8	7	43.29	0.47	1.1	43.3
Al <sub>2</sub> O <sub>3</sub>	13	15.62	0.52	3.3	9	15.66	0.30	1.9	15.65
Fe <sub>2</sub> O <sub>3</sub>	7	1.07	0.28	26.2	5	1.20	0.21	17.5	1.2
FeO	7	5.68	0.48	8.5	5	5.59	0.14	2.5	5.6
MnO	13	0.10	0.01	10.0	8	0.10	0.005	5.0	0.10
MgO	11	16.80	0.89	5.3	9	16.74	0.58	3.5	16.75
CaO	13	11.72	0.18	1.5	10	11.71	0.09	0.8	11.70
Na <sub>2</sub> O	10	2.52	0.16	6.4	8	2.55	0.10	3.9	2.55
K <sub>2</sub> O	13	0.28	0.07	25.0	9	0.28	0.04	14.3	0.3
TiO <sub>2</sub>	10	0.32	0.05	15.6	7	0.30	0.01	4.3	0.30
P <sub>2</sub> O <sub>5</sub>	6	0.02	0.03	150					(0.02)
H <sub>2</sub> O <sup>+</sup>	3	2.13	0.31	14.6	2	2.31			2.3
H <sub>2</sub> O <sup>-</sup>	4	0.11	0.07	64	3	0.08	0.03	37.5	0.1
									99.87
Fe <sub>2</sub> O <sub>3</sub> tot	12	7.39	0.38	5.1	8	7.32	0.21	2.9	7.3
H <sub>2</sub> O tot	6	2.39	0.30	12.6	5	2.49	0.17	6.8	2.5

*Mineral Standard Basel-1a (anorthoclase) Tentative values*

SiO <sub>2</sub>	60.6
Al <sub>2</sub> O <sub>3</sub>	21.8
Fe <sub>2</sub> O <sub>3</sub> tot	1.6
MgO	0.2
CaO	2.7
Na <sub>2</sub> O	6.9
K <sub>2</sub> O	4.1
TiO <sub>2</sub>	0.4
H <sub>2</sub> O	0.8
Sum	99.1

Table 2b.

Trace elements of mineral standards Basel-1b and Basel-1h (ppm)

<i>Basel-1b</i> (biotite)		<i>Basel-1h</i> (Hornblende)	Tentative Value
Elements	Tentative Value		
Li	105, 90, 105, 115, 73	100	13, 10, 10
Be	<5, 4.9, <10	5	<1, <1
B	<10, <5, <5	<5	<10, 5, <5
F	3000	(3000)	100
Cl	400	(400)	300
Sc	50, 40.0, 52, 85, 30	50	30, 31.7, 30
V	70, 120, 138, 320, 400	200	245, 150, 240, 430
Cr	1000, >500, 820, 1200, >1200, 1000, 855, 930	1000	875, 700, 820, 650, 1700, 800, 760, 720
Co	100, 90, 58, 69, 65, 53, 110	70	45, 30, 50, 70, 60, 75
Ni	1000, >400, 2080, 665, 880, 650	850	240, 200, 255, 300, 380
Cu	30, 3, 3, 65, <10	<10	30, 30, 20, 35, <10
Zn	180, 300, 135, 235, 240	210	<40, 35, 65
Ga	50, 17, 30, 59	40	10, <5, 12
Ge	50	(50)	30
Rb	590, 570, >1000, 360	600	12, 30, <10, <10
Sr	10, 30, 10, <10	10	245, 300, 210, 200, 250, 265
Y	20, 7	15	15, 10
Zr	160, <200, <30, 36, <1	10	65, <30, 11
Nb	30, 95	50	
Mo	1.5, 22, <1, <10	<10	4, <10
Ag	<1	(<1)	<1
Cd	<2	(<2)	<2
Sn	15, 15, 162	15	5
Sb	3	(3)	<0.3
Cs	23.5, <30	24	<1
Ba	1100, 1000, 980, 860, >1200, 965, 1500	1000	30, 30, <100, 25, 65, 50
La	50, 38.7	40	26.4
Ce	88	(88)	14
Nd	52	(52)	18
Sm	10.5	(11)	9.0
Eu	0.27	(0.3)	0.44
Yb	2	(2)	
Lu	<0.1	(<0.1)	0.20
Hf	1.0	(1)	0.61
Ta	4.2	(4)	<0.2
Tl	<20	(<20)	
Pb	15, <10, 10, <2, 15	10	10, <5, 2, 25
Bi	<2	(<2)	<2
Th	15.6	(16)	<0.8
U	<10	(<10)	<10

When only one analysis is given, the recommended value is printed between brackets.  
 The data are presented in chronological order (eldest to the left).

Manuscript received August 28, 1975.