

**Zeitschrift:** Schweizerische mineralogische und petrographische Mitteilungen =  
Bulletin suisse de minéralogie et pétrographie

**Band:** 71 (1991)

**Heft:** 3

**Rubrik:** New minerals recently approved by the Commission on New Minerals  
and Mineral Names, International Mineralogical Association

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 29.03.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**New minerals recently approved  
by the  
Commission on New Minerals and Mineral Names  
International Mineralogical Association**

The information given here is provided by the Commission on New Minerals and Mineral Names, I. M. A. for comparative purposes and as a service to mineralogists working on new species. It is hoped that future lists will be published in the major mineralogical journals on a quarterly or semi-annual basis.

Each mineral is described in the following format:

IMA No.

(any relationship to other minerals)

Chemical Formula

Crystal system, space group  
unit cell parameters

Diaphaneity; lustre; colour

Optical properties

Strongest lines in the X-ray powder diffraction pattern

The names of these approved species are considered confidential information until the authors have published their descriptions or released information themselves.

**No other information will be released by the commission**

J.A. Mandarino, Chairman

Commission on New Minerals and Mineral Names

International Mineralogical Association

**The following minerals were approved during 1990**

IMA No. 90-002

(Ce,La)Al<sub>2</sub>B<sub>3</sub>O<sub>9</sub>

Hexagonal, P6<sub>2</sub>m

a 4.610, c 9.358 Å

Transparent to translucent; vitreous; light yellow.

Uniaxial (+), ω 1.703, ε 1.711

3.67(100), 3.04(100), 2.458(75), 2.308(50),

2.020(50), 1.953(50), 1.855(50), 1.835(50)

Transparent; vitreous; pale yellow brown in thin-section.

Biaxial (+), α 1.735, β 1.741, γ 1.758, 2V(meas.) 64°, 2V(calc.) 62°.

9.1(40), 3.50(50), 2.910(90), 2.842(50),  
2.698(100), 2.622(60), 2.177(40), 2.137(40).

IMA No. 90-004

the Mg-dominant analogue of allanite-(Ce)

Ca(Ce,La)MgAl<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>(OH)

Monoclinic, P2<sub>1</sub>/m

a 8.916, b 5.700, c 10.140 Å, β 114.72°

IMA No. 90-005

Ca<sub>3</sub>Si<sub>6</sub>(O,OH)<sub>18</sub> · 5 H<sub>2</sub>O

Monoclinic, Cc or C2/c

a 11.331, b 7.353, c 22.67 Å, β 96.59°


Transparent; vitreous; colourless to white.

Biaxial (-), α 1.575, β 1.580, γ 1.585, 2V(calc.) 89.8°.

11.25(100), 3.745(36), 3.304(51), 3.068(45),  
3.034(60), 3.012(37), 2.811(41), 2.794(60).

## IMA No. 90-007

the Cu-dominant analogue of braunite and neltnerite



Tetragonal,  $I4_1/acd$

a 9.409, c 18.600 Å

Opaque; metallic; black.

In reflected light: grey, very weak anisotropism, weak bireflectance, nonpleochroic. R-values: (20.8, 21.2%) 470 nm, (19.6, 20.0%) 546 nm, (19.2, 19.7%) 589 nm, (18.7, 19.2%) 650 nm.

2.703(100), 2.352(14), 2.135(16), 1.6516(30), 1.4167(10), 1.4023(12).

Transparent; vitreous; colourless.

Uniaxial (-),  $\omega$  1.508,  $\epsilon$  1.506.

6.39(S), 4.77(vS), 3.69(m), 3.27(vS), 2.769(m), 2.650(m).

## IMA No. 90-008



Hexagonal (trigonal),  $P31c$


a 12.855, c 10.700 Å

Transparent; vitreous; yellow.

Uniaxial (-),  $\omega$  1.584,  $\epsilon$  1.660

4.824(70), 3.919(80), 3.720(100), 3.313(90), 2.694(35), 2.676(70), 2.471(35).

## IMA No. 90-014



Hexagonal,  $P6_3$


a 12.74, c 5.183 Å

Transparent; vitreous; light blue or colourless.

Uniaxial (+),  $\omega$  1.494,  $\epsilon$  1.501.

6.43(25), 4.70(60), 3.68(70), 3.26(100), 2.756(50), 2.433(30).

## IMA No. 90-009



Hexagonal,  $P6_22$


a 12.843, c 32.239 Å

Transparent; vitreous; green to greenish-yellow.

Uniaxial (+),  $\omega$  1.528,  $\epsilon$  1.543

4.84(40), 3.711(100), 3.314(80), 3.035(20), 2.988(16), 2.687(25), 2.470(16), 2.139(25).

## IMA No. 90-015



Orthorhombic, space group unknown, lattice is primitive


a 10.136, b 17.348, c 5.970 Å

Transparent; vitreous to dull; colourless.

Biaxial (+),  $\alpha$  1.528,  $\beta$  1.529,  $\gamma$  1.531, 2V(meas.) 45°, 2V(calc.) 71°.

6.53(55), 5.05(50), 4.85(65), 2.858(70), 2.597(50), 2.229(50), 2.076(100).

## IMA No. 90-010



Orthorhombic,  $Pbcm$

a 6.412, b 19.45, c 8.941 Å


Transparent to translucent; greasy; cadmium orange.

Biaxial (-),  $\alpha$  1.94,  $\beta$  2.05,  $\gamma$  2.06, 2V(meas.) 5°, 2V(calc.) 32°.

9.75(10), 4.476(4), 3.208(9), 3.047(5), 2.680(4), 2.153(4), 1.604(4).

## IMA No. 90-016

an orthorhombic polymorph of natisite



Orthorhombic,  $Pmma$


a 9.827, b 9.167, c 4.799 Å

Translucent; adamantine; yellow, orange-yellow, orange-brown.

Biaxial (+),  $\alpha$  1.740,  $\beta$  1.741,  $\gamma$  1.765, 2V(meas.) 20°, 2V(calc.) 23°.

2.748(100), 2.257(25), 1.720(30), 1.680(30), 1.475(33), 1.443(35).

## IMA No. 90-011



Orthorhombic,  $P2_12_12$

a 6.803, b 12.87, c 4.528 Å


Translucent to opaque; subadamantine to submetallic; black.

Biaxial (probably -),  $\alpha \sim 2.2$ ,  $\gamma \sim 2.3$ .

6.43(40), 3.762(60), 3.637(60), 3.283(30), 2.664(100), 2.265(40), 2.047(20).

## IMA No. 90-018

a regular 1:1 interstratification of cookeite and paragonite



Monoclinic,  $C2/m$


a 5.158, b 8.914, c 23.83 Å,  $\beta$  94.23°

Transparent; pearly; white.

Biaxial (-),  $\alpha$  1.58 << 1.59,  $\beta$  1.58 << 1.59,  $\gamma$  1.59 << 1.60, 2V(meas.) 30–50°.

11.89(70), 4.456(90), 4.325(90), 2.547(100), 2.476(70), 1.486(90).

## IMA No. 90-012




Hexagonal,  $P6_3$

a 22.121, c 5.221 Å

## IMA No. 90-019

the Mg-dominant analogue of chalcophanite



Triclinic, P1


a 7.534, b 7.525, c 8.204 Å,  $\alpha$  89.753°,  
 $\beta$  117.375°,  $\gamma$  120.000°

Opaque; dull; coffee black.

In reflected light: grey, clear anisotropism,  
weak bireflectance, nonpleochroic. R-values:  
(23.0%) 470 nm, (19.9%) 546 nm, (19.1%)  
589 nm, (18.6%) 650 nm.

6.965(100), 5.539(3), 4.086(4), 3.522(3),  
3.483(11), 2.230(8).

## IMA No. 90-020



Orthorhombic, Pnma

a 9.762, b 5.639, c 9.558 Å

Transparent; vitreous; colourless.

Biaxial (+),  $\alpha$  1.590,  $\beta$  1.596,  $\gamma$  1.636, 2V(meas.)  
41°, 2V(calc.) 43°.

6.83(S), 4.33(VS), 3.43(VS), 2.704(M),  
2.666(M), 2.414(M), 1.726(M). IMA

## IMA No. 90-021

the Ti-dominant analogue of lavenite



Monoclinic, P2<sub>1</sub>/a


a 10.828, b 9.790, c 7.054 Å,  $\beta$  108.20°

Translucent to transparent; vitreous; orange-  
brown, yellow.

Biaxial (-),  $\alpha$  1.743,  $\beta$  1.785,  $\gamma$  1.810, 2V(meas.)  
72–84°, 2V(calc.) 74°.

3.942(20), 3.234(30), 2.859(100), 2.807(70),  
1.762(20), 1.741(20), 1.727(20), 1.688(20),  
1.627(20).

## IMA No. 90-023



Orthorhombic, Pnc2 or Pncm

a 8.025, b 17.43, c 6.935 Å


Translucent to transparent; vitreous; bright  
yellow.

Biaxial (-),  $\alpha$  1.618,  $\beta$  1.738,  $\gamma$  1.765, 2V(meas.)  
43°, 2V(calc.) 48°.

8.01(100), 4.01(70), 3.468(60), 3.186(50),  
3.119(70), 2.912(80), 2.471(40).

## IMA No. 90-024

the Mn-dominant analogue of fenaksite



Triclinic, P1


a 6.993, b 8.219, c 10.007 Å,  $\alpha$  105.11°,  
 $\beta$  100.76°,  $\gamma$  114.79°

Transparent; vitreous; colourless to light  
pinkish-cream.

Biaxial (-),  $\alpha$  1.540,  $\beta$  1.551,  $\gamma$  1.557, 2V(meas.)  
73°, 2V(calc.) 72°.

6.89(70), 3.45(100), 3.26(90), 3.05(80),  
2.880(70), 2.715(70), 2.463(70).

## IMA No. 90-025



Triclinic, P1

a 5.412, b 7.079, c 26.56 Å,  $\alpha$  95.21°,  $\beta$  93.51°,  
 $\gamma$  90.10°

Translucent to transparent; vitreous to pearly;  
light brown.

Biaxial (-),  $\alpha$  1.600,  $\beta$  1.658,  $\gamma$  1.676, 2V(meas.)  
56°, 2V(calc.) 57°.

2.937(10), 2.702(9), 2.659(8), 2.048(8B),  
1.771(5B), 1.730(5).

## IMA No. 90-026



Triclinic, P1


a 5.415, b 7.081, c 20.34 Å,  $\alpha$  86.85°,  $\beta$  94.40°,  
 $\gamma$  89.94°

Translucent to transparent; vitreous to pearly;  
light brown.

Biaxial (-),  $\alpha$  1.630,  $\beta$  1.678,  $\gamma$  1.697, 2V(meas.)  
62°, 2V(calc.) 63°.

2.880(10), 2.702(8B), 2.636(7), 2.050(5),  
1.662(4B), 1.600(5).

## IMA No. 90-027



Orthorhombic, space group unknown


a 8.724, b 23.14, c 4.923 Å

Translucent; vitreous; white to pale grey or  
beige.

Biaxial, average index of refraction is 1.604.

11.64(93), 5.80(68), 3.87(76), 3.16(74),  
2.889(75), 2.837(100), 2.494(58).

## IMA No. 90-028



Monoclinic, A2/n


a 5.061, b 8.334, c 14.383 Å,  $\beta$  96.67°

Transparent to opaque; vitreous to earthy;  
colourless to white.

Biaxial (+),  $\alpha$  1.515,  $\beta$  1.516,  $\gamma$  1.518, 2V(meas.)  
64°, 2V(calc.) 71°.

7.14(100), 4.24(80), 4.14(100), 4.02(80),  
2.847(100), 2.698(50), 1.610(40), 1.557(40).

## IMA No. 90-030



Orthorhombic, Pmnb

a 6.884, b 9.976, c 4.927 Å

Transparent to translucent; vitreous; colourless,  
white, very pale blue, very pale yellow.

Biaxial (-),  $\alpha$  1.533,  $\beta$  1.540,  $\gamma$  1.541, 2V(meas.) 49°, 2V(calc.) 41°.  
4.020(100), 3.507(100), 3.441(100), 2.833(40),  
2.712(40), 2.493(90), 2.462(90), 1.721(40).

## IMA No. 90-031

$\text{Pb}_3(\text{Fe}^{3+}, \text{Mn}^{3+})_4\text{Mn}_3^{4+}\text{O}_{15}$   
Hexagonal,  $\text{P6}_3/\text{mcm}$   
a 10.037, c 13.67 Å  
Opaque; metallic; black.  
In reflected light: bright white, strong anisotropism, moderate bireflectance, nonpleochroic.  
 $R_O$  and  $R_E$ : (31.0, 26.1%) 470 nm,  
(29.5, 25.1%) 546 nm, (28.5, 24.4%) 589 nm,  
(27.2, 23.4%) 650 nm.  
3.42(5), 3.18(8), 2.828(7), 2.663(10), 2.366(6),  
1.687(8).

## IMA No. 90-032

$\text{Mg}_3\text{Ba}(\text{PO}_4)_4 \cdot 8 \text{H}_2\text{O}$   
Orthorhombic,  $\text{Pmma}$ ,  $\text{Pmc}2_1$  or  $\text{Pma}2$   
a 12.829, b 8.335, c 18.312 Å  
Transparent; vitreous with a silky sheen;  
yellow-brown to light pink.  
Biaxial (+),  $\alpha$  1.552,  $\beta$  1.552,  $\gamma$  1.558, 2V(meas.) 23°, 2V(calc.) 0°.  
10.51(100), 3.874(32), 3.520(34), 3.081(78),  
3.054(41), 2.969(44), 2.839(34).

## IMA No. 90-033

$\text{Pb}_4\text{Cu}_4\text{Si}_4\text{O}_{12}(\text{HCO}_3)_4\text{ClH}$   
Tetragonal,  $\text{I4}/\text{m}$   
a 14.234, c 6.103 Å  
Transparent; vitreous; bright blue.  
Uniaxial (+),  $\omega$  1.786,  $\varepsilon$  1.800  
10.2(10), 5.644(7), 4.495(10), 3.333(10),  
3.013(9), 2.611(5).

## IMA No. 90-036

$\text{Cu}_4\text{Al}_2[\text{HSbO}_4, \text{SO}_4](\text{OH})_{10}(\text{CO}_3) \cdot 2 \text{H}_2\text{O}$   
Monoclinic,  $\text{P}2_1$   
a 10.765, b 2.903, c 12.527 Å,  $\beta$  95.61°  
Transparent; silky; green-blue.  
Biaxial (+),  $\alpha$  1.626,  $\beta$  1.646,  $\gamma$  1.682, 2V(meas.) 77°, 2V(calc.) 75°.  
5.62(50), 5.160(90), 4.276(100), 3.565(40),  
2.380(35), 2.326(35).

## IMA No. 90-037

$\text{Cu}_4(\text{UO}_2)(\text{MoO}_4)_2(\text{OH})_6$   
Monoclinic,  $\text{A}121$ ,  $\text{A}1\text{m}1$  or  $\text{A}12/\text{m}1$   
a 5.529, b 6.112, c 19.83 Å,  $\beta$  103.9°  
Transparent; vitreous to greasy; dark green to black.  
Biaxial (-),  $\alpha$  1.90,  $\beta$  1.93,  $\gamma$  1.96, 2V(meas.) 90°,  
2V(calc.) 89°.

4.815(80), 4.425(40), 4.276(40), 4.100(100),  
3.734(90), 3.254(40), 2.628(40), 2.482(60).

## IMA No. 90-040

$\text{Ca}_3\text{Cu}_5\text{Si}_9\text{O}_{26}$   
Monoclinic,  $\text{C}2/\text{c}$   
a 10.160, b 10.001, c 19.973 Å,  $\beta$  91.56°  
Transparent; vitreous; greenish blue.  
Biaxial (+),  $\alpha$  1.722,  $\beta$  1.723,  $\gamma$  1.734, 2V(meas.) 73°, 2V(calc.) 34°.  
7.13(60), 6.70(70), 3.12(90), 3.00(100), 2.45(60),  
2.41(70).

## IMA No. 90-041

$\text{Ca}_3(\text{SO}_3)_2\text{SO}_4 \cdot 12 \text{H}_2\text{O}$   
Hexagonal,  $\text{R}\bar{3}\text{m}$   
a 11.350, c 28.321 Å  
Transparent; vitreous; colourless.  
Uniaxial (+),  $\omega$  1.4941,  $\varepsilon$  1.4960.  
8.11(80), 5.73(100), 3.63(60), 3.28(40), 2.69(80),  
2.11(40).

## IMA No. 90-042

$\text{Mn}(\text{Mg}, \text{Mn})_2\text{Zn}_2(\text{OH})_{10} \cdot 4 \text{H}_2\text{O}$   
Monoclinic,  $\text{C}2/\text{m}$   
a 15.47, b 6.369, c 5.576 Å,  $\beta$  101.29°  
Mostly opaque but also translucent; vitreous to dull to earthy; dark brown.  
In reflected light: gray, weak anisotropism, very weak bireflectance, nonpleochroic.  $R(\text{min.}, \text{max.})$ : (8.54, 8.65%) 470 nm, (8.07, 8.23%) 546 nm, (8.00, 8.19%) 589 nm, (7.89, 8.18%) 650 nm.  
7.61(10), 3.96(5), 3.45(3), 2.997(4), 2.745(6),  
2.673(3).

## IMA No. 90-043

the monoclinic dimorph of mimetite  
 $\text{Pb}_5(\text{AsO}_4)_3\text{Cl}$   
Monoclinic,  $\text{P}2_1/\text{b}$   
a 10.189, b 20.372, c 7.46 Å,  $\beta$  119.88°  
Translucent; resinous; yellowish-white.  
Biaxial (-),  $\alpha$ ,  $\beta$  and  $\gamma$  > 1.8, 2V(meas.) 8°.  
3.342(50), 3.048(100), 3.008(70), 2.947(70),  
2.106(60), 1.961(50), 1.903(50).

## IMA No. 90-044

$\text{NaVO}_3$   
Orthorhombic,  $\text{Pnma}$   
a 14.134, b 3.648, c 5.357 Å  
Transparent; silky; colourless.  
Biaxial (+),  $\alpha$  1.780,  $\beta$  1.800,  $\gamma$  > 1.85, 2V(meas.) 30–40°.  
7.07(11), 5.05(100), 3.530(25), 3.241(18),  
3.016(13), 2.957(35), 2.685(12).

- IMA No. 90-045  
 $\text{Bi}_2\text{Cu}_3(\text{OH})_2\text{O}_2(\text{PO}_4)_2 \cdot 2 \text{H}_2\text{O}$   
 Monoclinic,  $C2/m$   
 $a$  12.358,  $b$  6.331,  $c$  9.060 Å,  $\beta$  122.70°  
 Translucent; vitreous; sky blue to dark azure blue.  
 Biaxial (-),  $\beta$  1.89,  $2V(\text{meas.})$  68°.  
 7.623(8), 6.093(6), 5.405(6), 5.201(7), 3.039(10), 2.921(9), 2.197(6).
- IMA No. 90-047  
 $\text{Pt}_5\text{Se}_4$   
 Monoclinic,  $P2_1/c$   
 $a$  6.61,  $b$  4.60,  $c$  11.10 Å,  $\beta$  101.4°  
 Opaque; metallic; dark bronze to black.  
 In reflected light: white with a brownish hue, very strong anisotropism, very strong birefractance, weak pleochroism.  $R$  (max. and min.): (54.8, 35.2%) 470 nm, (58.6, 38.6%) 546 nm, (60.8, 40.2%) 589 nm, (63.2, 42.4%) 650 nm.  
 5.45(60), 3.27(60), 2.93(80), 2.78(60), 2.648(60B), 2.465(60), 1.875(100B), 1.812(70).
- IMA No. 90-048  
 $\text{PdBiSe}$   
 Cubic,  $P4_132$  or  $P4_32$   
 $a$  6.448 Å  
 Opaque; metallic; light yellow.  
 In reflected light: pinkish-yellow, no anisotropism, no birefractance, nonpleochroic.  $R$ : (47.5%) 470 nm, (48.3%) 546 nm, (46.8%) 589 nm, (45.6%) 650 nm.  
 2.89(10), 2.63(9), 1.943(9), 1.724(5), 1.376(4).
- IMA No. 90-049  
 $\text{CaBe}_3(\text{OH})_2(\text{PO}_4)_2 \cdot 4 \text{H}_2\text{O}$   
 Monoclinic,  $Cc$   
 $a$  11.897,  $b$  9.707,  $c$  9.633 Å,  $\beta$  95.76°  
 Translucent; vitreous; colourless.  
 Biaxial (+),  $\alpha$  1.5203,  $\beta$  1.5205,  $\gamma$  1.5300,  $2V(\text{meas.}) < 10^\circ$ ,  $2V(\text{calc.}) 17^\circ$ .  
 5.92(60), 4.33(50), 3.421(70), 2.959(60), 2.945(45), 2.5130(100).
- IMA No. 90-050  
 the Mn-dominant analogue of stilpnomelane  
 $(\text{K}, \text{Na})_4(\text{Mn}, \text{Zn}, \text{Mg}, \text{Fe}^{3+})_{48}(\text{Si}, \text{Al})_{72}(\text{O}, \text{OH})_{216} \cdot n \text{H}_2\text{O}$  ( $n$  about 6)  
 Triclinic,  $P1$  or  $P\bar{1}$   
 $a$  5.521,  $b$  9.560,  $c$  36.57 Å (orthohexagonal cell)  
 Transparent to translucent; vitreous; dark brown.  
 Biaxial (-),  $\alpha$  1.545,  $\beta$  1.583,  $\gamma$  1.583,  $2V(\text{meas.}) 10^\circ$ ,  $2V(\text{calc.}) 0^\circ$ .
- 12.3(100), 2.737(30), 2.583(40), 2.362(30), 1.594(30), 1.580(30).
- IMA No. 90-051  
 a member of the aenigmatite group  
 $(\text{Ca}, \text{Na})_2(\text{Fe}^{2+}, \text{Fe}^{3+}, \text{Ti})_6(\text{Si}, \text{Be}, \text{Al})_6\text{O}_{20}$   
 Triclinic,  $P1$  or  $P\bar{1}$   
 $a$  10.385,  $b$  10.751,  $c$  8.959 Å,  $\alpha$  104.76°,  $\beta$  97.03°,  $\gamma$  125.47°  
 Opaque to subtranslucent; vitreous; black.  
 Biaxial (-?),  $\alpha$  1.78,  $\gamma$  1.82,  $2V(\text{meas.})$  large.  
 8.029(90), 3.122(46), 2.9243(59), 2.6756(48), 2.5291(100), 2.0993(63), 2.0758(47).
- IMA No. 90-052  
 the indium-dominant analogue of scorodite and mansfieldite  
 $\text{In}(\text{AsO}_4) \cdot 2 \text{H}_2\text{O}$   
 Orthorhombic,  $Pcab$   
 $a$  10.45,  $b$  10.32,  $c$  9.09 Å  
 Transparent; vitreous; pale green to yellowish-green.  
 Biaxial (-), mean  $n$  about 1.65,  $2V(\text{meas.}) 55-76^\circ$ .  
 5.719(70), 4.537(100), 4.162(40), 3.2461(80), 3.1073(80), 2.6568(50), 2.5426(45).
- IMA No. 90-054  
 $[(\text{Na}, \text{K})_6\text{Cl}_2](\text{Ca}_2\text{Cl}_2)(\text{Si}_6\text{Al}_6\text{O}_{24})$   
 Hexagonal,  $P6_3$  or  $P6_3/m$   
 $a$  25.771,  $c$  5.371 Å  
 Transparent; vitreous; colourless.  
 Uniaxial (+),  $\omega$  1.529,  $\epsilon$  1.532  
 4.85(S), 3.71(vS), 3.31(vS), 2.788(S), 2.677(m), 2.474(m), 2.147(m), 1.804(m), 1.380(m).
- IMA No. 90-055  
 $(\text{Pd}, \text{Cu}, \text{Fe})_9\text{SnTe}_2\text{S}_2$   
 Tetragonal, space group unknown  
 $a$  9.044,  $c$  4.937 Å  
 Opaque; metallic; megascopic colour unknown.  
 In reflected light: yellowish-rose, strong anisotropism, distinct to strong birefractance, pronounced pleochroism.  $R_{\text{min.}}$ ,  $R_{\text{max.}}$ : (33.7, 41.6%) 470 nm, (38.5, 48.7%) 546 nm, (40.4, 51.8%) 589 nm, (42.0, 54.9%) 650 nm.  
 2.472(10), 2.260(9), 2.022(6), 1.361(4), 1.213(5), 1.205(5), 1.129(5).
- IMA No. 90-056  
 the  $\text{Fe}^{3+}$ -analogue of surite  
 $(\text{Pb}, \text{Ca})_{2.3}(\text{CO}_3)_{1.5-2}(\text{OH}, \text{F})_{0.5-1}[(\text{Fe}, \text{Al})_2\text{Si}_4\text{O}_{10}(\text{OH})_2] \cdot n \text{H}_2\text{O}$   
 Monoclinic,  $P2_1$  or  $P2_1/m$   
 $a$  5.241,  $b$  9.076,  $c$  16.23 Å,  $\beta$  90.03°  
 Transparent; silky; light yellow green to dark forest green.

Biaxial (+),  $\alpha$  1.757,  $\beta$  1.763,  $\gamma$  1.773,  $2V(\text{calc.})$   
76°.  
16.1(40), 4.53(100), 3.727(35), 3.240(90),  
2.612(80), 2.272(50).

IMA No. 90-057

$(\text{Sr}_{1.5}\text{Ca}_{1.2})\text{Ca}_2(\text{Ca}_{2.2}\text{Na}_{1.8})\text{K}_{1.4}\text{Al}_{17}\text{Si}_{19}\text{O}_{72} \cdot 34 \text{H}_2\text{O}$   
Hexagonal,  $P6_3/mmc$   
 $a$  13.244,  $c$  15.988 Å  
Transparent; vitreous; colourless.  
Uniaxial (-),  $\omega$  1.522,  $\varepsilon$  1.507  
6.58(80), 3.80(100), 2.95(70), 2.70(50), 2.50(50),  
2.21(70), 1.83(50).

Manuscript received and accepted October 25,  
1991.