

Zeitschrift: Swiss express : the Swiss Railways Society journal
Herausgeber: Swiss Railways Society
Band: 1 (1986-1987)
Heft: 6

Artikel: The S.B.B. in HO. (a nit-pickers guide to a better Bahn). Part 3
Autor: Jesson, John
DOI: <https://doi.org/10.5169/seals-853683>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 18.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>


THE S.B.B. IN HO. (A NIT-PICKERS GUIDE TO A BETTER BAHN)

by John Jesson

LIMA B-RIC SCHLIEREN TYPE B.L.S.

Only thirty of these vehicles were built, in 1956/7, and were, I believe, the first new international coaches built for the S.B.B. after the war, along with the similar A and Bc types. They weighed 33 tons and were passed for 160 km/h running. 72 seats were provided in 9 compartments. Running numbers are 51 85 29-70 100 - 129 although the original UIC heating code was 80.

Lima have produced a good model of this rather distinctive type. Basic dimensions are close to scale but, as is usual with Lima, the coach sits too high - to the tune of about 2.5 mm. The bogies are incorrect for this type of vehicle, and one of them should carry a generator. The buffers are too short, resulting in the length over the body being longer than the length over buffers. Almost the only body details are the handrails at each side of the deeply recessed doors. These are moulded rather high, and are a little too heavy looking for my taste. The bellows-type corridor connections are nicely produced, as are the footsteps. The roof is completely plain apart from a moulding mark



'B' RIC no. 51 85 29 - 80 100 - 129. Photo SBB

in the centre and short rainstrips over each door. There is a slight difficulty here, as the drawing I have shows ventilators over each compartment, whereas the accompanying photograph shows none. Lettering is clear and comprehensive, the number being 51 85 29-80 127-7, which is correct for the coach when still fitted for steam heating as well as electric.

Improving the model is a straightforward job, presenting few difficulties. I have replaced the Lima bogies by Roco ones, of the type fitted to the Einheits type II luggage vans. This is an easier job than it seems at first sight. The pivot hole in the floor of the coach is a snug fit for an 8 B.A. nut, which can be secured with superglue or epoxy. The moulded pivot pin on the Roco bogies is removed, and a new baseplate superglued to the underside of the bogie. (see sketch). The whole lot is assembled with an 8 B.A. screw, with a lock-nut inside the body. No modifications need to be made to the interior moulding as there are already holes to accommodate the Lima bogie pivots.

Conveniently, changing the bogies reduces the overall height to about 44,5 mm, which is near enough correct for me.


I have removed the moulded handrails and replaced them with new ones made of nickel silver wire. Each doorway has a short handrail (9 mm) towards the middle of the coach, and a longer one (15 mm) towards the end of the coach. The bottom of each handrail is 1 mm above the bottom of the door. The corridor should have a handrail running along the inside of the windows. This should be 3 mm above the bottom edge of the window/roof moulding, and is made, in my case, from this steel rod.

After removing the moulding pip, I repainted the roof with my usual Roco Umbragrau. The exterior doors are silver on this stock, so I used Humbrol Polished Aluminium for them, as well as for the vestibule doors. Handrails are yellow, and I used Old Pullman S.B.B. green where any touching-up of the body colour was required. The interior was painted in the usual colours.

Three things I have not mentioned. The bogie-mounted generator is at the 'Smoking' end of the coach on the corridor side. Use Roco's generator or make your own. The buffers I have not replaced as I know of none suitable. This leaves couplings, which I am afraid I shall leave to you to arrange.

Finally, one word of warning. Replacing the bogies as described limits the radius the coach will negotiate. I estimate the minimum radius now to be about 24 in..

BOGIE - BOTTOM VIEW



LIMA B-RIC Schlieren/BLS (30 9189)

| Length over buffers | | | Length over body | | | Bogie centres | | | Bogie wheelbase | | |
|---------------------|-------|-------|------------------|-------|-------|---------------|-------|-------|-----------------|------|-------|
| 1:1 | 1:87 | model | 1:1 | 1:87 | model | 1:1 | 1:87 | model | 1:1 | 1:87 | model |
| 23700 | 272,4 | 266,1 | 23300 | 267,8 | 266,9 | 16300 | 187,4 | 186,0 | 2700 | 31,0 | 27,0 |

| Height above rail | | | Body width | | | Buffer height | | | Buffer separation | | |
|-------------------|------|-------|------------|------|-------|---------------|------|-------|-------------------|------|-------|
| 1:1 | 1:87 | model | 1:1 | 1:87 | model | 1:1 | 1:87 | model | 1:1 | 1:87 | model |
| 3840 | 44,1 | 46,5 | 2920 | 33,6 | 34,0 | 1060 | 12,2 | 12,6 | 1750 | 20,1 | 20,0 |