Zeitschrift: Swiss express: the Swiss Railways Society journal

Herausgeber: Swiss Railways Society

Band: - (2010)

Heft: 104

Artikel: Real-time passenger information on the ZVV

Autor: Hoekstra, George

DOI: https://doi.org/10.5169/seals-854456

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use


The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 06.08.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

REAL-TIME PASSENGER INFORMATION ON THE ZVV

George Hoekstra



At the beginning of this year I was one of only a handful of journalists invited to the two-day symposium IT 10 RAIL, held at the Zürich Polytechnic University where one could choose from two or three presentations on problems and solutions in handling passenger traffic on the railways. It was organised by the Zürich based consultancy SMA + Partner and attended by over 200 European transport professionals. I am indebted to Ms Claudia Wirz for arranging my attendance and supplying me with additional information. With such a vast choice of events I had to carefully select my attendances. But for this report, I can only skim the surface and concentrate on the sole subject of the

As is well known to our readers, one of the main reasons Swiss public transport works is the attention given to connections. The main difference to taking your car is that public transport usually involves more than one individual journey. This is why everything about the connection is crucial. One of the main difficulties is the time needed for the connection. To get more time, you can speed up the trains between the connecting nodes, or you can speed up

real-time visual passenger information on the ZVV, the integrated transport

S14 going to Hinwil. Beneath, on the right is the system map. On the left is the real-time information screen. Above: next stop Hinwil, arrival (actual) 14.22. Below it are the connections. We are way out in the country, so there are only two: at 14.29 the 869 Bus (white block) to Wetzikon Station and at 14.30 the 870 Bus to Rüti ZH. At 14.42 the AG (Angemeldete Gruppe = pre-Booked Group, which was our lot!) would depart to Bauma (Heritage train), a short walk away. The column "Hinweis" (notice) is empty: the train is on time.

ALL PHOTOS: George Hoekstra

the passenger flows at the nodes. An interesting cost ratio to achieve a oneminute saving by various improvements was given. Improving infrastructure -100; faster (tilting) trains on existing infrastructure -10; improving passenger/ exit) and in stations (enough space for free flows, good information) -1. It is clear where to start! However, before you get to the connecting point you must know what time you will arrive; if you are on time; how to identify your connection; when and where it will leave from. Most importantly, if you are running late, will the connection be held and if not, what is your next possibility? The ZVV wanted a system that would show all this information, in real time, on every S-Bahn train, tram and bus running in their region.

Sometimes, you can get too much information. At this ticket machine at Hinwil, no less than five possible routes are given to the poor traveller trying to get to Zürich Airport! And to cap it all, he could even suggest another route (bottom)... Remember, only infrequent travellers use these machines. All others have seasons, use day tickets or have all-in tickets.



S5		Oerlikon			
00		Ankunft ca. 09:43, Gleis 6			
	ine.	10206101	Gleis / Kante	Status	Hinweis
46	14	Seebach		o.k.	
09:46	64	Maillartstrasse		o.k.	
09:46	75	Seebacherplatz		o.k.	
09:47	11	Auzeig		o.k.	
09:47	10	Zurich, Bahnhofplatz/HB		o.k.	
09:48	768	Flughafen/Airport		o.k.	
09:48	80	Triemlispital		o.k.	
09:49	S14	Hinwil Walnedon Uniter Wetzilon	2	o.k.	

And back to the displays. We are on the S5. Next stop (Zürich-) Oerlikon, arrival ca. (=about) 9.43 on track 6. About means plus or minus one minute: the exact time cannot be given in the extreme dense Zürich traffic. Connections are given for seven trams and buses: 14, 11, 10, 64, 75, 768 and 80 (the colours correspond to the route colour on the trams or buses); and one train: S14 at 9.49 to Hinwil on track 2. All are o.k., we are on time.

The first thing to do was the easiest. As Zürich already had a fully integrated system of connections, it had to be put into a computer program. Next came pinpointing the exact position of every vehicle. Here too use could be made of existing technology. For signalling purposes trains in dense areas like Zürich are already tracked, while trams and buses have a similar, but simpler, system. Due to the tens of-thousands of connections, decision making in case of delays had to be automated, with partial manual override. Then the communication with the drivers; due to the huge amount of information, the only solution was a system of text messages on a dedicated network. Passenger information to the screens is sent in a similar way. The design of these screens was important too; all pertinent information must be shown in a quick-to-comprehend form.

At the symposium, we were shown in detail how everything works, including a visit to a signalling centre to show how a modern dispatcher operates and how the automated connection system works. For a delay of up to 3 minutes, the system automatically holds the connection, informs the driver and adjusts the passenger displays. Between 4 and 10 minutes delay, the system



On 25/3/2010, I was surprised to see this red Bern "Combino" No. 659 in front of Zürich Hauptbahnhof ...

normally breaks the connection, but the dispatcher can manually override. Again, drivers are informed and displays adjusted automatically. Delays of over 10 minutes cannot be held. The system informs the driver and sends the next possible connection to the displays. It would fill the entire magazine to tell you all about it as the problems in coordination and technology are huge and they are still working on them, but they have certainly come a long way. But do not take my word for it, go ride the S-Bahn (especially S5), trams and buses in the Zürich area and see the progress for yourself. I am sure many other regions will take it on – once Zürich has paid most of the cost of developing it and getting the bugs out...

... so as a "Berner", I just had to get on and found to my surprise it was fitted with the standard tram display. Top line: line 11 (green), next stop Bahnhofstrasse/HB, train connections (only S-Bahn, this system is for Regional transport): S2 – S16 and trams 6 and 7. The "stop" button has been pressed. Then the next three stops and their connections are listed, together with the expected travel time of 3, 5 and 7 min. On the bottom is the final destination "Auzelg", which will be reached in 27 min. Finally, there is a clock: actual time is 12.29. Surveys showed people prefer a conventional clock face!

