

Bibliographie

Objektyp: **ReferenceList**

Zeitschrift: **Acta Tropica**

Band (Jahr): **24 (1967)**

Heft 3

PDF erstellt am: **15.05.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Bibliographie

5 Naturwissenschaften — Sciences naturelles — Natural Sciences

- 576.8 Mikrobiologie, Bakteriologie, Parasitologie
 - 576.85 Systematische Bakteriologie
 - 576.89 Tiere als Parasiten, Krankheitsüberträger
 - 576.893.1 Protozoa
 - 576.894 Mollusca
 - 576.895 Articulata
-

5 Naturwissenschaften — Sciences naturelles — Natural Sciences

576.8 Mikrobiologie. Bakteriologie. Parasitologie — Microbiologie. Bactériologie. Parasitologie — Microbiology. Bacteriology. Parasitology

- DOGIEL, V. A. (1966). General parasitology. Revised and enlarged by Y. I. Polyanski and E. M. Kheisin, translated by Z. Kabata. 516 pp. ill. — London: Academic Press
- JONES, A. W. (1967). Introduction to parasitology. 472 pp. ill. — Reading, Mass. and London: Addison-Wesley Publ. Co.
- MALEK, I. & FENCL, Z. (ed.) (1966). Theoretical and methodological basis of continuous culture of microorganisms. 655 pp. ill. — New York, London: Academic Press
- MANter, H. W. (1967). Some aspects of the geographical distribution of parasites. — J. Parasit. 53, 3-9
- REIMER, L. (1967). Elektronenmikroskopische Untersuchungs- und Präparationsmethoden. 2. Aufl. 598 pp. ill. — Berlin: Springer-Verlag
- SPENCER, F. M. & MONROE, L. S. (1966). The color atlas of intestinal parasites. 2nd ed. 142 pp. ill. — Springfield: Charles C Thomas

576.851 Eubacteriales

- GUTIERREZ, R. (1967). Preliminary report on the effects of L-triiodotyronine, radioactive iodine¹³¹, and methimazole on experimental murine leprosy. — Lepr. Rev. 38, 31-33
- LE MINOR, L. et al. (1967). Distribution de la tétrathionate-réductase chez divers sérotypes de *Salmonella*. — Ann. Inst. Pasteur 113, 117-123
- LE MINOR, L. et al. (1967). Deux nouveaux sérotypes de *Salmonella* isolés au Sénégal. — Ann. Inst. Pasteur 112, 116-118
- LE MINOR, L. et al. (1967). Quatre nouveaux sérotypes de *Salmonella* isolés au Tchad. — Ann. Inst. Pasteur 112, 657-661
- LE MINOR, L. et al. (1967). Trois nouveaux sérotypes de *Salmonella* isolés en Côte d'Ivoire. — Ann. Inst. Pasteur 112, 661-663
- PRABHAKARAN, K. (1967). Metabolism of *Mycobacterium leprae* separated from human leprosy nodules. — Int. J. Leprosy 35, 34-41
- PRABHAKARAN, K. (1967). Oxidation of 3,4-dihydroxyphenylalanine (DOPA) by *Mycobacterium leprae*. — Int. J. Leprosy, 35, 42-51
- SCHLÜTZ, G. O. et al. (1967). A new method for preparing staining solutions for bacteriological examinations. — J. trop. Med. Hyg. 70, 5
- SECHTER, I. et al. (1967). A new *Salmonella* species: *Salmonella sharon* = I I:k:1,6. — Ann. Inst. Pasteur 112, 118-119

- SHEPARD, C. C. & CHANG, Y. T. (1967). Effect of DDS on established infections with *Mycobacterium leprae* in mice. — *Int. J. Leprosy* 35, 52-57
- VIEU, J. F. et al. (1967). Action de la lyophilisation sur les lysotypes VI de *Salmonella typhi*. — *Ann. Inst. Pasteur* 113, 205-220

576.851.7 Rickettsia. Bartonella

- HOOGSTRAAL, H. (1967). Ticks in relation to human diseases caused by *Rickettsia* species. — *Ann. Rev. Ent.* 12, 377-420
- HUANG, KUN-YEN. (1967). Metabolic activity of the trench fever rickettsia, *Rickettsia quintana*. — *J. Bact.* 93, 853-859
- JONES, F. Jr. & PARETSKY, D. (1967). Physiology of rickettsiae. 6. Host-independent synthesis of polyribonucleotides by *Coxiella burnetii*. — *J. Bact.* 93, 1063-1068
- MYERS, W. F. et al. (1967). Permeability properties of *Rickettsia mooseri*. — *J. Bact.* 93, 950-960
- REISS-GUTFREUND, R. J. (1967). The epidemiology of rickettsioses on the Ethiopian high plateau. — *Amer. J. trop. Med. Hyg.* 16, 186-190
- WOOD, W. H. Jr. & WISSEMAN, C. L. Jr. (1967). The cell wall of *Rickettsia mooseri*. 1. Morphology and chemical composition. — *J. Bact.* 93, 1113-1118

576.856 Spirochaetales

- LAPIERRE, J. & GILLES, M. (1967). Phénomènes d'immunité dans les borrélioses. Commentaires à propos de résultats expérimentaux. — *Ann. Parasit. hum.* 42, 5-17
- MAILLOUX, M. (1967). Utilité de l'antigène *Leptospira biflexa* Patoc dans les sérodiagnostics de leptospiroses. — *Ann. Inst. Pasteur* 112, 121-125
- MAILLOUX, M. (1967). Effet des leptospires sur les cultures cellulaires. — *Ann. Inst. Pasteur* 112, 664-666

576.848 Virus

- ALLEN, W. P. (1967). Group C arbovirus infections in rhesus monkeys. — *Amer. J. trop. Med. Hyg.* 16, 106-110
- ARDOIN, P. & CLARKE, D. H. (1967). The use of sonication and of calcium-phosphate chromatography for preparation of group C arbovirus hemagglutinins. — *Amer. J. trop. Med. Hyg.* 16, 357-363
- BIVIN, W. S. et al. (1967). Mosquito-induced infection with equine encephalomyelitis virus in dogs. — *Amer. J. trop. Med. Hyg.* 16, 544-547
- BRANDT, W. E. et al. (1967). Production and characterization of arbovirus antibody in mouse ascitic fluid. — *Amer. J. trop. Med. Hyg.* 16, 339-347
- CUADRADO, R. R. & CASALS, J. (1967). Differentiation of arboviruses by immunoelectrophoresis. — *J. Immunol.* 98, 314-320
- GALINDO, P. & SRIHONGSE, S. (1967). Transmission of arboviruses to hamsters by the bite of naturally infected *Culex* (Melanoconion) mosquitoes. — *Amer. J. trop. Med. Hyg.* 16, 525-530
- JONKERS, A. H. et al. (1967). Restan virus, a new group C arbovirus from Trinidad and Surinam. — *Amer. J. trop. Med. Hyg.* 16, 74-78
- KARABATSOS, N. & BUCKLEY, S. M. (1967). Susceptibility of the baby-hamster kidney cell line (BHK-21) to infection with arboviruses. — *Amer. J. trop. Med. Hyg.* 16, 99-105
- LAMOTTE, L. C. et al. (1967). Use of adult chickens as arbovirus sentinels. 1. Viremia and persistence of antibody in experimentally inoculated adult chickens. — *Amer. J. trop. Med. Hyg.* 16, 348-356

- MAGUIRE, T. et al. (1967). Whataroa virus, a group A arbovirus isolated in South Westland, New Zealand. — Amer. J. trop. Med. Hyg. 16, 371-373
- MARCH, R. W. & HETRICK, F. M. (1967). Studies on Guaroa virus. 1-3. — Amer. J. trop. Med. Hyg. 16, 191-202
- ROSS, M. G. R. & BELL, T. M. (1967). Susceptibility of the East African red-tail monkey kidney cells to enteroviruses. — E. Afr. med. J. 44, 99-107
- SALIM, A. R. (1967). Neutralization of a Phlebotomus (sandfly) fever virus in baby hamster kidney (BHK21) tissue culture. — Trans. roy. Soc. trop. Med. Hyg. 61, 259-264
- SEBASTIANI, A. et al. (1967). L'infezione del topo neonato ed adulto con virus coxsackie B5 (ceppo Fr). — Arch. Sci. med. trop. Parassit. 68, 3-50
- SRIHONGSE, S. et al. (1967). Detection of arboviruses by sentinel hamsters during the low period of transmission. — Amer. J. trop. Med. Hyg. 16, 519-524
- WEBB, P. A. et al. (1967). Some characteristics of Machupo virus, causative agent of Bolivian hemorrhagic fever. — Amer. J. trop. Med. Hyg. 16, 531-538
- WEST, R. & SIMPSON, D. I. H. (1967). The susceptibility of red-tail monkey kidney cell cultures to mouse-adapted strains of arboviruses. — E. Afr. med. J. 44, 108-111
- WOODALL, J. P. & WILLIAMS, M. C. (1967). Tanga virus: a hitherto undescribed virus from *Anopheles* mosquitoes from Tanzania. — E. Afr. med. J. 44, 83-86
- WOODALL, J. P. et al. (1967). Congo virus: a hitherto undescribed virus occurring in Africa. — E. Afr. med. J. 44, 93-98

576.89 Tiere als Parasiten. Krankheitsüberträger — Animaux parasitaires.
Vecteurs de maladies — Parasitic Animals. Disease Carriers

576.893.1 Protozoa

576.893.12 Amoebozoa

- GOLDMAN, M. & CANNON, L. T. (1967). Antigenic analysis of *Entamoeba histolytica* by means of fluorescent antibody. 5. Comparison of 15 strains of *Entamoeba* with information on their pathogenicity to guinea pigs. — Amer. J. trop. Med. Hyg. 16, 245-254

576.893.16 Flagellata

- BRAND, T. VON et al. (1967). Hexose and glycerol absorption by some Trypanosomatidae. — J. Protozool. 14, 8-14
- BRAY, R. S. & LAINSON, R. (1967). Studies on the immunology and serology of leishmaniasis. 5. The use of particles as vehicles in passive agglutination tests. — Trans. roy. Soc. trop. Med. Hyg. 61, 490-505
- BRAY, R. S. & MUNFORD, F. (1967). On the maintenance of strains of leishmania from the Guianas. — J. trop. Med. Hyg. 70, 23-24
- DEANE, L. M. (1967). Tripanosomídeos de mamíferos da região amazônica. — Rev. Inst. Med. trop. São Paulo 9, 143-148
- GEIGY, R., KAUFFMANN, M. & BEGLINGER, R. (1967). A survey of wild animals as potential reservoir of trypanosomiasis in the Ulanga District (Tanzania). — Acta trop. 24, 97-108
- GODFREY, D. G. (1967). Phospholipids of *Trypanosoma lewisi*, *T. vivax*, *T. congolense*, and *T. brucei*. — Exp. Parasit. 20, 106-118
- GOMES, I. (1967). Nuevas observaciones acerca de la acción patógena del *Trypanosoma rangeli* Tejera, 1920 sobre *Rhodnius prolixus* Stal, 1859. — Rev. Inst. Med. trop. São Paulo 9, 5-10

- GUTTMAN, H. N. (1967). Patterns of methionine and lysine biosynthesis in the trypanosomatidae during growth. — J. Protozool. 14, 267-271
- INTERNATIONAL SCIENTIFIC COUNCIL FOR TRYPANOSOMIASIS RESEARCH. (1967). 11th meeting, Nairobi 31. 10.-4. 11. 1966. 191 pp. — Lagos: Publications Bureau (O.A.U./S.T.R.C. Publication No. 100)
- IRALU, V. (1967). *Trypanosoma cruzi* cultivation in trypticase soy broth with hemin and serum. — J. Parasit. 53, 653-654
- JANOVY, J. Jr. (1967). Respiratory changes accompanying leishmania to leptomonad transformation in *Leishmania donovani*. — Exp. Parasit. 20, 51-55
- LINCICOME, D. R. et al. (1967). Host serum malic dehydrogenase activity associated with *Trypanosoma lewisi* infection. — Exp. Parasit. 20, 9-16
- MARR, J. S. & PIKE, E. H. (1967). The protection of mice by "Corpus Christi" strain of *Trypanosoma cruzi* when challenged with "Brasil" strain. — J. Parasit. 53, 657-659
- MARSDEN, P. D. (1967). *Trypanosoma cruzi* infections in CFI mice. 1. Mortality with different dosis of trypanosomes. 2. Infections induced by different routes. — Ann. trop. Med. Parasit. 61, 57-67
- MATHOT, C. et al. (1967). The immune response of golden hamsters to *Leishmania donovani* as tested by immunoelectroadsorption. — Amer. J. trop. Med. Hyg. 16, 443-446
- MIETH, H. & SEIDENATH, H. (1967). Chemotherapeutische Untersuchungen an *Trypanosoma cruzi* in Gewebekulturen. — Z. Tropenmed. Parasit. 18, 53-60
- MILDER, R. & DEANE, M. P. (1967). Ultrastructure of *Trypanosoma conorhini* in the crithidial phase. — J. Protozool. 14, 65-72
- MONIER, J. C. et al. (1967). Facteur antinucléaire spécifique du noyau des trypanosomes: type, nature et signification. — Ann. Inst. Pasteur 113, 175-182
- OPITZ, H. P. (1967). Das Auftreten von Achromozyten im Blut von gesunden und mit *Trypanosoma gambiense* infizierten Meerschweinchen. — Z. Tropenmed. Parasit. 18, 61-76
- OTT, K. J. et al. (1967). Course of infection of *Leishmania donovani* in hamsters inoculated by the intraperitoneal route. — J. Parasit. 53, 641-645
- SACHS, R., SCHALLER, G. B. & BAKER, J. R. (1967). Isolation of trypanosomes of the *T. brucei* group from lion. — Acta trop. 24, 109-112
- SANYAL, A. B. & SEN GUPTA, P. C. (1967). Fine structure of *Leishmania* in dermal leishmanoid. — Trans. roy. Soc. trop. Med. Hyg. 61, 211-216
- SEED, J. R. & GAM, A. A. (1967). Susceptibility of the American opossum to infection by *Trypanosoma gambiense*. — J. Parasit. 53, 651-652
- SEED, J. R. et al. (1967). Characterization and localization of acid phosphatase activity of *Trypanosoma gambiense*. — J. Protozool. 14, 117-125
- SHERMAN, I. W. & RUBLE, J. A. (1967). Virulent *Trypanosoma lewisi* infections in cortisone-treated rats. — J. Parasit. 53, 258-262
- SIQUEIRA, A. F. et al. (1967). Estudos sôbre reservatórios e vetores silvestres do *Trypanosoma cruzi*. — Rev. Inst. Med. trop. São Paulo 9, 155-162
- TAFURI, W. L. & BRENER, Z. (1967). Lesões dos plexos de Meissner e de Auerbach do intestino do camundongo albino na fase crônica da trypanosomíase cruzi experimental. — Rev. Inst. Med. trop. São Paulo 9, 149-154
- TOURÉ, S. M. (1967). Cinétique de la mort *in vitro* de *Trypanosoma vivax* et de *Trypanosoma congolense* au contact de médicaments trypanocides. — Rev. Elev. Méd. vét. Pays trop. 20, 109-114
- URSO, B. (1967). Osservazioni sulla classificazione dei tripanosomi. — Arch. ital. Sci. med. trop. Parassit. 48, 65-70
- ZANOTTO, A. & OKUMURA, M. (1967). Alterações da motricidade do íleo isolado do camundongo chagásico. — Rev. Inst. Med. trop. São Paulo 9, 98-106

576.893.19 Sporozoa

- AVIADO, D. M. (1967). Pathologic physiology and chemotherapy of *Plasmodium berghei*. 1. Suppression of parasitaemia by sulfones and sulfonamides in mice. — Exp. Parasit. 20, 88-97
- BALL, G. H. (1967). Some blood sporozoans from East African reptiles. — J. Protozool. 14, 198-210
- BENNET, T. P. & TRAGER, W. (1967). Pantothenic acid metabolism during avian malaria infection: pantothenate kinase activity in duck erythrocytes and in *Plasmodium lophurae*. — J. Protozool. 14, 214-216
- BÜNGENER, W. (1967). Adenosindeaminase und Nucleosidphosphorylase bei Malariaparasiten. — Z. Tropenmed. Parasit. 18, 48-52
- BÜTTNER, D. W. (1967). Die Feinstruktur der Merozoiten von *Theileria parva*. — Z. Tropenmed. Parasit. 18, 224-244
- BÜTTNER, D. W. (1967). Elektronenmikroskopische Studien der Vermehrung von *Theileria parva* im Rind. — Z. Tropenmed. Parasit. 18, 245-268
- COLLINS, W. E. et al. (1967). Fluorescent-antibody studies on simian malaria. 1. Development of antibodies to *Plasmodium knowlesi*. 2. Development of antibodies to *Plasmodium cynomolgi*. — Amer. J. trop. Med. Hyg. 16, 1-6; 267-272
- CONSTANTINESCU, P. & NEGULICI, E. (1967). The experimental transmission of *Plasmodium malariae* to *Anopheles labranchiae atroparvus*. — Trans. roy. Soc. trop. Med. Hyg. 60, 182-188
- GAIL, K. et al. (1967). Serumeiweißveränderungen und schützende Immunität bei der Malaria (*Plasmodium berghei*) der Maus. — Z. Tropenmed. Parasit. 18, 202-223
- GARNHAM, P. C. C. et al. (1967). Electron microscope studies of motile stages of malaria parasites. 5. Exflagellation in *Plasmodium*, *Hepatocystis* and *Leucocytozoon*. — Trans. roy. Soc. trop. Med. Hyg. 61, 58-68
- HAWKING, F. et al. (1967). The relation of the endoerythrocytic cycle of *Plasmodium knowlesi* and *P. cynomolgi* to body temperature. — Trans. roy. Soc. trop. Med. Hyg. 61, 199-210
- HELD, J. R. et al. (1967). Studies of the exoerythrocytic stages of simian malaria. 1. *Plasmodium fieldi*. — J. Parasit. 53, 225-232
- HELD, J. R. et al. (1967). Direct hepatic inoculation of sporozoites for the study of the exo-erythrocytic stages of simian malarias. — J. Parasit. 53, 656-657
- HUTCHINSON, W. M. (1967). The nematode transmission of *Toxoplasma gondii*. — Trans. roy. Soc. trop. Med. Hyg. 61, 80-89
- LANGER, B. W. et al. (1967). Malarial parasite metabolism: the pentose cycle in *Plasmodium berghei*. — Exp. Parasit. 20, 68-76
- LUPASCU, GH. et al. (1967). The late primary exo-erythrocytic stages of *Plasmodium malariae*. — Trans. roy. Soc. trop. Med. Hyg. 61, 482-489
- MARTIN, D. C. & ARNOLD, J. D. (1967). Studies on an East African strain of *Plasmodium falciparum*. — Trans. roy. Soc. trop. Med. Hyg. 61, 331-339
- NORBY, R. & LYCKE, E. (1967). Factors enhancing the host-cell penetration of *Toxoplasma gondii*. — J. Bact. 93, 53-58
- PETERS, W. (1967). Chemotherapy of *Plasmodium chabaudi* in albino mice. — Ann. trop. Med. Parasit. 61, 52-56
- RIFAAT, M. A. et al. (1967). Natural toxoplasma infection sought in insectivorous animals collected at Abu-rawash, Giza, U.A.R. — J. trop. Med. Hyg. 70, 105-106
- SCHEEPERS-BIVA, M. et al. (1967). Untersuchungen zur Resistenzbildung gegen *Plasmodium berghei* bei Mäusen. — Z. Tropenmed. Parasit. 18, 45-47
- THOMPSON, P. E. et al. (1967). Relations among antimalarial drugs: results of

- studies with cycloguanil-sulfone- or chloroquine-resistant *Plasmodium berghei* in mice. — Amer. J. trop. Med. Hyg. 16, 133-145
- TRAGER, W. (1967). Adenosine triphosphate and the pyruvic and phosphoglyceric kinas of the malaria parasite *Plasmodium lophurae*. — J. Protozool. 14, 110-114
- TRAGER, W. (1967). The different effects of antimalarial drugs on *Plasmodium lophurae* developing intracellularly and extracellularly *in vitro*. — Amer. J. trop. Med. Hyg. 16, 15-18
- VANDERBERG, J. et al. (1967). Electron microscopic and histochemical studies of sporozoite formation in *Plasmodium berghei*. — J. Protozool. 14, 82-103
- VICKERMAN, K. & COX, F. E. G. (1967). Merozoite formation in the erythrocytic stages of the malaria parasite *Plasmodium vinckei*. — Trans. roy. Soc. trop. Med. Hyg. 61, 303-311
- WAITZ, J. A. et al. (1967). Activity of chloroquine against *Plasmodium berghei* in mice both with and without previous exposure to chloroquine. — Amer. J. trop. Med. Hyg. 16, 11-12
- WALLACE, W. R. et al. (1967). Hepatic-lipid changes in mice infected with *Plasmodium berghei*. — Amer. J. trop. Med. Hyg. 16, 19-22
- WEATHERSBY, A. B. & MCCALL, J. W. (1967). Survival of sporozoites of *Plasmodium gallinaceum* Brumpt for 767 days in liquid nitrogen (–197 C). — J. Parasit. 53, 688-640

576.894 Mollusca

- BOYCE, C. B. C. & WILLIAMS, D. A. (1967). The influence of exposure time on the susceptibility of *Australorbis glabratus* to N-tritylmorpholine. — Ann. trop. Med. Parasit. 61, 15-20
- CHERNIN, E. & ADLER, V. L. (1967). Effects of desiccation on eggs of *Australorbis glabratus*. — Ann. trop. Med. Parasit. 61, 11-14
- CHU, K. Y. et al. (1967). The ability of *Bulinus truncatus*, *Biomphalaria alexandrina* and *Lymnaea gedrosiana* to survive out of water in the laboratory. — Ann. trop. Med. Parasit. 61, 1-10
- FOX, I. et al. (1967). Chlorine-induced resistance to Bayluscide in the eggs of *Australorbis glabratus*. — J. Parasit. 53, 649
- JOBIN, W. R. & UNRAU, G. O. (1967). Chemical control of *Australorbis glabratus*. — Publ. Hlth Rep. 82, 63-71

576.895 Articulata

576.895.1 Vermes

576.895.121 Cestoda

- BAER, G. et al. (1967). Human diphyllbothriasis in Peru. I. Identification of the species. — Z. Parasitenk. 28, 277-289
- DE RYCKE, P. H. & BERNTZEN, A. K. (1967). Maintenance and growth of *Hymenolepis microstoma* (Cestoda: Cylophyllidea) *in vitro*. — J. Parasit. 53, 352-354
- GÖNNERT, R. et al. (1967). Biologische Probleme bei *Taenia solium*. — Z. Tropenmed. Parasit. 18, 76-81
- JACOBSEN, N. S. & FAIRBAIRN, D. (1967). Lipid metabolism in helminth parasites. 3. Biosynthesis and interconversion of fatty acids by *Hymenolepis diminuta* (Cestoda). — J. Parasit. 53, 355-361
- LAWS, G. F. (1967). Chemical ovacidal measures as applied to *Taenia hydatigena*, *Taenia ovis*, *Taenia pisiformis*, and *Echinococcus granulosus*. — Exp. Parasit. 20, 27-37

- METTRICK, D. F. & PARNELL, J. R. (1967). Exposure of *Tribolium confusum* to thio-TEPA and its effect upon the development of *Hymenolepis diminuta* cysticercoids. — Exp. Parasit. 20, 17-26
- MORSETH, D. J. (1967). Fine structure of the hydatid cyst and protoscolex of *Echinococcus granulosus*. — J. Parasit. 53, 312-325
- MORSETH, D. J. (1967). Observations on the fine structure of the nervous system of *Echinococcus granulosus*. — J. Parasit. 53, 492-500
- RAUSCH, R. L. (1967). A consideration of infraspecific categories in the genus *Echinococcus rudolphi*, 1801 (Cestoda: Taeniidae). — Trans. roy. Soc. trop. Med. Hyg. 61, 484-491
- RAUSCH, R. L. (1967). On the ecology and distribution of *Echinococcus spp.* (Cestoda: Taeniidae) and characteristics of their development in the intermediate host. — Ann. Parasit. hum. comp. 42, 19-63
- ROBERTS, L. S. & PLATZER, E. G. (1967). Developmental physiology of cestodes. 2. Effects of changes in host dietary carbohydrate and roughage on previously established *Hymenolepis diminuta*. — J. Parasit. 53, 85-93
- RYBICKA, K. (1967). Embryogenesis in *Hymenolepis diminuta*. 2. Glycogen distribution in the embryos. — Exp. Parasit. 20, 98-105
- SMYTH, J. D. (1967). Studies on tapeworm physiology. 11. *In vitro* cultivation of *Echinococcus granulosus* from the protoscolex to the strobilate stage. — Parasitology 57, 111-133
- STRUFE, R. & GÖNNERT, R. (1967). Über die Beeinflussung des Bandwurmstoffwechsels durch Arzneimittel. — Z. Tropenmed. Parasit. 18, 193-202
- THURSTON, J. P. (1967). The morphology and lifecycle of *Cephalochlamys namaquensis* (Cohn, 1906) (Cestoda: Pseudophyllidea) from *Xenopus muelleri* and *X. laevis*. — Parasitology 57, 187-200

576.895.122 Trematoda

- ANTUNES, L. J. & PELLEGRINO, J. (1967). Heterophile antibodies in *Schistosomiasis mansoni*. — J. Parasit. 53, 303-305
- BERBERIAN, D. A. et al. (1967). A comparison of oral and parenteral activity of hycanthone and lucanthone in experimental infections with *Schistosoma mansoni*. — Amer. J. trop. Med. Hyg. 16, 487-491
- BERBERIAN, D. A. et al. (1967). Schistosomicidal activity of lucanthone hydrochloride, hycanthone and their metabolites in mice and hamsters. — J. Parasit. 53, 306-311
- BORAY, J. C. et al. (1967). Studies on the suitability of the albino rat for testing anthelmintic activity against *Fasciola hepatica*. — Ann. trop. Med. Parasit. 61, 104-111
- BRADLEY, D. J. et al. (1967). The circumstantial epidemiology of *Schistosoma haematobium* in Lango District, Uganda. — E. Afr. med. J. 44, 193-204
- BUEDING, E. et al. (1967). Some physiological, biochemical, and morphological effects of tris(p-aminophenyl) carbonium salts (TAC) on *Schistosoma mansoni*. — Amer. J. trop. Med. Hyg. 16, 500-515
- DAMIAN, R. T. (1967). Common antigens between adult *Schistosoma mansoni* and the laboratory mouse. — J. Parasit. 53, 60-64
- DÖNGES, J. (1967). Die experimentelle Chemotherapie der Darmegelinfektion (Echinostomiasis) der Ratte mit N-(2'-Clor-4'-nitrophenyl)-5-chlorsalicylamid (= Yomesan). — Z. Tropenmed. Parasit. 18, 92-98
- DOMINGO, E. O. et al. (1967). The inhibition of granuloma formation around *Schistosoma mansoni* eggs. 1. Immunosuppressive drugs. — Amer. J. trop. Med. Hyg. 16, 284-292

- DUVALL, R. H. & DEWITT, W. B. (1967). An improved perfusion technique for recovering adult schistosomes from laboratory animals. — Amer. J. trop. Med. Hyg. 16, 483-486
- FRADY, C. H. & KNAPP, S. E. (1967). A radioisotopic assay of acetylcholinesterase in *Fasciola hepatica*. — J. Parasit. 53, 298-302
- INTERNATIONAL COLLOQUIUM OVER SCHISTOSOMIASIS. (1967). — Ann. Soc. belge Méd. trop. 47, 1-230
- JAMUAR, M. P. & LEWERT, R. M. (1967). Effect of immune serum on the miracidial surface of *Schistosoma japonicum*. — J. Parasit. 53, 220
- KEAN, B. H. & GOLDSMITH, E. I. (1967). Schistosomiasis. Extracorporal filtration in the treatment of experimentally infected baboons. — Amer. J. trop. Med. Hyg. 16, 492-499
- KLOETZEL, K. (1967). Egg and pigment production in *Schistosoma mansoni* infections of the white mouse. — Amer. J. trop. Med. Hyg. 16, 293-299
- KLOETZEL, K. (1967). Resistance of cercariae of *Schistosoma mansoni* to mechanical traumata. — J. Parasit. 53, 655-656
- LAMBERT, C. R. (1967). Some criteria for the evaluation of schistosomicidal compounds. — Trans. roy. Soc. trop. Med. Hyg. 61, 559-562
- LAMBRECHT, F. L. (1967). The influence of certain environmental factors on the development of eggs and survival of miracidia of *Echinostoma barbosai* Lie and Basch, 1966. — Rev. Inst. Med. trop. São Paulo 9, 11-17
- LANG, B. Z. (1967). Host-parasite relationships of *Fasciola hepatica* in the white mouse. 2. Studies on acquired immunity. — J. Parasit. 53, 21-30
- LANG, B. Z. et al. (1967). Demonstration of immunity to *Fasciola hepatica* in recipient mice given peritoneal exudate cells. — J. Parasit. 53, 208-209
- LANG, B. Z. (1967). *Fasciola hepatica* and *Hymenolepis microstoma* in the laboratory mouse. — J. Parasit. 53, 213-214
- LIE, K. J. & BASCH, P. E. (1967). The life history of the *Paryphostomum segregatum* Dietz, 1909. — J. Parasit. 53, 280-286
- LI HSÜ, S. Y. & HSÜ, H. F. (1967). Further studies on susceptibility of Alilao race of *Oncomelania formosana* to infection with various strains of *Schistosoma japonicum*. — J. Parasit. 53, 654-655
- LUTZ, P. L. & SIDDIQI, A. H. (1967). Comparison of hemoglobin of *Fasciola gigantica* (Trematoda: Digenea) and its host. — Exp. Parasit. 20, 83-87
- MOORE, D. E. & WARREN, K. S. (1967). Hepatosplenic *Schistosomiasis mansoni* and *japonica* compared in mice each infected with one pair of worms. — Trans. roy. Soc. trop. Med. Hyg. 61, 104-109
- MORRIS, G. P. & THREADGOLD, L. T. (1967). A presumed sensory structure associated with the tegument of *Schistosoma mansoni*. — J. Parasit. 53, 537-539
- PELLEGRINO, J. & KATZ, N. (1967). Cercarial slide flocculation and circumoval precipitin tests on Cebus monkeys experimentally infected with *Schistosoma mansoni*. — J. Parasit. 53, 216-217
- PELLEGRINO, J. et al. (1967). Oogram studies with Hycanthone, a new anti-schistosomal agent. — J. Parasit. 53, 55-59
- ROHDE, K. (1967). Die Verbreitung von Opisthorchis und Paragonimus in Malaya und mögliche Infektionsquellen des Menschen mit diesen Parasiten. — Z. Tropenmed. Parasit. 18, 152-161
- SCHULERT, A. R. et al. (1967). Comparative antimony disposition following administration of tartar emetic and sodium antimony dimercaptosuccinate (Astiban) to hamsters infected with *Schistosoma mansoni*. — E. Afr. med. J. 44, 1-8
- SHIFT, C. J. & Clarke, V. DE V. (1967). The effect of snail surveillance in natural

- waterways on the transmission of *Schistosoma haematobium* in Rhodesia. — Cent. Afr. J. Med. 13, 133-137
- SMITHERS, S. R. & TERRY, R. J. (1967). Resistance to experimental infection with *Schistosoma mansoni* in rhesus monkeys induced by the transfer of adult worms. — Trans. roy. Soc. trop. Med. Hyg. 61, 517-533
- STANDEN, O. D. (1967). Laboratory evaluation of schistosomicidal substances. — Trans. roy. Soc. trop. Med. Hyg. 61, 563-569
- STENGER, R. J. et al. (1967). An electron microscopic study of the liver parenchyma and schistosome pigment in murine hepatosplenic *Schistosomiasis mansoni*. — Amer. J. trop. Med. Hyg. 16, 473-482
- TADA, I. (1967). Physiological and serological studies of *Paragonimus miyazakii* infection in rats. — J. Parasit. 53, 292-297
- TRAN VAN KY, P. et al. (1967). Caractérisation des types d'activités enzymatiques dans les broyats de *Schistosoma mansoni* adultes après immunoélectrophorèse en agarose. — Ann. Inst. Pasteur 112, 763-771
- WARREN, K. S. (1967). Studies on the treatment of molluscan *Schistosomiasis mansoni* with antibiotics, non-antibiotic metabolic inhibitors, molluscicides and anti-schistosomal agents. — Trans. roy. Soc. trop. Med. Hyg. 61, 368-372
- WARREN, K. S. & JANE, J. A. (1967). Comparative susceptibility to *Schistosoma mansoni* of the squirrel monkey, the slow loris and the tree shrew. — Trans. roy. Soc. trop. Med. Hyg. 61, 534-537
- WRIGHT, C. A. & BENNETT, M. S. (1967). Studies on *Schistosoma haematobium* in the laboratory. 1. A strain from Durban, Natal, South Africa. 2. A strain from South Arabia. — Trans. roy. Soc. trop. Med. Hyg. 61, 221-233

576.895.132 Nematoda

- AHMED, S. S. (1967). Histological studies on the role of the spleen and liver in the destruction of microfilariae of *Litomosoides carinii*, sub-periodic *Brugia malayi* and *B. pahangi* in experimentally infected small laboratory animals. — J. trop. Med. Hyg. 70, 103-104
- AHMED, S. S. (1967). Studies on the laboratory transmission of sub-periodic *Brugia malayi* and *B. pahangi*. 1. The resistance of guinea-pigs, rabbits and white mice to infection. — Ann. trop. Med. Parasit. 61, 93-100
- BAIN, O. (1967). Biologie larvaire et mécanisme de transmission de la filaire *Dipetalonema viteae*. — Ann. Parasit. hum. comp. 42, 211-267
- CAHILL, J. E. et al. (1967). Effect of hibernation on course of infection and immune response in *Citellus tridecemlineatus* infected with *Nippostrongylus brasiliensis*. — J. Parasit. 53, 110-115
- CHAIA, G. & MURTA, C. C. (1967). Immunization of rats with irradiated Strongyloides larvae. — Rev. Inst. Med. trop. São Paulo 9, 163-168
- CRANDALL, C. A. et al. (1967). Increased resistance in mice to larval *Ascaris suum* infection induced by *Nippostrongylus brasiliensis*. — J. Parasit. 53, 214-215
- EWERT, A. (1967). Studies on the transfer of infective *Brugia pahangi* larvae from vector mosquitoes to the mammalian host. — Trans. roy. Soc. trop. Med. Hyg. 61, 110-113
- IVEY, M. H. (1967). Quantitative aspects of *Trichinella* antigen-antibody reactions with a modified passive cutaneous anaphylactic procedure. — Amer. J. trop. Med. Hyg. 16, 309-314
- IVEY, M. H. (1967). Quantitative aspects of *Toxocara* antigen-antibody reactions with a modified passive cutaneous anaphylactic procedure. — Amer. J. trop. Med. Hyg. 16, 315-320

- KNAPP, S. E. & ALICATA, J. E. (1967). Failure of certain clams and oysters to serve as intermediate hosts for *Angiostrongylus cantonensis*. — Proc. helminth. Soc. Wash. 34, 1-3
- MATOFF, K. & KOMANDAREV, ST. (1967). Zur Frage der Erzeugung von Muskel-trichinellen auf parenteralem Wege. — Z. Tropenmed. Parasit. 18, 109-118
- OGILVIE, B. M. & JONES, V. E. (1967). Reaginic antibodies and immunity to *Nippostrongylus brasiliensis* in the rat. — Parasitology 57, 335-349
- ORIHIEL, T. C. (1967). Development of *Brugia tupaiae* in the intermediate and definitive host. — J. Parasit. 53, 376-381
- RAETHER, W. & MEYERHÖFER, W. (1967). Quantitative Untersuchungsmethoden zum Nachweis von Mikrofilarien (*Litomosoides carinii*) mit Hilfe der Zählkammern nach Fuchs-Rosenthal und Jessen sowie Anreicherungsverfahren. — Z. Tropenmed. Parasit. 18, 99-108
- RICHARDS, C. S. & MERITT, J. W. (1967). Studies on *Angiostrongylus cantonensis* in molluscan intermediate hosts. — J. Parasit. 53, 382-388
- SCHAD, G. A. & CHOWDHURY, A. B. (1967). *Trichinella spiralis* in India. 1. Its history in India, rediscovery in Calcutta, and the ecology of its maintenance in nature. — Trans. roy. Soc. trop. Med. Hyg. 61, 244-248
- SCHAD, G. A. et al. (1967). *Trichinella spiralis* in India. 2. Characteristics of a strain isolated from a civet cat in Calcutta. — Trans. roy. Soc. trop. Med. Hyg. 61, 249-258
- SCHMIDT, G. D. et al. (1967). Nematode parasites of Oceanica. 1. *Brevistriata sundasciuri* sp. n. and *Calypsostrongylus ogdeni* gen. et sp. n. (Heligmosomatidae: Longistriatinae) from squirrels of Palawan and Taiwan. — J. Parasit. 53, 613-617
- SOMMERVILLE, R. I. & WEINSTEIN, P. P. (1967). The *in vitro* cultivation of *Nippostrongylus brasiliensis* from late fourth stage. — J. Parasit. 53, 116-125

576.895.2 Arthropoda

576.895.4 Arachnoidea

- AH, H.-S. & RADOVSKY, F. J. (1967). Notes on *Steatonyssus kolenati* in Korea with description of a new species (Acarina: Macronyssidae). — J. Parasit. 53, 419-431
- FELDMAN-MUHSAM, B. & HAVIVI, Y. (1967). Juvenile sterility in male ticks of *Ornithodoros tholozani*. — Nature 213, 422-423
- GREGSON, J. D. (1967). Observations on the movement of fluids in the vicinity of the mouthparts of naturally feeding *Dermacentor andersoni* Stiles. — Parasitology 57, 1-8
- HOOGSTRAAL, H. et al. (1967). Studies on the Southeast Asian Haemaphysalis ticks (Ixodoidea, Ixodidae) *H. (Kaiseriana) anomala* Warburton: redescription, hosts, and distribution. — J. Parasit. 53, 196-201
- LAVOIEPIERRE, M. M. J. et al. (1967). Host-parasite relationships of acarine parasites and their vertebrate hosts. I. The lesions produced by *Bakerocoptes cynopteris* in the skin of *Cynopterus brachyotis*. — Acta trop. 24, 1-18
- SENEVET, G. & RIPERT, C. (1967). Les larves des espèces du genre Ixodes. — Ann. Parasit. hum. comp. 42, 79-121
- SENEVET, G. & RIPERT, C. (1967). A propos des larves d'*Ixodes pilosus* et *I. rubicundus*. — Ann. Parasit. hum. comp. 42, 123-131
- SWEATMAN, G. H. (1967). Physical and biological factors affecting the longevity and oviposition of engorged *Rhipicephalus sanguineus* female ticks. — J. Parasit. 53, 432-445
- YEOMAN, G. H. & WALKER, J. B. (1967). The Ixodid ticks of Tanzania. A study

of the zoogeography of the Ixodidae of an East African Country. 215 pp. maps. — London: Commonwealth Institute of Entomology

576.895.7 Hexapoda

- BURGDORFER, W. & VARMA, M. G. R. (1967). Trans-stadial and transovarial development of disease agents in arthropods. — Ann. Rev. Entomol. 12, 347-376
- SMITH, C. N. (Ed.) (1966). Insect colonization and mass production. 618 pp. ill. — New York and London: Academic Press
- ZUMPT, F. (Ed.) (1966). The arthropod parasites of vertebrates in Africa South of the Sahara (Ethiopian Region). Vol. 3. Insecta excl. Phthiraptera. 283 pp. ill. — Johannesburg: South African Institute for Medical Research

576.895.77 Diptera

- BAKER, J. R. (1967). A review of the role played by the Hippoboscidae (Diptera) as vectors of endoparasites. — J. Parasit. 53, 412-418
- BIAGI, F. et al. (1967). *Phlebotomus flaviscutellatus*, transmissor natural de *Leishmania mexicana*. — Rev. Inst. Med. trop. São Paulo 9, 18-26
- HERNDON, B. L. & RINGLE, D. A. (1967). Identification of host and host antibodies from mosquito blood meals. — Nature 213, 624-625
- LAIRD, M. (1967). A coral island experiment. A new approach to mosquito control. — WHO Chron. 21, 18-26
- LEA, A. O. (1967). The medial neurosecretory cells and egg maturation in mosquitoes. — J. Insect Physiol. 13, 419-429

Culicidae

- ABUL-HAB, J. (1967). Larvae of Culicine mosquitos in North Iraq (Diptera, Culicidae). — Bull. ent. Res. 57, 279-284
- HORSFALL, W. R. & TAYLOR, M. L. (1967). Temperature and age as factors in inducing insemination of mosquitoes (Diptera: Culicidae). Ann. ent. Soc. Amer. 60, 118-120
- SOMEREN, E. C. C. VAN. (1967). A check list of the Culicine mosquitos of Tanganyika, with notes on their distribution in the territory. — Bull. ent. Res. 57, 207-220

Aedes

- BAR-ZEEV, M. (1967). Oviposition of *Aedes aegypti* L. on a dry surface and hygroreceptors. — Nature 213, 737-738
- HYLTON, A. R. (1967). Low humidity water-retention ability in *Eretmapodites chrysogaster* and *Aedes albopictus*. — J. Insect Physiol. 13, 153-157
- KAPPUS, K. D. & CORRISTAN, E. C. (1967). Effect of apholate and metepa on *Aedes aegypti* infected with Venezuelan equine encephalomyelitis virus. — Amer. J. trop. Med. Hyg. 16, 539-543
- MCGAUGHEY, W. H. & KNIGHT, K. L. (1967). Preoviposition activity of the black saltmarsh mosquito *Aedes taeniorhynchus* (Diptera: Culicidae). — Ann. ent. Soc. Amer. 60, 107-115
- PROVOST, M. W. & LUM, P. T. M. (1967). The pupation rhythm in *Aedes taeniorhynchus* (Diptera: Culicidae). 1. Introduction. — Ann. ent. Soc. Amer. 60, 138-149
- QURAISHI, M. S. & THORNSTEINSON, A. J. (1967). Toxicity of alkanes and alkanes to pre-imaginal stages of the yellow-fever mosquito. — J. econ. Ent. 60, 84-88

Anopheles

- GILLIES, M. T. (1967). Experiments on host selection in the *Anopheles gambiae* complex. — Ann. trop. Med. Parasit. 61, 68-75
- SMITH, A. et al. (1967). The egress of *Anopheles gambiae* and *Mansonia uniformis* from experimental huts with corrugated-iron roofs. — E. Afr. med. J. 44, 169-172
- SOLIMAN, A. A. et al. (1967). Biology of Egyptian Anophelines. 1. Biological activity of *Anopheles pharoensis* in nature. — J. trop. Med. Hyg. 70, 63-67

Culex

- BRANSBY-WILLIAMS, W. R. (1967). Bromophos and bromophos ethyl as larvicides against *Culex pipiens fatigans* in clear and polluted water. — E. Afr. med. J. 44, 205-214
- MULLA, M. S. (1967). Biocidal and biostatic activity of aliphatic amines against southern mosquito larvae and pupae. — J. econ. Ent. 60, 515-522
- MURPHEY, F. J. & BURBUTIS, P. P. (1967). Straw infusion attractiveness to gravid females *Culex salinarius*. — J. econ. Ent. 60, 156-161

Simuliidae

- GARMS, R. & POST, A. (1967). Freilandversuche zur Wirksamkeit von DDT und Baytex gegen Larven von *Simulium damnosum* in Guinea, Westafrika. — Anz. Schädlingsk. 40, 49-56
- RAYBOULD, J. N. (1967). A study of anthropophilic female Simuliidae (Diptera) at Amani, Tanzania: the feeding behaviour of *Simulium woodi* and the transmission of onchocerciasis. — Ann. trop. Med. Parasit. 61, 76-88
- WEGESA, P. (1967). *Simulium vorax* Pomeroy, a potential vector of *Onchocerca volvulus*. — Ann. trop. Med. Parasit. 61, 89-92

576.895.772 Brachycera576.895.772.4 Schizophora

- BUSVINE, J. R. et al. (1967). The relative potency of insecticides to tsetse flies assessed by two methods. — Bull. ent. Res. 57, 321-326
- FINLAYSON, L. H. (1967). Behaviour and regulation of puparium formation in the larva of the tsetse fly *Glossina morsitans orientalis* Vanderplank in relation to humidity, light, and mechanical stimuli. — Bull. ent. Res. 57, 301-313
- LANGLEY, P. A. (1967). The control of digestion in the tsetse fly, *Glossina morsitans*: a comparison between field flies and flies reared in captivity. — J. Insect Physiol. 13, 477-486
- PILSON, R. D. & PILSON, B. M. (1967). Behaviour studies of *Glossina morsitans* Westw. in the field. — Bull. ent. Res. 227-257

576.895.775 Siphonaptera

- HAAS, G. E. & WILSON, N. (1967). *Pulex simulans* and *P. irritans* on dogs in Hawaii (Siphonaptera: Pulicidae). — J. med. Ent. 4, 25-30
- KNÜLLE, W. (1967). Physiological properties and biological implications of the water vapour sorption mechanism in larvae of the oriental rat flea, *Xenopsylla cheopsis* (Roths.). — J. Insect Physiol. 13, 333-357
- YINON, U. et al. (1967). The hygroreaction of the larvae of the Oriental rat flea *Xenopsylla cheopsis* Roths. (Siphonaptera: Pulicidae). — Parasitology 57, 315-319