Objekttyp: **ReferenceList**

Zeitschrift: **L'Enseignement Mathématique**

Band (Jahr): **50 (2004)**

Heft 3-4: **L'enseignement mathématique**

PDF erstellt am: **30.04.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.
Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.
Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek*
ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

http://www.e-periodica.ch

interpreting the former as elementary symmetric functions in certain roots of G (or their squares).

Ehresmann [E] investigated the topology of complex Grassmann manifolds (and other hermitian symmetric spaces) by studying the algebra of K-invariant differential forms on them ($K = U(N)$ for $X = G(m,n)$). This relies on the fact that the invariant forms are harmonic for the natural hermitian structure on X, which implies that the ring of all such forms is isomorphic to $H^*(X)$. Kostant [K1] [K2] later found analogues of these results for arbitrary (generalized) flag manifolds. The representation theory used to determine the K-invariant forms in this program does not directly relate the multiplicities $c_{\lambda\mu}^{\nu}$ in equations (1) and (2). Note however that the cited works of É. Cartan and Ehresmann were used by Chern in his fundamental paper on the characteristic classes of complex manifolds [Ch1]. More recently, Stoll [St] used fiber integration to study the algebra of invariant forms on the Grassmannian, but his work does not address the question posed in the Introduction.

Following [SGA6], [V] and [Be], the isomorphism between $\mathrm{gr}\,\mathrm{R}(G)$ and $\mathrm{Pol}(\mathfrak{g})^G$ in §6 may be used to construct the Chern-Weil (or characteristic) homomorphism in algebraic geometry. Let $P \to X$ be a principal G-bundle over a smooth algebraic variety X and let $CH^*(X)$ denote the Chow group of algebraic cycles on X modulo rational equivalence. The Grothendieck group $K(X)$ of vector bundles on X is a λ-ring, with the λ-operations induced by exterior powers. According to [SGA6, Exp. XIV], the graded ring $\mathrm{gr}\,K(X)\otimes\mathbf{R}$ is canonically isomorphic to the real Chow ring $CH^*_{\mathbf{R}}(X) = CH^*(X)\otimes\mathbf{R}$. There is a natural λ-ring homomorphism $\pi\colon \mathcal{R}(G) \to K(X)$, defined by sending a representation $G \to \mathrm{GL}(E)$ to the associated vector bundle $P \times_G E$ over X. The characteristic homomorphism is the induced map

$$\mathrm{gr}(\pi)_{\mathbf{R}}\colon\ \mathrm{Pol}(\mathfrak{g})^G \longrightarrow CH^*_{\mathbf{R}}(X)\,.$$

REFERENCES

[Be] BEAUVILLE, A. Chern classes for representations of reductive groups. Preprint (2001): math.AG/0104031.

[B1] BOREL, A. Sur la cohomologie des espaces fibrés principaux et des espaces homogènes de groupes de Lie compacts. *Ann. of Math. (2) 57* (1953), 115–207.

[B2] —— Topology of Lie groups and characteristic classes. *Bull. Amer. Math. Soc. 61* (1955), 397–432.

[BH] BOREL, A. and F. HIRZEBRUCH. Characteristic classes and homogeneous spaces, I, II, III. *Amer. J. Math. 80* (1958), 459–538; *81* (1959), 315–382; *82* (1960), 491–504.

[BT] BOTT, R. and L. W. TU. *Differential Forms in Algebraic Topology.* Graduate Texts in Mathematics *82*. Springer-Verlag, Berlin–New York, 1982.

[CLL] CARRÉ, C., A. LASCOUX and B. LECLERC. Turbo-straightening for decomposition into standard bases. *Internat. J. Algebra Comput. 2* (1992), 275–290.

[C] CARRELL, J. Chern classes of the Grassmannians and Schubert calculus. *Topology 17* (1978), 177–182.

[Ca] CARTAN, É. Sur les invariants intégraux de certains espaces homogènes clos et les propriétés topologiques de ces espaces. *Annales de la Société Polonaise de Mathématique 8* (1929), 181–225. Reprinted in *Œuvres Complètes*, Part I, vol. 2, 1081–1125. Gauthier-Villars, Paris, 1952.

[Car] CARTAN, H. *a.* Notions d'algèbre différentielle; application aux groupes de Lie et aux variétés où opère un groupe de Lie. In: *Colloque de topologie (espaces fibrés), Bruxelles, 1950*, 15–27.

b. La transgression dans un groupe de Lie et dans un espace fibré principal. *ibid.*, 57–71. Georges Thone, Liège; Masson, Paris, 1951. Reprinted in [GuS].

[Ch1] CHERN, S. S. Characteristic classes of Hermitian manifolds. *Ann. of Math. (2) 47* (1946), 85–121.

[Ch2] —— Differential geometry of fiber bundles. In: *Proceedings of the International Congress of Mathematicians, Cambridge, Mass., 1950*, vol. 2, 397–411. Amer. Math. Soc., Providence, 1952.

[Ch3] —— *Topics in Differential Geometry.* The Institute for Advanced Study, Princeton, N. J., 1951. Reprinted in *Selected Papers*, vol. IV. Springer-Verlag, 1989, 331–397.

[Ch4] —— *Complex Manifolds* (mimeographed notes). University of Chicago, Chicago, 1956.

[Ch5] —— *Complex Manifolds Without Potential Theory.* Van Nostrand Math. Studies *15*. Van Nostrand, Princeton, 1968.

[Cl] CLAUSEN, M. Letter place algebras and a characteristic-free approach to the representation theory of the general linear and symmetric groups, I. *Adv. Math. 33* (1979), 161–191.

[DKR] DÉSARMÉNIEN, J., J. P. S. KUNG and G.-C. ROTA. Invariant theory, Young bitableaux, and combinatorics, *Adv. Math. 27* (1978), 63–92.

[D] DUPONT, J. L. *Curvature and Characteristic Classes.* Lecture Notes in Mathematics *640*. Springer-Verlag, Berlin–New York, 1978.

[E] EHRESMANN, C. Sur la topologie de certains espaces homogènes. *Ann. of Math. 35* (1934), 396–443.

[Fa] FARKAS, D. R. Multiplicative invariants. *L'Enseignement Math. (2) 30* (1984), 141–157.

[F1] FULTON, W. *Young Tableaux*. London Math. Soc. Student Texts *35*. Cambridge University Press, Cambridge, 1997.

[F2] —— Eigenvalues, invariant factors, highest weights, and Schubert calculus. *Bull. Amer. Math. Soc. (N.S.) 37* (2000), 209–249.

[FH] FULTON, W. and J. HARRIS. *Representation Theory. A First Course*. Graduate Texts in Math. *129*. Springer-Verlag, New York, 1991.

[FL] FULTON, W. and S. LANG. *Riemann-Roch Algebra*. Grundlehren der mathem. Wiss. *277*. Springer-Verlag, New York, 1985.

[G1] GIAMBELLI, G. Z. Risoluzione del problema degli spazi secanti. *Mem. R. Accad. Sci. Torino (2) 52* (1902), 171–211.

[G2] —— Alcune proprietà delle funzioni simmetriche caratteristiche. *Atti Torino 38* (1903), 823–844.

[GK] GRABMEIER, J. and A. KERBER. The evaluation of irreducible polynomial representations of the general linear groups and of the unitary groups over fields of characteristic 0. *Acta Appl. Math. 8* (1987), 271–291.

[Gr] GREEN, J. A. Schur algebras and general linear groups. In: *Groups – St. Andrews 1989*, Vol. 1, 155–210. London Math. Soc. Lecture Note Ser. *159*. Cambridge Univ. Press, Cambridge, 1991.

[GHV] GREUB, W., S. HALPERIN and R. VANSTONE. *Connections, Curvature, and Cohomology. I: de Rham Cohomology of Manifolds and Vector Bundles; II: Lie Groups, Principal Bundles, and Characteristic Classes; III: Cohomology of Principal Bundles and Homogeneous Spaces*. Pure and Applied Mathematics *47*. Academic Press, New York–London, 1972.

[GS] GRIFFITHS, P. and W. SCHMID. Locally homogeneous complex manifolds. *Acta Math. 123* (1969), 253-302.

[GuS] GUILLEMIN, V. and S. STERNBERG. *Supersymmetry and Equivariant de Rham Theory, with an appendix containing two reprints by Henri Cartan*. Springer-Verlag, Berlin, 1999.

[HP] HODGE, W. V. D. and D. PEDOE. *Methods of Algebraic Geometry*. Cambridge Univ. Press, Cambridge, 1952.

[Ho] HORROCKS, G. On the relation of S-functions to Schubert varieties. *Proc. London Math. Soc. (3) 7* (1957), 265–280.

[Hu] HUSEMOLLER, D. *Fibre Bundles*, second edition. Graduate Texts in Mathematics *20*. Springer-Verlag, 1975.

[J] JACOBI, C. G. J. De functionibus alternantibus earumque divisione per productum e differentiis elementorum conflatum. *Crelle's Journal 22* (1841), 360–371. Reprinted in *Gesammelte Werke 3*, 439–452. Chelsea, New York, 1969.

[KT] KOIKE, K. and I. TERADA. Young-diagrammatic methods for the representation theory of the classical groups of type B_n, C_n, D_n. *J. Algebra 107* (1987), 466–511.

[K1] KOSTANT, B. Lie algebra cohomology and the generalized Borel-Weil theorem. *Ann. of Math. (2) 74* (1961), 329–387.

[K2] —— Lie algebra cohomology and generalized Schubert cells. *Ann. of Math. (2) 77* (1963), 72–144.

[KM] KOSTANT, B. and P. W. MICHOR. The generalized Cayley map from an algebraic group to its Lie algebra. In: *The Orbit Method in Geometry and Physics (Marseille, 2000)*, 259–296. Progr. Math. *213*. Birkhäuser Boston, Boston, 2003.

[Len] LENART, C. The combinatorics of Steenrod operations on the cohomology of Grassmannians. *Adv. in Math. 136* (1998), 251–283.

[Les] LESIEUR, L. Les problèmes d'intersection sur une variété de Grassmann. *C. R. Acad. Sci. Paris 225* (1947), 916–917.

[M] MACDONALD, I. *Symmetric Functions and Hall Polynomials*, second edition. Clarendon Press, Oxford, 1995.

[Ma] MARTIN, S. *Schur Algebras and Representation Theory.* Cambridge Tracts in Math. *112*. Cambridge University Press, Cambridge, 1993.

[MS] MILNOR, J. W. and J. D. STASHEFF. *Characteristic Classes.* Annals of Mathematics Studies *76*. Princeton University Press, Princeton, 1974.

[NR] NARASIMHAN, M. S. and S. RAMANAN. Existence of universal connections I, II. *Amer. J. Math. 83* (1961), 563–572; *85* (1963), 223–231.

[O] OSSE, A. λ-structures and representation rings of compact connected Lie groups. *J. Pure Appl. Algebra 121* (1997), 69–93.

[P] PIERI, M. Sul problema degli spazi secanti. Nota 1ª. *Rend. Ist. Lombardo (2) 26* (1893), 534–546.

[PR] PRAGACZ, P. and J. RATAJSKI. Formulas for Lagrangian and orthogonal degeneracy loci; $\widetilde{Q}$-polynomial approach. *Compositio Math. 107* (1997), 11–87.

[Sa] SAMELSON, H. Topology of Lie groups. *Bull. Amer. Math. Soc. 58* (1952), 2–37.

[S1] SCHUR, I. Über eine Klasse von Matrizen, die sich einer gegebenen Matrix zuordnen lassen. Dissertation, Berlin, 1901. Reprinted in *Gesammelte Abhandlungen 1*, 1-72. Springer-Verlag, Berlin–New York, 1973.

[S2] —— Über die rationalen Darstellungen der allgemeinen linearen Gruppe. *Sitzungsberichte der Preuss. Akad. der Wiss.* (1927), 58–75. Reprinted in *Gesammelte Abhandlungen 3*, 68-85. Springer-Verlag, Berlin–New York, 1973.

[SGA6] BERTHELOT, P., A. GROTHENDIECK and L. ILLUSIE. *Théorie des intersections et théorème de Riemann-Roch.* Séminaire de Géométrie Algébrique du Bois-Marie 1966–1967 (SGA 6). Lecture Notes in Math. *225*. Springer-Verlag, Berlin–New York, 1971.

[St] STOLL, W. *Invariant Forms on Grassmann Manifolds.* Annals of Math. Studies *89*. Princeton University Press, Princeton, 1977.

[T] TAMVAKIS, H. Arithmetic intersection theory on flag varieties. *Math. Ann. 314* (1999), 641–665.

[V] VISTOLI, A. Characteristic classes of principal bundles in algebraic intersection theory. *Duke Math. J. 58* (1989), 299–315.

[W] WEIL, A. Géométrie différentielle des espaces fibrés. Manuscript (1949). *Œuvres Scientifiques/Collected Papers*, Vol. I, 422–436. Springer-Verlag, 1979.

[We] WEYL, H. *The Classical Groups: Their Invariants and Representations*. Princeton University Press, Princeton (N. J.), 1939.

[Z] ZELOBENKO, D. P. *Compact Lie Groups and Their Representations*. Translations of Mathematical Monographs *40*. Amer. Math. Soc., Providence, 1973.

(Reçu le 22 février 2004)

Harry Tamvakis

Department of Mathematics
Brandeis University – MS 050
P. O. Box 9110
Waltham, MA 02454-9110
U. S. A.
e-mail: harryt@brandeis.edu