

Objektyp: **ReferenceList**

Zeitschrift: **Veröffentlichungen des Geobotanischen Institutes der Eidg. Tech. Hochschule, Stiftung Rübel, in Zürich**

Band (Jahr): **94 (1989)**

PDF erstellt am: **05.05.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

REFERENCES

- ADRIANO D.C., FULENWIDER A., SHARITZ R.R., CIRAVOLO T.G. and HOYT D.D., 1980: Growth and mineral nutrition of cattail (*Typha*) as influenced by thermal alteration. *Environ.Qual.* **9**, 649-653.
- ADRIANO D.C., SHARITZ R.R., CIRAVOLO T.G., LUVALL J.C. and HARDING S.A., 1984: Growth and mineral nutrition of cattails inhabiting a thermally graded South Carolina reservoir. II. The micronutrients. *Plant Nutrition* **7**(12), 1699-1716.
- BARSDATE R.J. and PRENTKI R.T., 1973: Nutrient metabolism and water chemistry in lakes and ponds of the arctic coastal tundra. *U.S. Tundra Biome Data Rep.*, 7-27.
- BEAUCHAMP S. and KEREKES J.J., 1980: Comparative changes in water chemistry within impounded and natural freshwater marshes in three maritime wetlands. *Canadian Wildlife Service, Ottawa*. Vol. 1, 110 pp.; vol. 2, 192 pp.
- BERNARD J.M. and BERNARD F.A., 1973: Winter biomass in *Typha glauca* Godr. and *Sparganium eurycarpum* Engelm. *Bull.Torr.Bot.Club* **100**, 125-131.
- BERNARD J.M. and FITZ M.L., 1979: Seasonal changes in aboveground primary production and nutrient contents in a central New York *Typha glauca* ecosystem. *Bull.Torr.Bot.Club* **106**, 37-40.
- BERNARD J.M. and HANKINSON G., 1979: Seasonal changes in standing crop, primary production, and nutrient levels in a *Carex rostrata* wetland. *Oikos* **32**, 328-336.
- BERNARD J.M. and SOLSKY B.A., 1977: Nutrient cycling in a *Carex lacustris* wetland. *Can.J.Bot.* **55**, 630-638.
- BEULE J.D., 1979: Control and management of cattails in southeastern Wisconsin wetlands. *Dept.Natural Res.,Madison Wisconsin.Tech.Bull.* **112**, 39 pp.
- BLISS J.C., COURTIN G.M., PATTIE D.L., RIEWE R.R., WHITFIELD D.W.A. and WIDDEN P., 1973: Arctic tundra ecosystems. *Ann.Rev.Ecol.Syst.* **4**, 359-399.
- BORNKAMM R. and RAGHI-ATRI F., 1978: Wachstum und Inhaltsstoffe von Schilf bei abgestuften Gaben von Stickstoff, Phosphor und Bor. *Verh. Ges.Oekologie,Kiel*(1977). 361-367.
- BORNKAMM R., OVERDIECK D. and RAGHI-ATRI F., 1979: Verhalten von Schilf unter kontrollierten Nährstoffbedingungen. *Schriftenr.Ver.Wasser-, Boden- u. Lufthygiene* **48**, 99-122.
- BORNKAMM R., RAGHI-ATRI F. and KOCH M., 1980: Effects of eutrophication on *Phragmites australis*. *Garten u. Landschaft* **1**, 15-19.
- BOYD C.E., 1970: Losses of mineral nutrients during decomposition of *Typha latifolia*. *Arch.Hydrobiol.* **66**, 511-517.
- BOYD C.E., 1971: Further studies on productivity, nutrient and pigment relationships in *Typha latifolia* populations. *Bull.Torr.Bot.Club* **98**, 144-150.
- BOYD C.E. and HESS L.W., 1970: Factors influencing shoot production and mineral nutrient levels in *Typha latifolia*. *Ecology* **51**, 296-300.
- BRAY J.R., 1962: Estimates of energy budgets for a *Typha* (cattail) marsh. *Science* **136**, 1119-1120.
- BRAY J.R., LAWRENCE D.W. and PEARSON L.C., 1959: Primary production in some Minnesota terrestrial communities. *Oikos* **10**, 38-49.
- BRINSON M.M., LUGO A.E. and BROWN S., 1981: Primary productivity, decomposition and consumer activity in freshwater wetlands. *Ann.Rev.Ecol. Syst.* **12**, 123-161.

- BROWN R.J.E., 1983: Effects of fire on permafrost ground thermal regime. In: WEIN R.W. and MacLEAN D.A. (eds.), The role of fire in northern circumpolar ecosystems. SCOPE (Wiley, Chichester) **18**, 97-110.
- BURTON G.W., 1944: Seed production of several southern grasses as influenced by burning and fertilization. Am.Soc.Agron.J. **36**, 523-529.
- CARGILL S.M. and JEFFERIES R.L., 1984: Nutrient limitation of primary production in a sub-arctic salt marsh. J.Appl.Ecology **21**, 657-668.
- CHANDLER C., CHENEY P., THOMAS P., TRABAUD L. and WILLIAMS D., 1983: Fire in forestry. Vol. 1. Forest fire behaviour and effects. Wiley, New York. 450 pp.
- CHAPIN F.S. III, 1978: Phosphate uptake and nutrient utilization by Barrow tundra vegetation. IN: TIESZEN L.L. (ed.), Vegetation and production ecology of an alaskan arctic tundra. Springer, New York. 483-508.
- CHAPIN F.S. III, 1980: Mineral nutrition of wild plants. Ann.Rev.Ecol. Syst. **11**, 233-260.
- CHAPIN F.S. III, VAN CLEVE K. and TIESZEN L.L., 1975: Seasonal nutrient dynamics of tundra vegetation at Barrow, Alaska. Arctic and Alpine Res. **7**, 209-226.
- CHAPMAN H.D., 1966: Diagnostic criteria for plants and soils. Univ. of California, Div.Agric.Sci., Riverside. 793 pp.
- DAUBENMIRE R., 1968: Ecology of fire in grassland. Adv.Ecol.Res. **5**, 209-266.
- DAVIDSON R.L., 1969: Effects of soil nutrients and moisture on root-shoot ratios in *Lolium perenne* L. and *Trifolium repens* L. Ann.Bot. n.s. **33**, 570-577.
- DAVIS C.B. and VAN DER VALK A.G., 1978a: Litter decomposition in prairie glacial marshes. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), Freshwater wetlands: Ecological processes and management potential. Acad.Press, New York. 99-113.
- DAVIS C.B. and VAN DER VALK A.G., 1978b: The decomposition of standing and fallen litter of *Typha glauca* and *Scirpus fluviatilis*. Can.J.Bot. **56**, 662-675.
- DEBANO L.F., EBERLEIN G.E. and DUNN P.H., 1979: Effects of burning on chaparral soils: I. Soil nitrogen. Soil Sci.Soc.Am.J. **43**, 504-509.
- DOWDING P., 1981: The effects of artificial drainage on nitrogen cycle processes. In: CLARK F.E. and ROSSWALL T. (eds.), Terrestrial nitrogen cycles. Ecol.Bull.(Stockholm) **33**, 615-625.
- DYKYJOVA D., 1971: Productivity and solar energy conversion in reedswamp stands in comparison with outdoor mass cultures of algae in the temperate climate of central Europe. Photosynthetica **5**, 329-340.
- DYKYJOVA D., 1978: Nutrient uptake by littoral communities of helophytes. In: DYKYJOVA D. and KVET J. (eds.), Pond littoral ecosystems: Structure and functioning. Ecol.Studies (Springer, Berlin) **28**, 257-277.
- ENVIRONMENT CANADA, 1975: Canadian normals 1941-1970. Atmospheric Environment Service, Environment Canada, Toronto, Ontario. Vol. 1, Temperature, 306 pp.; Vol. 2, Precipitation, 602 pp.
- ENWEZOR O.W., 1976: The mineralization of nitrogen and phosphorus in organic materials of varying C : N and C : P ratios. Plant and Soil, **44**, 237-240.
- FEDERER W.T., 1955: Experimental design. Macmillan, New York. 544 pp.
- FOWELLS H.A. and STEPHENSON R.E., 1934: The effect of burning on forest soils. Soil Sci. **38**, 175-181.
- GODSHALK G.L. and WETZEL R.G., 1978a: Decomposition in the littoral zone of lakes. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), Fresh-

- water wetlands: Ecological processes and management potential. Acad. Press, New York. 131-143.
- GODSHALK G.L. and WETZEL R.G., 1978b: Decomposition of aquatic angiosperms: I. Dissolved components, II. Particulate components, III. *Zostera marina* L. and a conceptual model of decomposition. *Aquat.Bot.* **5**, 281-300, 301-327, 329-354.
- GREGORY F.G., 1937: Mineral nutrition of plants. *Ann.Rev.Biochem.* **6**, 557-578.
- GUSTAFSON T.D., 1976: Production, photosynthesis, and the storage and utilization of reserves in a natural stand of *Typha latifolia* L. Ph.D. thesis, Univ. of Wisconsin, Madison. 102 pp.
- HASLAM S.M., 1970: The performance of *Phragmites communis* Trin. in relation to water supply. *Ann.Bot.* **34**, 867-877.
- HASLAM S.M., 1971a: Shoot height and density in *Phragmites* stands. *Hidrobiol.* **12**, 113-119.
- HASLAM S.M., 1971b: Community regulation in *Phragmites communis* Trin. I. Monodominant stands. *J.Ecol.* **59**, 65-73.
- HASLAM S.M., 1971c: Community regulation in *Phragmites communis* Trin. II. Mixed stands. *J.Ecol.* **59**, 75-88.
- HAYNES R.J., 1984: Lime and phosphate in the soil-plant system. *Adv. Agron.* **37**, 249-306.
- HEILMAN P.E., 1966: Changes in distribution and availability of nitrogen with forest succession on northern slopes in interior Alaska. *Ecology* **47**, 826-831.
- HEINSELMANN M.L., 1975: Boreal peatlands in relation to environment. In: HASLER A.D. (ed.), *Coupling of land and water systems*. Springer, New York. 99-103.
- HERMAN W.H., MCGILL W.B. and DORMAAR J.F., 1977: Effect of initial chemical composition on decomposition of roots of three grass species. *Can.J.Soil Sci.* **57**, 205-215.
- HEWITT E.J. and SMITH T.A., 1974: Plant mineral nutrition. The English Univ. Press Ltd., London. 298 pp.
- HODKINSON I.D., 1975: Dry weight loss and chemical changes in vascular plant litter of terrestrial origin, occurring in a beaver pond ecosystem. *J.Ecol.* **63**, 131-142.
- HOFSTEN B.V. and EDBERG N., 1972: Estimating the rate of degradation of cellulose fibres in water. *Oikos* **23**, 29-34.
- HOGG E.H. and WEIN R.W., 1987: Growth dynamics of *Typha* mats: seasonal translocation and internal deposition of organic material. *Oikos* **50**, 197-205.
- HOGG E.H. and WEIN R.W., 1988a: Seasonal change in gas content and buoyancy of floating *Typha* mats. *J.Ecol.* **76**, 1055-1068.
- HOGG E.H. and WEIN R.W., 1988b: The contribution of *Typha* components to floating mat buoyancy. *Ecology* **69**, 1025-1031.
- HOPKINSON C.S. and SCHUBAUER J.P., 1984: Static and dynamic aspects of nutrient cycling in the salt marsh graminoid *Spartina alterniflora* Loisel. *Ecology* **65**, 961-969.
- HOWES B.L., HOWARTH R.W., TEAL J.M. and VALIELA I., 1981: Oxidation-reduction potentials in a salt marsh: spatial pattern and interactions with primary production. *Limnol.Oceanogr.* **26**, 350-360.
- HUNT H.W., 1977: A simulation model for decomposition in grasslands. *Ecology* **58**, 469-484.
- HUNT R., 1975: Further observations on root-shoot equilibria in perennial ryegrass (*Lolium perenne* L.). *Ann.Bot., n.s.* **39**, 745-755.
- JARVIS R.A., 1969: Primary production in the freshwater marsh ecosystem of Troy Meadows, New Jersey. *Bull.Torr.Bot.Club*, **96**, 209-231.

- JONES R.J.A. and COURT M.N., 1980: The measurement of mean temperatures in plant and soil studies by the sucrose-inversion method. *Plant and Soil* **54**, 15-31.
- KADLEC R.H., 1980: Wetlands for tertiary treatment. In: GREESON P.E., CLARK J.R. and CLARK J.E. (eds.), *Wetland function and values: The state of our understanding*. Am.Water Res.Assoc., Minneapolis. 490-504.
- KLOPATEK J.M., 1975: The role of emergent macrophytes in mineral cycling in a freshwater marsh. In: HOWELL F.G., GENTRY J.B. and SMITH M.H. (eds.), *Mineral cycling in southeastern ecosystems*. ERDA Symposium Series (Conf 740513), NTIS, Department of Commerce, Springfield, Va. 367-393.
- KLOPATEK J.M., 1978: Nutrient dynamics of freshwater riverine marshes and the role of emergent macrophytes. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), *Freshwater wetlands: Ecological processes and management potential*. Acad. Press, New York. 195-217.
- KRÜSI B.O. and WEIN R.W., 1982: The effects of draining, burning and fertilizing on the microclimate in a *Typha*-dominated freshwater marsh. In: WEIN R.W. and KRÜSI B.O. (eds.), *A report on the second year of the Tintamarre marsh fire ecology study*. Unpubl. Report, Fire Science Centre, Univ. of New Brunswick, Fredericton, Canada. 46-51.
- KRÜSI B.O. and WEIN R.W., 1988: Experimental studies on the resiliency of floating *Typha* mats in a freshwater marsh. *J.Ecol.* **76**, 60-72.
- KUCERA C.L., DAHLMAN R. and KOELLING M., 1967: Total net productivity and turnover on an energy basis for tallgrass prairie. *Ecology* **48**, 536-541.
- LAKSHMINARAYANA J.S.S. and RIOUX P., 1982: Water quality and primary production after draining and burning treatments. In: WEIN R.W. and KRÜSI B.O. (eds.), *A report on the second year of the Tintamarre marsh fire ecology study*. Unpubl. Report, Fire Science Centre, Univ. of New Brunswick, Fredericton, Canada. 37-45.
- LEE J.A., HARMER R. and IGNACIUK R., 1983: Nitrogen as limiting factor in plant communities. In: LEE J.A., McNEILL S. and RORISON I.H. (eds.), *Nitrogen as an ecological factor*. Blackwell Sci.Publ., Oxford. 95-112.
- LEE R., 1969: Chemical temperature integration. *J.Appl.Meteorol.* **8**, 423-430.
- LINTHURST R.A., 1979: The effect of aeration on the growth of *Spartina alterniflora* Loisel. *Am.J.Bot.* **66**, 685-691.
- LINTHURST R.A., 1980: A growth comparison of *Spartina alterniflora* Loisel. ecospheres under aerobic and anaerobic conditions. *Am.J.Bot.* **67**, 883-887.
- LLOYD P.S., 1971: Effects of fire on the chemical status of herbaceous communities of the Derbyshire Dales. *J.Ecol.* **59**, 261-273.
- MacLEAN D.A., WOODLEY S.J., WEBER M.G. and Wein R.W., 1983: Fire and nutrient cycling. In: WEIN R.W. and MacLEAN D.A. (eds.), *The role of fire in northern circumpolar ecosystems*. SCOPE (Wiley, Chichester) **18**, 111-132.
- McCOWN B.H., 1973: The influence of soil temperature on plant growth and survival in Alaska. *Proc.Symp. on Oil Resource Development and its Impact on Northern Plant Communities*. Occasional Publication on Northern Life, Univ. of Alaska, **1**, 12-33.
- McCOWN B.H., 1978: The interactions of organic nutrients, soil nitrogen and soil temperature and plant growth and survival in the arctic environment. In: TIESZEN L.L. (ed.), *Vegetation and production ecology of an Alaskan arctic tundra*. Springer, New York. 435-456.
- McGILL W.B., HUNT H.W., WOODMANSEE R.G. and REUSS J.O., 1981: Phoenix, a

- model of the dynamics of carbon and nitrogen in grassland soils. In: CLARK F.E. and ROSSWALL R. (eds.), Terrestrial nitrogen cycles. Ecol. Bull.(Stockholm) **33**, 49-115.
- McNAUGHTON S.J., 1966: Ecotype function in the *Typha* community type. Ecol.Monogr. **36**, 297-325.
- MEI H.S. and THIMANN K.V., 1984: The relation between nitrogen deficiency and leaf senescence. Physiol.Plant. **62**, 157-161.
- MENDELSSOHN I.A., McKEE K.L. and POSTEK M.T., 1982: Sublethal stresses controlling *Spartina alterniflora* productivity. In: GOPAL B., TURNER R.E., WETZEL R.G. and WHIGHAM D.F. (eds.), Wetlands: Ecology and management. Nat.Inst.Ecol.Intern.Sci.Publ.,Jaipur,India. 223-242.
- MENGEL K. and KIRKBY E.A., 1978: Principles of plant nutrition. Intern. Potash Institute, Berne, Switzerland. 593 pp.
- MOOK J.H. and VAN DER TOORN J., 1982: The influence of environmental factors and management on stands of *Phragmites australis*: II. Effects on yield and its relationship with shoot density. J.Appl.Ecol. **19**, 501-517.
- MOOK J.H. and VAN DER TOORN J., 1985: Delayed response of common reed (*Phragmites australis*) to herbivory as a cause of cyclic fluctuations in the density of the moth *Archana geminipuncta*. Oikos **44**, 142-148.
- MOONEY H.A., 1972: The carbon balance of plants. Ann.Rev.Ecol.Syst. **3**, 315-346.
- MORRIS J.T., 1980: The nitrogen kinetics of *Spartina alterniflora* in culture. Ecology **61**, 1114-1121.
- MORRIS J.T., 1982: A model of growth responses by *Spartina alterniflora* to nitrogen limitation. J.Ecol. **70**, 25-42.
- NIELSEN K.F., 1971: Roots and root temperature. In: CARSON E.W. (ed.), The plant root and its environment. Univ.Press of Virginia, Charlottesville. 293-333.
- PAUL R.W., BENFIELD E.F. and CAIRNS J., 1978: Effects of thermal discharges on leaf decomposition in a river ecosystem. Verh.Intern.Ver. Angew.Theor.Limnol. **20**, 1759-1766.
- POLUNIN N.V.C., 1982: Processes contributing to the decay of reed (*Phragmites australis*) litter in fresh water. Arch.Hydrobiol. **94**, 182-209.
- POLUNIN N.V.C., 1984: The decomposition of emergent macrophytes in fresh water. Acad.Press, New York. Adv.Ecol.Res. **14**, 115-166.
- PRENTKI R.T., GUSTAFSON T.D. and ADAMS M.S., 1978: Nutrient movement in lakeshore marshes. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), Freshwater wetlands: Ecological processes and management potential. Acad.Press, New York. 169-194.
- RAGHI-ATRI F. and BORNKAMM R., 1980: Ueber Halmfestigkeit von Schilf (*Phragmites australis*) bei unterschiedlicher Nährstoffversorgung. Arch.Hydrobiol. **90**, 90-105.
- RAISON R.J., 1979: Modification of the soil environment by vegetation fires, with particular reference to nitrogen transformations: a review. Plant and Soil **51**, 73-108.
- RICHARDSON C.J., TILTON D.L., KADLEC J.A., CHAMIE J.P.M. and WENTZ W.A., 1978: Nutrient dynamics of northern wetland ecosystems. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), Freshwater wetlands: Ecological processes and management potential. Acad.Press, New York. 217-241.
- ROWE J.S. and SCOTTER G.W., 1973: Fire in the boreal forest. Quater.Res. **3**, 444-464.
- S.A.S. INSTITUTE, 1982: Statistical analysis systems user's guide: Statistics. S.A.S. Institute Inc., Cary, North Carolina. 584 pp.

- SHARITZ R.R., ADRIANO D.C., PINDER J.E., LUVALL J.C. and CIRAVOLO T.G., 1984: Growth and mineral nutrition of cattails inhabiting a thermally-graded South Carolina reservoir. I. Growth and the macronutrients. *Plant Nutrition* **7**(12), 1671-1698.
- SHARMA K.P. and GOPAL B., 1982: Decomposition and nutrient dynamics in *Typha elephantina* Roxb. under different water regimes. In: GOPAL B., TURNER R.E., WETZEL R.G. and WHIGHAM D.F. (eds.), *Wetlands: Ecology and management*. Nat.Inst.Ecol.Intern.Sci.Publ., Jaipur, India. 321-334.
- SHAVER G.R. and BILLINGS W.D., 1975: Root production and root turnover in a wet tundra ecosystem, Barrow, Alaska. *Ecology* **56**, 401-409.
- SHAVER G.R. and MELILLO J.M., 1984: Nutrient budgets of marsh plants: Efficiency concepts and relation to availability. *Ecology* **65**, 1491-1510.
- SKUHRVY V., 1978: Invertebrates: Destroyers of common reed. In: DYKYJOVA D. and KVET J. (eds.), *Pond littoral ecosystems: Structure and functioning*. Ecol.Studies (Springer, Berlin) **28**, 376-388.
- SLOEY W.E., SPANGLER F.L. and FETTER C.W., 1978: Management of freshwater wetlands for nutrient assimilation. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), *Freshwater wetlands: Ecological processes and management potential*. Acad.Press, New York. 321-340.
- SMITH K.K., GOOD R.E. and GOOD N.F., 1979: Production dynamics for above- and belowground components of a New Jersey *Spartina alterniflora* tidal marsh. *Estuar.Coast.Marine Sci.* **9**, 189-201.
- SOKAL R.R. and ROHLF F.J., 1981: *Biometry. The principles and practice of statistics in biological research*. (2nd ed.). Freeman, San Francisco. 859 pp.
- SZCZEPANSKA W., 1976: Development of the underground parts of *Phragmites communis* Trin. and *Typha latifolia* L. *Pol.Arch.Hydrobiol.* **23**, 227-232.
- SZCZEPANSKA W. and SZCZEPANSKI A., 1976: Growth of *Phragmites communis* Trin., *Typha latifolia* L. and *Typha angustifolia* L. in relation to the fertility of soils. *Pol.Arch.Hydrobiol.* **23**, 233-248.
- THIMANN K.V., 1980: Senescence of leaves. In: THIMANN K.V. (ed.), *Senescence in plants*. C.R.C. Press, Boca Raton, Florida. 85-116.
- THOMPSON D.J. and SHAY J.M., 1985: The effect of fire on *Phragmites australis* in the Delta Marsh, Manitoba. *Can.J.Bot.* **63**, 1864-1869.
- TOLONEN K., 1983: The post-glacial fire record. In: WEIN R.W. and MacLEAN D.A. (eds.), *The role of fire in northern circumpolar ecosystems*. SCOPE (Wiley, Chichester) **18**, 21-44.
- TOWNE G. and OWENSBY C., 1984: Long-term effects of annual burning at different dates in ungrazed Kansas tallgrass prairie. *J.Range Manage.* **37**, 392-397.
- TRABAUD L., 1983: The effects of different fire regimes on soil nutrient levels in a *Quercus coccifera* L. garrigue. In: KRUEGER F.J., MITCHELL D.T. and JARVIS J.U.M. (eds.), *Mediterranean type ecosystems: The role of nutrients*. Ecol.Stud. (Springer, Berlin) **43**, 233-243.
- TRABAUD L. and LEPART J., 1981: Changes in the floristic composition of a *Quercus coccifera* L. garrigue in relation to different fire regimes. *Vegetatio* **46**, 105-116.
- TRANQUILLINI W., 1982: Frost-drought and its ecological significance. In: LANGE L., NOBEL P.S., OSMOND C.B. and ZIEGLER H. (eds.), *Physiological plant ecology II. Encyclopedia of plant physiology* (Springer, Heidelberg). n.s. **12B**, 379-400.
- VALIELA I., TEAL J.M. and PERSSON N.Y., 1976: Production and dynamics of experimentally enriched salt marsh vegetation: Belowground biomass. *Limnol.Oceanogr.* **21**, 245-252.

- VALIELA I., HOWES B., HOWARTH R., GIBLIN A., FOREMAN K., TEAL J.M. and HOBBIE J.E., 1982: Regulation of primary production and decomposition in a salt marsh ecosystem. In: GOPAL B., TURNER R.E., WETZEL R.G. and WHIGHAM D.F. (eds.), *Wetlands: Ecology and management*. Nat.Inst.Ecol. Intern.Sci.Publ., Jaipur, India. 151-163.
- VAN DER LINDEN, M.J.H.A., 1980: Nitrogen economy of reed vegetation in the Zuidelijk Flevoland polder: I. Distribution of nitrogen among shoots and rhizomes during the growing season and loss of nitrogen due to fire management. *Acta Oecol.Oecol.Plant.* 1, 219-230.
- VAN DER TOORN J. and MOOK J.H., 1982: The influence of environmental factors and management on stands of *Phragmites australis*. I. Effects of burning, frost and insect damage on shoot density and shoot size. *J.Appl.Ecol.* 19, 477-499.
- VAN DER VALK A.G., 1981: Succession in wetlands: a Gleasonian approach. *Ecology* 62(3), 688-696.
- VAN DER VALK A.G. and DAVIS C.B., 1978a: The role of seed banks in the vegetation dynamics of prairie glacial marshes. *Ecology* 59, 322-335.
- VAN DER VALK A.G. and DAVIS C.B., 1978b: Primary production of prairie glacial marshes. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), *Freshwater wetlands: Ecological processes and management potential*. Acad.Press, New York. 21-37.
- VAN DER VALK A.G. and DAVIS C.B., 1979: A reconstruction of the recent vegetational history of a prairie marsh, Eagle Lake, Iowa, from its seed bank. *Aquat.Bot.* 6, 29-51.
- VAN DER VALK A.G., DAVIS C.B., BAKER J.L. and BEER C.E., 1980: Natural freshwater wetlands as nitrogen and phosphorus traps for land runoff. In: GREESON P.E., CLARK J.R. and CLARK J.E. (eds.), *Wetland function and values: The state of our understanding*. Am.Water Res. Assoc., Minneapolis. 457-467.
- WARD P., 1968: Fire in relation to waterfowl habitat of the Delta marshes. *Proc. Tall Timbers Fire Ecology Conf.* 8, 255-267.
- WEBBER P.J., 1978: Spatial and temporal variation of the vegetation and its productivity. In: TIESZEN L.L. (ed.), *Vegetation and production ecology of an Alaskan arctic tundra*. Springer, New York. 37-112.
- WEIN R.W., 1983: Fire behaviour and ecological effects in organic terrain. In: WEIN R.W. and MacLEAN D.A. (eds.), *The role of fire in northern circumpolar ecosystems*. SCOPE (Wiley, Chichester) 18, 81-95.
- WELLER M.W., 1975: Studies of cattail in relation to management for marsh wildlife. *Iowa State J.Res.* 49, 383-412.
- WELLER M.W., 1978: Management of freshwater marshes for wildlife. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), *Freshwater wetlands: Ecological processes and management potential*. Acad.Press, New York. 267-284.
- WELLER M.W., 1982: *Freshwater marshes: Ecology and wildlife management*. Univ. of Minnesota Press, Minneapolis. 146 pp.
- WELLER M.W. and SPATCHER C.S., 1965: Role of habitat in the distribution and abundance of marsh birds. *Iowa Agric. and Home Econ.Exp.Stat.*, Ames, Iowa. Special Report 43. 31 pp.
- WHIGHAM D.F., 1982: Using freshwater wetlands for wastewater management in North America. In: GOPAL B., TURNER R.E., WETZEL R.G. and WHIGHAM D.F. (eds.), *Wetlands: Ecology and management*. Nat.Inst.Ecol.Intern. Sci.Publ., Jaipur, India. 507-514.
- WHIGHAM D.F. and BAYLEY S.E., 1980: Nutrient dynamics in freshwater wetlands. In: GREESON P.E., CLARK J.R., CLARK J.E. (eds.), *Wetland functions and values: The state of our understanding*. Am.Water Res. Assoc., Minneapolis. 468-478.

- WHIGHAM D.F. and SIMPSON R.L., 1976: The potential use of freshwater tidal marshes in the management of water quality in the Delaware River. In: TOURBIER J. and PIERSON Jr. R.W. (eds.), Biological control of water pollution. Univ. of Pennsylvania Press, Philadelphia. 173-186.
- WHIGHAM D.F., McCORMICK J., GOOD R.E. and SIMPSON R.L., 1978: Biomass and primary production in freshwater tidal wetlands of the middle atlantic coast. In: GOOD R.E., WHIGHAM D.F. and SIMPSON R.L. (eds.), Freshwater wetlands: Ecological processes and management potential. Acad.Press, New York. 3-20.
- WHITMAN W.R., 1974: The response of macro-invertebrates to experimental marsh management. Ph.D. Thesis, Univ. of Main, Orono. 114 pp.
- WHITMAN W.R., 1976: Impoundments for waterfowl. Can.Wildlife Service, Ottawa. Occasional Paper 22. 21 pp.
- WIDDEN P., 1977: Microbiology and decomposition on Truelove Lowland. In: BLISS L.C. (ed.), Truelove Island, Devon Island, Canada: A high arctic ecosystem. Univ. of Alberta Press, Edmonton. 503-530.
- WOODMANSEE R.G. and WALLACH L.S., 1981: Effects of fire regimes on biogeochemical cycles. In: CLARK F.E. and ROSSWALL T. (eds.), Terrestrial nitrogen cycles. Ecol.Bull.(Stockholm) 33, 649-669.
- WRIGHT H.A. and BAILEY A.W., 1982: Fire ecology: United States and Southern Canada. Wiley, New York. 501 pp.
- WRIGHT H.A. and KLEMMEDSON J.O., 1965: Effect of fire on bunchgrasses of the sagebrush-grass region in Southern Idaho. Ecology 46, 680-688.

Adress of the author: Dr. Bertil O. KRÜSI
Electrowatt Engineering Services Ltd.
Ecology and Environmental Engineering
Bellerivestrasse 36
P.O. Box
CH-8034 Zürich
Switzerland